IMPERIAL MYCOLOGICAL INSTITUTE
19 JULY 1937

Bur. Ent. & P. Q. Issued June 1937

United States Department of Agriculture

BUREAU OF ENTOMOLOGY AND PLANT QUARANTINE

SERVICE AND REGULATORY ANNOUNCEMENTS

LIST OF INTERCEPTED PLANT PESTS, 1936

(List of Pests Recorded During the Period July 1, 1935, to June 30, 1936, Inclusive, as Intercepted in, on, or with Plants and Plant Products Entering United States Territory)

INTRODUCTION

This paper covers the twenty-third year for which pest interception lists have been issued. It is the purpose of these papers to present data that will give the reader a reasonably complete picture of the condition of the plant materials inspected, from the standpoint of plant pests present, and that will indicate the wide variety of materials from almost all parts of the world which have been inspected for the presence of pests, both known and unknown, and on which something of interest was found.

In order to keep the paper from becoming too bulky as the number of interceptions has increased, it has been necessary from time to time to eliminate many items from the detailed list that make up the bulk of the paper. More or less cosmopolitan pests are now listed in short paragraphs under the heading, "Common Pests Intercepted", and others not so widely distributed are included in these paragraphs whenever ample records of their interception have been published. Drastic cuts in the items to be included were necessitated by the marked increase in the number of interceptions this year and led to the omission of thousands of records of partially determined insects from the detailed list in this paper. Many of these insects determined to genus, family, or other large subdivision only may be far more important than some of the items included in the detailed list, but information available is inadequate to make possible evaluation of their economic status. These interceptions are summarized, under the heading, "Incompletely Determined Pests." A few unnamed new species and partially determined insects new to our records and believed to be important have been included in the paper. Determinations covering interceptions made the last few days of the year are received after the end of the year and are included in the list for the following year. Furthermore it is obvious that determinations cannot be made promptly in all cases, especially where difficult material is involved. Hence some delayed determinations of insects and diseases intercepted in the previous year appear in the list. This list is based on data covering intercepted plant pests for which determinations were received and indexed during the fiscal year, including those intercepted in, on, or with plants and plant products (1) imported, (2) offered for but refused entry, (3) held as ships' stores, etc., and hence not imported through customs, (4) offered for entry for immediate export or for immediate transportation and exportation in bond, and (5) in domestic shipments reaching the mainland from Hawaii and Puerto Rico.

As in the past, the list has been compiled from the files maintained in the Washington office. Information supplied by State and customs officials acting as collaborators of the Bureau has supplemented routine reports of regular employees. Most of the insect determination are made by specialists of the Bureau and some of the plant-disease determinations by specialists of the Bureau of Plant Industry. The States of California and Florida and the Territory of Hawaii have staffs of specialists who make most of their determinations. In addition to the items shown in this paper, in one form or another, there were many thousands of lots of material intercepted in which the organism concerned could not, because of its condition, be determined.

Statements as to the origin of plant materials inspected cannot always be verified, but every effort is made to determine the origin as accurately as possible. Obviously doubtful items are omitted from the lists of interceptions under countries concerned.

The number of interceptions indicated for any item in any of these lists represents the number of lots of infected or infested plants or plant products which

131597—37——1

[RAM. XVI, 784]

were intercepted and has no relation to the size of the shipment or to the extent of infection or infestation. A heavily infested cargo of thousands of tons of one commodity infested with a single pest would be listed as one interception while a shipment of plants weighing a few ounces might contain three different types of plants infected or infested with a single organism each and hence listed as three interceptions.

NOTES ON INSECTS INTERCEPTED

FRUIT FLIES

The following fruit flies were intercepted: Celery fly (*Acidia heraclei*) in celery leaves from England;[1] West Indian fruit fly (*Anastrepha acidusa*) in purple mombin from the American Virgin Islands, mango from Cuba, Dominican Republic, Jamaica, and Puerto Rico, quince from Mexico, and (adults) with banana debris from Panama; Mexican fruit fly (*A. ludens*) in orange from Guatemala and grapefruit, mamey, mango, orange, sapodilla, sapote, sour orange, and sweet lime from Mexico; dark fruit fly (*A. serpentina*) in mamey and sapote from Mexico; *A. silvai* (adult) with banana debris from Panama; Central American fruit fly (*A. striata*) in guava from Mexico; *A. suspensa* in guava from Cuba and Puerto Rico; *Anastrepha* sp. in orange and plum from Brazil, mango from Canal Zone, Cuba, and Jamaica, mamey from Guatemala, mango and star-apple from Haiti, mango and orange from Honduras, apple, avocado, grapefruit, guava, mamey, mango, orange, peach, pomegranate, quince, sapote, and sweet lime from Mexico, (adult) with banana debris from Panama, guava, mango, and sapodilla from Puerto Rico, and mango and sour orange from Trinidad; melon fly (*Bactrocera cucurbitae*) in cucumber from Hawaii; Mediterranean fruit fly (*Ceratitis capitata*) in guava from Azores, orange from Brazil, Canary Islands, and Union of South Africa, Surinam-cherry from Bermuda, quince from Greece, avocado, coffee berry, grape, and mango from Hawaii, apple, fig, grapefruit, orange, peach, persimmon, pricklypear, pomegranate, quince, sorbe apple, tangerine, and packing material for fruit from Italy, grapefruit and orange from Palestine, guava and quince from Portugal, and apple, apricot, grape, grapefruit, orange, peach, pear, and packing material for fruit from Spain; *Ceratitis* sp. in grapefruit and in suitcase containing grapefruit from Palestine; olive fruit fly (*Dacus oleae*) in olives from Greece and Italy and (adult) in package of green olives from Italy; *Rhagoletis cerasi* (puparium) in an empty fruit locker which had contained apples, grapes, and peaches on board a ship from Spain; *Rhagoletis* sp. in black walnut, *Crataegus* sp., peach, and quince from Mexico, and cherry from Spain; papaya fruit fly (*Toxotrypana curvicauda*) in papaya from Panama; trypetid in manzanita and quince from Mexico, mango from Philippines, pomegranate from Puerto Rico, apple from Spain, *Kigelia* sp. and *Hapaline* sp. (seed) from Union of South Africa, and with *Rosa* sp. (hip) from Mongolia, *Rosa* sp. (seed) from India and Sweden, *Rosa pendulina* (seed) from Switzerland, globe artichoke (seed) from Italy, mango from Jamaica, and legume from the Union of Soviet Socialist Republics.

INSECTS OTHER THAN FRUIT FLIES

Acrolepia assectella (Plutellidae) was intercepted in leeks from Belgium, France, Germany, Italy, and Spain. The citrus blackfly (*Aleurocanthus woglumi*) was taken on leaves of orange and sour lime from Cuba. Croton from the Federated Malay States was infested with *Aleuroplatus samoanus* (whitefly). *Aleyrodes azaleae* (whitefly) was taken on azalea from England. Pineapples in ship's stores from Cuba were infested with *Apelma brevis* (Ceratopogonidae). Globe artichokes from Algeria, England, France, and Italy were infested with *Apion carduorum* (Curculionidae). *Aspidiotus transparens* (Coccidae) was taken on fatsia from China. *Baris laticollis* (Curculionidae) was intercepted in turnips from France and Portugal. Vetch seed from Hungary was infested with the vetch bruchid (*Bruchus brachialis*). The giant sugarcane borer (*Castnia licus*) was found in a corm of *Heliconia angustifolia* from the Canal Zone. *Ceutorhynchus contractus* (Curculionidae) infested cauliflower from Italy. *C. pleurostigma* (turnip gall weevil) was taken in turnip from Denmark, Germany Italy, and Netherlands, radish, rutabaga, and turnip from England, and rutabaga and turnip from France. *C. quadridens* was intercepted in cabbage from Italy and turnip from France and Germany. The Asiatic rice borer (*Chilo simplex*) arrived with rice straw from the American Virgin Islands, China, Egypt, India, Japan, Philippines, Spain, and Trinidad. Orchids from India were infested with *Coccus capparidis* (Coccidae). Potatoes from Mexico were infested with the

[1] For details of interceptions mentioned in the text see lists under the countries named.

potato weevil (*Epicaerus cognatus*). Larvae of *Epipolaeus caliginosus* (Curculionidae) were intercepted in hop roots from England. *Eurytoma onobrychidis* (Eurytomidae) was intercepted in seed of *Onobrychis viciaefolia* from Germany. The West Indian sweetpotato weevil (*Euscepes batatae*) was intercepted in sweetpotatoes from American Virgin Islands, Bermuda, Brazil, Ecuador, Puerto Rico, and Tahiti and in soil around sweetpotatoes from Puerto Rico. *Exosoma lusitanica* (Chrysomelidae) was found in cipollini from Morocco. *Gargaphia torresi* (Tingitidae) arrived with grapes from Argentina. *Haplothrips mordvilkoi* (thrips) arrived with plume grass seed from Turkey. A larva of *Helophorus rufipes* (Hydrophilidae) was intercepted on a turnip leaf from France and *H. rugosus* arrived with turnip and witloof from the same country. *Laspeyresia splendana* (Olethreutidae) was intercepted in chestnuts from Austria, Azores, Italy, Japan, Portugal, and Spain. *Mamestra brassicae* (Noctuidae) was taken on cabbage from Belgium, England, and Germany, cauliflower from France, Germany, and Netherlands, and Savoy cabbage from Netherlands. The bean pod borer (*Maruca testulalis*) was intercepted in lima beans from Cuba, string beans from Hawaii, Japan, and Venezuela, and on leis from Hawaii. *Megastigmus pistaciae* (Callimomidae) arrived with pistache seed from the Union of Soviet Socialist Republics. *Melanothrips fuscus* (thrips) was intercepted on watercress from England. *Myzus polyanthi* (aphid) was found on primrose from England and in soil around a primrose plant from Scotland. *Napomyza lateralis* (Agromyzidae) was intercepted in witloof leaves from Belgium. *Ortheziola vejdovskyi* (Coccidae) was taken in soil and moss around the roots of holly trees from England. The yam weevil (*Palaeopus costicollis*) was intercepted in yams from Jamaica. *Parlatoria fluggeae brasiliensis* (Coccidae) was taken on orange from Brazil and Straits Settlements and on sour lime from Mexico. The pink bollworm (*Pectinophora gossypiella*) was intercepted in cotton bolls from American Virgin Islands, Hawaii, Mexico, Montserrat, and Turkey, cottonseed from Brazil, Dominican Republic, Egypt, Hawaii, Mexico, and Virgin Islands, cottonseed used as packing material about lacquer ware from Siam, seed cotton from Brazil, Dominican Republic, Mexico, and Virgin Islands, cottonseed adhering to bagging and rags from Egypt, and with seed cotton on bagging from Egypt. *Phacecorynes zamiae* (Curculionidae) was intercepted in the stems of *Encephalartos caffer* and *E. lehmanni* from the Union of South Africa. Living larvae of the gypsy moth (*Porthetria dispar*) were intercepted on dwarf maple from Japan. Sour limes arriving from the Philippines were infested with the Philippine orange moth (*Prays citri*). *Psylliodes chrysocephala* (Chrysomelidae) arrived with cauliflower and turnips from France. *Sciaphilus muricatus* (Curculionidae) was intercepted in shamrock from Ireland. The mango weevil (*Sternochetus mangiferae*) was intercepted in mangoes from Ceylon and Hawaii. *Taeniothrips frontalis* (thrips) was found on carnation from France. *T. fumosa* was intercepted on chinkerichee and gladiolus from the Union of South Africa. The gladiolus thrips (*T. simplex*) arrived with carnation leis and gladiolus from Hawaii, *Echeveria* sp. and gladiolus from Mexico, and gladiolus from New Zealand. *Thrips adamsoni* infested leeks from Italy.

NOTES ON PLANT DISEASES INTERCEPTED

SPECIES NEW TO THE INTERCEPTION FILES

Among the numerous interesting organisms intercepted for the first time were *Aphelenchoides limberi* on bulbous iris from Netherlands, *Ascochyta berberidina* on barberry from Germany, *A. brassicae* on kohlrabi from Germany, *Balansia claviceps* on bamboo leaf from China, *Cercospora foeniculi* on fennel from Italy, *C. xanthoxyli* on *Zanthoxylum* from Cuba, *Colletotrichum glycines* on soy beans from Japan, *Coniosporium bambusae* on bamboo from Jamaica, *Coryneum microsticioides* on peony from France, *Cryptodiaporthe salicina* on willow from Belgium, *Diplodia cerei-triangularis* on cactus from Mexico, *Gloeosporium aglaonemae* on aglaonema from China, *G. maxillariae* on orchid from Nicaragua, *G. olivarum* on olive from Italy, *G. pelargonii* on geranium from Germany, *G. taxicolum* on yew from Ireland, *Gnomonia aceris* on maple from Japan, *Graphiola borassi* on palm from India, *Leptosphaeria culmicola* on wheat from France, *L. rusci* on ruscus from Italy, *Mendogia bambusina* on a bamboo harrow from Philippine Islands, *Metasphaeria cocoes* on coconut from Dominican Republic, *Pestalozzia glandicola* on acorns from Japan, *Phoma acuum* on pine from Mexico, *P. ejiciens* on camellia from Japan, *P. julibrissin* on *Albizzia* from British West Indies, *P. pachytheca* on willow from Belgium, *Phomopsis castaneum* on chestnuts from China, *Phyllachora cynodontis* on Bermuda grass from Spain, *Phyllosticta colocasiae* on *Dieffenbachia*

of unknown origin, *P. evonymella* on *Euonymus* from Japan, *P. minutella* on maple from Nova Scotia, *Puccinia angelica* on anise from Italy, *P. carlinae* on *Carlina* from Germany, *P. lippiae* on *Lippia* from Mexico, *Ramularia lampsanae* on witloof from England, *Sclerotium opuntiarum* on cactus from Argentina, *Septoria rubi* on thimbleberry from Canada, *Speira toruloides* on palm from Guatemala, *Uredo jatrophicola* on *Jatropha* from Puerto Rico, *Uromyces cestri* on *Cestrum* from Cuba, *Ustilago caricis* on carex seed from Norway, *U. grandis* on cattail from Netherlands, and the virus disease Australian spotted wilt on tomatoes from Japan.

NEW SPECIES AND NEW OR UNUSUAL RECORDS

Attention is called to the following items which were new species, unlike species reported on the host, or new or unusual records for the host. *Aphelenchoides limberi* Steiner (a new species) on bulbous iris from Netherlands, *Ascochyta* sp. on *Galanthus* from Netherlands, *Aspergillus alliaceus* Thom and Church on *Galanthus* from Turkey, *Cephalobus butchli* de Man (n. var.) in *Colocasia* from Barbados, *C. symmetricus* Thorn (probably new var.) in onion from Portugal, *Cephalosporium pammelii* var. *purpurascens* R. E. Buchanan (first reports as a plant disease, apparently) rot of apple from Japan, *Ceratostomella* sp. on *Colocasia esculenta* from China, *Cercospora* sp. (probably n. sp. and one that would bear watching) on *Cypripedium* from Guatemala, *Chrysomyxa* sp. on *Vaccinium* from Newfoundland, *Cryptosphaerella* sp. on wisteria from Japan, *Didymella* n. sp. on *Alsophila* from Mexico, *Didymella* sp. on camellia from Japan, *Didymosphaeria* sp. on peony from Japan, *Dothiorella* sp. on chrysanthemum from Japan, *Gloeosporium* sp. on *Hoya* from Italy, *Hexamermis* sp. (apparently undescribed, but not listed since probably an insect parasite) in carrot from England, *Leptosphaeria* sp. on rice hulls from Puerto Rico, *Marsonia* sp. on grape leaf from England, *Microdiplodia* sp. on bamboo from Jamaica, *Mycosphaerella* sp. on spinach from Japan, *Paranthostomella* sp. on peony from France, *Phoma* sp. on chayote from Syria, *Phyllosticta* sp. on camellia from Japan (two different lots), *Phyllosticta* sp. on orchid from Belgian Congo, *Phyllosticta* sp. on *Shortia* from Japan, *Phyllosticta* sp. on *Stapelia* from Union of South Africa, *Rhabdospora* sp. on camellia from Japan, *Sclerotium* sp. on snowdrop from Turkey, *Sclerotium* sp. on narcissus from England, and *Sphaerulina* sp. on peony from Japan. Study of a fungus on roots of *Yucca treculeana* from Cuba indicated that it may be a new genus of the family Moniliaceae, tribe Hyalosporae.

NEMATODE INTERCEPTIONS

Interceptions of nematodes were not so numerous or varied as in the previous year. *Anguina* (*Anguillulina*) *tritici* was intercepted in wheat from China and Turkey; *Aphelenchoides parietinus* in various hosts from Barbados, China, England, Germany, Japan, Netherlands, Philippine Islands, and Sweden; *Ditylenchus dipsaci* [2] in various hosts from Belgium, Canada, Canary Islands (new locality for interception files), Denmark, England, Germany, Ireland, Netherlands, Norway, Poland, Spain, Sweden, and Union of Soviet Socialist Republics; *Heterodera marioni* (no longer included in the tabular list) in *Artocarpus communis* from the Canal Zone and *Osmanthus aquifolium* from Japan, new hosts to our files; *Pratylenchus* (*Anguillulina*) *pratensis* in various hosts from Cuba, Germany, Guatemala, Manchuria, and Netherlands.

AIRCRAFT INTERCEPTIONS

Aircraft interception records represent 194 organisms on 72 hosts from 22 countries.

Three hundred and ninety-seven interceptions of insects were made. Among these were the following: Mexican fruit fly (*Anastrepha ludens*) in grapefruit from Mexico; *Aspidiotus spinosus* (Coccidae) on *Camellia japonica* from Mexico; *Cebrenis centrolineata* (Coreidae) on Cape-jasmine from Mexico; *Coccus viridis* (Coccidae) on lime from the Bahamas, Cape-jasmine from Cuba, and coffee from Jamaica; *Ctenochira punicea* (Chrysomelidae) on Cape-jasmine from Mexico; *Frankliniella cephalica* (thrips) on rose from the Bahamas; *F. cubensis* on rose from the Bahamas and Cuba; *F. insularis* on sweet pea from Cuba and rose from the Bahamas and Mexico; *Hemichionaspis townsendi* (Coccidae) on *Vanda lamellata* (orchid) from the Philippines; *Hypselonotus concinnus* (Coreidae) on Cape-jasmine from Mexico; *Leucoptera coffeella* (Gracilariidae) on coffee from Puerto

[2] *Tylenchus dipsaci*, the name formerly used for the bulb or stem nematode, was changed in the 1934 list to *Anguillulina dipsaci*. In 1936 *Ditylenchus dipsaci* was accepted as the correct name for this nema.

Rico; *Macrosiphum luteum* (aphid) on orchid from Mexico; *Parlatoria pseudaspidiotus* (Coccidae) on *Vanda joaquimiae* and *V. teres* from the Philippines; *Pseudococcus lilacinus* (Coccidae) on *Vanda lamellata* from the Philippines; *Taeniothrips hawaiiensis* on *Calotropis gigantea* (flower leis), *Dianthus* sp., and flower leis from Hawaii; and the gladiolus thrips (*T. simplex*) on gladiolus from Mexico.

Fifty-one plant disease interceptions were made, including: *Ditylenchus dipsaci* in potato from Germany; *Colletotrichum falcatum* on sugarcane from Jamaica; *Colletotrichum gloeosporioides* on mango from Mexico and avocado from Canal Zone; *Diplocarpon rosae* and *Fusarium* sp. on rose from Germany; *Gloeosporium limetticolum* on lime from Brazil; *Gloeosporium* sp. on cactus from Jamaica; *Heterosporium echinulatum* on carnation from Mexico; *Oidium* sp. on Cape-jasmine from Mexico; *Phomopsis citri* on lemon from Italy and orange (2) from Mexico; *Phyllosticta* sp. on Cape-jasmine from Cuba and Mexico; *Septobasidium* sp. on Cape-jasmine from Mexico; *Septoria rubi* on thimbleberry from Canada; *Septoria* sp. on Cape-jasmine from Mexico; *Sphaceloma fawcettii* on lemon from Costa Rica; *Sphaerotheca pannosa* on rose from Mexico (2) and Bahamas; and *Stilbum* sp. on Cape-jasmine from Mexico (9).

COMMON PESTS INTERCEPTED

The following summaries of common insects and plant diseases may include forms or strains not yet introduced and hence potentially dangerous, but we have no practicable means for determining that point. The two sets of figures in parentheses following each pest name indicate the number of countries from which the pest was intercepted and the total number of interceptions.

INSECTS

Ahasverus advena (44–176), *Aspidiotus camelliae* (10–12), *A. cyanophylli* (18–59), *A. hederae* (39–778), *A. lataniae* (30–141), *A. perniciosus* (7–17), *Aulacaspis pentagona* (12–28), *A. rosae* (5–7), *Carpocapsa pomonella* (24–196), *Carpophilus* sp. (32–120), *Cerataphis lataniae* (13–38), *Ceroplastes floridensis* (3–16), *Chionaspis citri* (10–36), *C. euonymi* (4–27), *Chrysomphalus aonidum* (46–1,398), *C. aurantii* (41–1,007), *C. dictyospermi* (26–509), *Coccus elongatus* (4–39), *C. hesperidum* (27–171), *Diaspis boisduvalii* (26–183), *D. bromeliae* (7–145), *D. echinocacti* (10–28), *D. echinocacti opuntiae* (5–8), *Ephestia* sp. (41–344), *Etiella zinckenella* (7–30), *Eumerus* sp. (3–8), *Gnorimoschema operculella* (31–133), *Heliothis obsoleta* (12–2,318), *H. virescens* (5–315), *Heliothrips haemorrhoidalis* (13–28), *Hemichionaspis aspidistrae* (23–105), *H. minor* (4–193), *Howardia biclavis* (12–72), *Ischnaspis longirostris* (19–68), *Lepidosaphes beckii* (80–3,994), *L. gloverii* (29–585), *L. ulmi* (16–36), *Necrobia rufipes* (18–37), *Oryzaephilus surinamensis* (41–131), *Parlatoria pergandii* (47–1,095), *P. proteus* (15–41), *Plodia interpunctella* (24–199), *Prenolepis longicornis* (14–78), *Pseudaonidia articulatus* (33–921), *Pseudococcus adonidum* (13–50), *P. brevipes* (31–575), *P. citri* (28–134), *P. maritimus* (15–61), *P. nipae* (14–38), *Rhizoglyphus hyacinthi* (20–494), *Saissetia hemisphaerica* (35–129), *S. nigra* (10–87), *S. oleae* (20–72), *Sitophilus oryzae* (41–354), *Thrips tabaci* (34–425), *Tribolium castaneum* (39–174), *T. confusum* (10–17): Total of these insect interceptions, 18,548.

DISEASES

Actinomyces scabies (58–1,173), *Acrostalagmus cinnabarinus* (3–4), *Aspergillus niger* (62–602), *Bacillus carotovorus* (25–149), *Bacterium tumefaciens* (10–41), *Basisporum gallarum* (5–11), *Cephalothecium roseum* (35–165), *Cladosporium herbarum* (1–1), *Colletotrichum gloeosporioides* (30–1,449), *C. lindemuthianum* (14–39), *Coniothyrium fuckelli* (3–10), *Diaporthe phaseolorum* (2–107), *Heterodera marioni* (21–70), oleocellosis (15–43), *Oospora pustulans* (5–21), *Penicillium digitatum* (40–263), *P. expansum* (19–41), *P. italicum* (32–193), petrifaction (5–51), *Phomopsis citri* (43–391), *Phytophthora infestans* (24–317), *Rhizoctonia solani* (42–483), *Rhizopus nigricans* (47–403), *Spondylocladium atrovirens* (58–1,289), *Spongospora subterranea* (15–69), *Venturia inaequalis* (36–295), *V. pyrina* (20–78), *Verticillium cinnabarina* (32–219): Total of these disease interceptions, 7,977.

INCOMPLETELY DETERMINED PESTS

Incompletely determined insects and disease organisms belonging to families, genera, or other taxonomic divisions and of economic importance are here summarized in brief form. So many insect genera are involved that to list all of them

would require an unwarranted amount of space, hence for insects the family name only is given and this is followed by three sets of numbers indicating the number of genera included in partially determined interceptions belonging to that family as well as the number of countries of origin and the total number of interceptions. Where no numbers follow the names it means that a single interception is covered. The diseases listed are all determined to genus, the two sets of figures indicating the number of countries of origin and the total number of interceptions of each genus.

INSECTS

Adelgidae,[3] Aegeriidae (2–2–2), Agromyzidae (3–19–123), Aleyrodidae (2–2–3), Anthomyiidae (3–21–166), Aphiidae (12–18–80), Arctiidae (1–2–3), Blastobasidae (1–12–50), Bostrichidae (2–4–8), Bruchidae (9–24–48), Buprestidae (2–2–2), Castniidae (1–2–3), Cebrionidae, Cecidomyiidae (2–24–118), Cerambycidae (15–13–16), Ceratopogonidae, Chelonariidae, Chermidae (3–6–9), Chloropidae (1–12–20), Chrysomelidae (15–15–28), Cicadellidae (12–15–51), Coccidae (29–64–419), Coleophoridae (1–3–3), Coreidae (1–2–7), Cosmopterygidae (2–3–34), Curculionidae (43–57–451), Cynipidae (6–5–31), Delphacidae (4–2–5), Dermestidae (2–2–3), Dryopidae, Elateridae (15–15–38), Ethmiidae, Eurytomidae (2–14–28), Fulgoridae (4–3–6), Gelechiidae (4–17–68), Geometridae (1–13–27), Gracilariidae (1–1–5), Heliodinidae, Heliozelidae, Helmidae, Heteroceridae (1–1–4), Hesperiidae, Hyponomeutidae (2–1–5), Lasiocampidae, Leptinidae, Limacodidae, Liparidae, Lycaenidae (3–5–30), Lyctidae, Lygaeidae (1–9–16), Lymantriidae, Lyonetiidae (1–3–4), Megalopygidae, Membracidae, Mordellidae (3–6–8), Miridae (2–11–19), Mycetophilidae (1–8–20), Noctuidae (13–33–214), Notodontidae, Nymphalidae, Oecophoridae (2–5–8), Olethreutidae (5–32–223), Ortalidae (3–19–38), Otitidae (1–10–26), Pieridae (2–12–27), Phyllodromidae, Phylloxeridae, Prionidae (2–1–2), Prodoxidae, Psilidae (1–1–2), Psychidae (1–2–2), Pterophoridae (2–2–3), Ptilidae (1–3–3), Pyralidae (16–45–365), Rhacodesmidae, Scarabaeidae (8–5–11), Scolytidae (7–13–13), Silvanidae (2–2–2), Sphingidae, Spirostrepidae, Syntomidae (1–2–2), Syrphidae (2–4–10), Tenthredinidae, termite (2–2–2), thrips (21–29–127), Tineidae (5–15–93), Tingitidae, Tortricidae (4–20–158), Trypetidae, Yponomeutidae (2–3–4): Total of these insect interceptions, 3,325.

DISEASES

Alternaria sp. (38–314), *Aspergillus* sp. (39–175), *Botrytis* sp. (30–237), *Cladosporium* sp. (54–646), *Eurotium* sp. (36–121), *Fusarium* sp. (91–3,208), *Macrosporium* sp. (43–529), *Penicillium* sp. (88–3,324), *Rhizopus* sp. (18–260): Total of these disease interceptions, 8,814.

Summary of interceptions by continents and subdivisions

Country	Insects	Diseases	Country	Insects	Diseases
	Number	*Number*		*Number*	*Number*
Africa:			Asia:		
Africa	3	2	Burma	0	2
Algeria	2	3	China	40	313
Belgian Congo	2	3	Federated Malay States	2	0
Canary Islands	2	5	India	37	47
Cape Verde Islands	0	1	Indo-China	0	1
East Africa	0	1	Iran	0	1
Egypt	25	13	Japan	286	684
French West Africa	0	1	Malay States	3	0
Kenya	1	0	Manchuria	2	1
Liberia	0	1	Mongolia	102	4
Madagascar	0	1	Orient	3	2
Madeira Islands	0	8	Palestine	10	6
Morocco	30	16	Siam	3	5
Mozambique	1	0	Straits Settlements	7	8
Rhodesia	1	2	Syria	3	5
Seychelles	1	0	Turkey	18	10
Sierra Leone	2	1	Australasia (including Pacific Islands):		
Southwest Africa	1	4			
Tunis	1	1	American Samoa	4	1
Uganda	1	0	Australia	4	24
Union of South Africa	80	98	Ceylon	2	3
West Africa	2	1	Cook Islands	1	0

[3] Names without numbers indicate single interceptions.

Summary of interceptions by continents and subdivisions—Continued

Country	Insects	Diseases
	Number	*Number*
Australasia—Continued.		
Dutch East Indies	8	3
Fiji Islands	0	1
Guam	0	1
Hawaii	586	9
Java	11	7
Lord Howe Island	0	1
New Guinea	1	1
New Zealand	2	6
Philippines	56	23
Society Islands	1	0
Tahiti	4	0
Taiwan	0	2
Tasmania	0	1
Europe:		
Albania	2	0
Austria	12	4
Azores	10	13
Belgium	227	120
Bulgaria	0	1
Czechoslovakia	0	8
Danzig	0	1
Denmark	14	55
England	121	350
Estonia	0	3
Finland	0	2
France	90	296
Germany	68	312
Gibraltar	0	2
Great Britain	2	1
Greece	18	5
Guernsey	0	2
Hungary	1	11
Ireland	8	24
Italy	135	322
Latvia	0	2
Luxemburg	0	1
Monte Carlo	1	0
Netherlands	18	254
Norway	1	48
Poland	0	15
Portugal	11	25
Scotland	51	52
Spain	60	130
Sweden	8	78
Switzerland	2	3
Union of Soviet Socialist Republics	8	66
Wales	9	0
Yugoslavia	0	4
North America:		
Bermuda	41	60
Canada	5	21
Nova Scotia	0	8
Prince Edward Island	0	2
Central America		
British Honduras	8	3
Canal Zone	17	5
Costa Rica	57	19
Guatemala	152	18
Honduras	210	17
Nicaragua	24	3
North America—Continued.		
Central America—Contd.		
Panama	78	36
Salvador	1	0
Mexico	4,722	1,054
Newfoundland	19	4
West Indies	5	5
American Virgin Islands	16	3
Antigua	0	2
Bahamas	20	13
Barbados	11	12
British West Indies	5	10
Cuba	416	2,644
Dominica	8	18
Dominican Republic	28	17
Dutch West Indies	0	1
Grand Cayman	0	1
Grenada	1	1
Haiti	14	15
Jamaica	68	85
Martinique	1	4
Montserrat	3	3
Nevis	2	1
Puerto Rico	62	93
St. Kitts	5	4
St. Lucia	15	35
St. Vincent	2	6
Trinidad	28	21
Turks Island	1	0
Virgin Islands	2	12
South America:		
Argentina	16	37
Brazil	24	78
British Guiana	1	7
Chile	10	49
Colombia	20	34
Dutch Guiana	0	1
Ecuador	32	10
Peru	6	5
Uruguay	0	2
Venezuela	23	37
Total:		
Africa	155	162
Asia	516	1,089
Australasia	680	83
Europe	877	2,210
North America	6,047	4,256
South America	132	260
Unknown origin	17	1
Total	8,424	8,061
Total (common pests, p. 5)	18,548	7,977
Total (incompletely determined pests, p. 6)	3,325	8,814
Total insects	30,297	
Total diseases		24,852
Grand total		55,149

NOTE.—In addition to the countries named above, interceptions, including those of common pests (p. 5) and of incompletely determined pests (p. 6), were made from Armenia, Aruba, Austral Islands, Balkan States, Bolivia, British Columbia, British West Africa, Cayman Brac, Chosen, Crete, Curaçao, Cyprus, East Indies, Fanning Island, French Indo-China, French West Indies, Gold Coast, Ivory Coast, Lebanon, Leeward Islands, Lesser Antilles, Lithuania, Malta, Marquesas Islands, Pitcairn Island, Queensland, Rarotonga, Rumania, Siberia, Sudan, and Sumatra.

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host [1]	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
AFRICA							
Insects:							
Corcyra cephalonica (Pyralidae)	*Theobroma cacao* (cacao)	2					Calif.*
Stephanoderes hampei (coffee berry borer).	*Coffea* sp		1				N. Y.
Diseases:							
Capnodium citri	*Citrus grandis* (grapefruit)				1		Md.
Stemphylium sp	*Caralluma* sp		1				D. C.
ALBANIA							
Insects:							
Callirhytis glandium (Cynipidae)	*Quercus* sp. (valonia)	2					N. Y.
ALGERIA							
Insects:							
Apion carduorum (Curculionidae)	*Cynara scolymus* (globe artichoke).					1	Do.
Thrips tabaci pullus (thrips)	*Allium porrum* (leek)					1	Do.
Diseases:							
Colletotrichum sp	*Cynara scolymus* (globe artichoke).					1	Mass.
Ramularia cynarae	do					1	N. Y.
Uromyces sp	*Vicia faba* (broadbean)					1	Mass.
AMERICAN SAMOA							
Insects:							
Diocalandra taitensis (Tahitian coconut weevil).	*Cocos nucifera* (coconut)	3					Hawaii.*
Myzus ornatus (aphid)	*Colocasia* sp			1			Do.*
Diseases:							
Melanconium sp	*Lycopersicum esculentum*	1					N. Y.
AMERICAN VIRGIN ISLANDS							
Insects:							
Anastrepha acidusa (West Indian fruit fly).	*Spondias purpurea* (purple mombin).			1			P. R.
Aspidiotus destructor (Coccidae)	*Persea americana* (avocado)			1			N. Y.
Do	*Poinciana regia* (royal poinciana).			1			Do.
Ceroputo barberi (Coccidae)	*Cestrum hortulanum*			1			P. R.
Chilo simplex (Asiatic rice borer)	*Oryza sativa* (rice)	1					Do.
Chrysomphalus dictyospermi var. (Coccidae)	*Cycas circinnalis*			1			Do.
Chrysomphalus personatus (Coccidae).	*Persea americana*			1			N. Y.
Coccus viridis (Coccidae)	*Citrus aurantifolia* (lime)	1					Do.
Euscepes batatae (West Indian sweetpotato weevil).	*Ipomoea batatas* (sweetpotato)			3			Do.
Pectinophora gossypiella (pink bollworm).	*Gossypium* sp. (cotton) (boll)				2		Va
Pseudischnaspis bowreyi (Coccidae)	*Poinciana regia* (royal poinciana).			1			N. Y.
Targionia hartii (Coccidae)	*Dioscorea* sp. (yam)			1	1		Do.
Diseases:							
Diplodia cacaoicola	*Theobroma cacao* (cacao)			1			Do.
Melanconium sacchari	*Saccharum officinarum*			1	1		Do.
ANTIGUA							
Diseases:							
Melanconium sacchari	*Saccharum officinarum*			1			Do.
Puccinia rubigo-vera tritici	*Triticum aestivum* (wheat)		1				Do.
ARGENTINA							
Insects:							
Chrysomphalus dictyospermi var. (Coccidae).	*Citrus limonia* (lemon)					1	Do.
Do	*Musa* sp				1		Do.
Do	Palm				1		Pa.
Conotrachelus cristatus (Curculionidae).	*Brassica rapa* (turnip)					1	Tex.

[1] The common names for the following have been omitted: *Ananas sativus* (pineapple), *Brassica oleracea capitata* (cabbage), *Capsicum annuum* (pepper), *Lycopersicum esculentum* (tomato), *Saccharum officinarum* (sugarcane), and *Solanum tuberosum* (potato). Where the same host occurs frequently the common name has been omitted part of the time. All horticultural variety names have been omitted.

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
ARGENTINA—Continued							
Insects—Continued.							
Gargaphia torresi (Tingitidae)	*Vitis* sp. (grape)	1					N. Y.
Heteroderes laurenti (Elateridae)	do	1					Do.
Heteroderes rufangulus meticulosus (Elateridae).	do	1					Do.
Parlatoria oleae (Coccidae)	*Prunus domestica* (plum)	1					Do.
Pseudaonidia duplex (camphor scale)	*Vitis* sp. (grape)	1					Do.
Pseudococcus virgatus (Coccidae)	do	1					Do.
Psychid	do	2					Do.
Pterotaenia quinquefasciata (Otitidae).	do	1					Do.
Salax lacordairei (Tenebrionidae)	do	2					Do.
Saulaspis graphica (Chrysomelidae)	In packing of grapes	1					Do.
Diseases:							
Alternaria brassicae	*Brassica oleracea capitata*					1	Md.
Do	do					2	N. Y.
Do	do					1	Pa.
Alternaria herculea	do					1	Tex.
Do	*Brassica rapa* (turnip)					1	Do.
Bacterium maculicola	*Brassica oleracea capitata*					1	La.
Do	do					1	Pa.
Bacterium solanacearum	*Solanum tuberosum*		2				D. C.
Botrytis cinerea	*Capsicum annuum*					1	La.
Do	*Hibiscus esculentus* (okra)					1	Do.
Do	*Phaseolus* sp. (string bean)					1	Tex.
Do	*Vitis* sp. (grape)	1					N. Y.
Cercospora sp	*Radicula nasturtium-aquaticum* (water cress).					1	Do.
Colletotrichum atramentarium	*Solanum tuberosum*					1	La.
Colletotrichum sp	*Apium graveolens* (celery)					1	Pa.
Diplodia zeae	*Zea mays* (corn)	2					Do.
Fusarium moniliforme	do	3					Ala.
Do	do	2					La.
Do	do	2					Md.
Do	do	11					Pa.
Gloeosporium sp	*Malus sylvestris* (apple)					1	N. Y.
Helminthosporium allii	*Allium sativum* (garlic)					1	Do.
Oospora lactis parasitica	*Lycopersicum esculentum*					1	Do.
Pestalozzia sp	*Cocos australis* (pindo palm)		1				Calif.*
Phyllachora sp	*Bromus catharticus*	1					N. Y.
Do	*Distichlis spicata*	1					Do.
Do	*Paspalum* sp	1					Do.
Puccinia rubigo-vera tritici	*Triticum aestivum* (wheat)		1				Do.
Puccinia sp	do	1					Do.
Sclerotinia sclerotiorum	*Daucus carota* (carrot)					1	Md.
Do	do					1	Pa.
Do	do					2	Tex.
Do	do					1	Va.
Sclerotium opuntiarum	*Pilocereus* sp. (cactus)	1					D. C.
Sclerotium oryzae	*Oryza sativa* (rice)		1				N. Y.
Septoria apii	*Apium graveolens* (celery)					2	Do.
Do	do					2	Pa.
Sphaceloma fawcettii	*Citrus limonia* (lemon)					1	Do.
Sphacelotheca sorghi	*Holcus sorghum* (sorghum)		1				D. C.
Do	*Holcus sorghum* var. (broomcorn).	3					N. Y.
Stysanus stemonites	*Solanum tuberosum*					1	Ala.
Do	do					1	N. Y.
Do	do					1	Tex.
Ustilago zeae	*Zea mays* (corn)	1					Md.
Do	do	2					N. Y.
Do	do	1					Pa.
AUSTRALIA							
Insects:							
Chrysomphalus rossi (Coccidae)	*Macrozamia spiralis*		1				D. C.
Diaspis zamiae (Coccidae)	do		1				Do.
Xylosandrus morigerus (Scolytidae)	*Phalaenopsis* sp. (orchid)			2			Calif.*
Diseases:							
Bacterium marginatum	*Gladiolus* sp		2				Do.*
Capnodium citri	*Citrus sinensis* (orange)					1	Md.
Colletotrichum atramentarium	*Lycopersicum esculentum*					1	Calif.*
Helminthosporium sativum	*Triticum aestivum* (wheat)		1				N. Y.

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
AUSTRALIA—Continued							
Diseases—Continued.							
Phomopsis sp.	*Howea belmoreana*	1					N. Y.
Do.	*Howea forsteriana* (forster palm).	1					Do.
Do.	*Howea* sp. (palm)	1					Do.
Physalospora obtusa	*Malus sylvestris* (apple)					1	Pa.
Puccinia graminis	*Triticum aestivum* (wheat)		1				D. C.
Do.	do	1					N. Y.
Puccinia rubigo-vera tritici	do		1				Calif.*
Puccinia sp.	*Avena sativa* (oats)	1					N. Y.
Do.	*Triticum aestivum* (wheat)		2				Do.
Ramularia sp.	*Dahlia* sp.		1				D. C.
Sclerotium oryzae	*Oryza sativa* (rice)	1	1				N. Y.
Septonema sp.	*Dahlia* sp.		1				D. C.
Tilletia laevis	*Triticum aestivum* (wheat)		1				Do.
Tilletia tritici	do		2				N. Y.
Verticillium albo-atrum	*Dahlia* sp.		1				D. C.
AUSTRIA							
Insects:							
Bruchidius villosus (Bruchidae)	*Cytisus laburnum*		2				D. C.
Do.	*Cytisus scoparius* (Scotch broom).		1				Do.
Do.	*Laburnum vulgare* (golden-chain).		2				Do.
Laspeyresia splendana (Olethreutidae).	*Castanea* sp. (chestnut)		1				N. Y.
Lepidosaphes newsteadi (Coccidae)	*Pinus* sp. (pine)		1				Do.
Leucaspis loewi (Coccidae)	do		1				Pa.
Diseases:							
Lophodermium pinastri	do		1				N. Y.
Puccinia rubigo-vera tritici	*Triticum aestivum* (wheat)		1				Do.
Sclerotinia cinerea	*Malus sylvestris* (apple)			1			Do.
Septoria gladioli	*Gladiolus* sp.		1				Ill.
AZORES							
Insects:							
Ceratitis capitata (Mediterranean fruit fly).	*Psidium guajava* (guava)			1			N. Y.
Fiorinia fioriniae (Coccidae)	*Camellia* sp.			1			Mass.
Forficula auricularia (European earwig).	*Dahlia* sp.			1			N. Y.
Laspeyresia splendana (Olethreutidae).	*Castanea* sp. (chestnut)			1			Do.
Targionia bromeliae (Coccidae)	*Ananas sativus*	1				5	Do.
Diseases:							
Ceratostomella fimbriata	*Ipomoea batatas* (sweetpotato)					1	Do.
Diplodia natalensis	*Citrus limetta* (sweet lime)			1			Mass.
Heterosporium sp.	*Hymenocallis calathina* (basketflower).			1			N. Y.
Puccinia graminis	Straw packing for dasheens			1			Mass.
Do.	*Triticum aestivum* (wheat)	1					N. Y.
Puccinia sorghi	*Zea mays* (corn)			1			Do.
Sclerotium sp.	*Hymenocallis calathina* (lily-basket).			1			Do.
Stysanus stemonites	*Saccharum officinarum*			1			Do.
Stysanus sp.	*Gladiolus* sp.			1			Do.
Thielaviopsis paradoxa	*Saccharum officinarum*			2			Do.
Uredo sp.	*Laurus* sp.			1			Mass.
Verticillium sp.	*Colocasia* sp.			1			Do.
BAHAMAS							
Insects:							
Aspidiotus cocotiphagus (Coccidae)	*Cocos nucifera* (coconut)			3	2		Fla.*
Do.	Palm			1			Do.*
Aspidiotus destructor (Coccidae)	*Cocos nucifera*				1		Do.*
Aspidiotus herculeanus (Coccidae)	*Annona muricata* (soursop)					1	Do.*
Chrysomphalus mimosae (Coccidae)	*Spondias mombin* (hogplum)			1			Do.*
Coccus mangiferae (Coccidae)	*Eugenia* sp.			1			N. Y.
Coccus viridis (Coccidae)	*Citrus aurantifolia* (lime)			1			Fla.*
Frankliniella cephalica (thrips)	*Rosa* sp.				1		Do.*
Frankliniella cubensis (thrips)	do			1			Do.*
Do.	*Zinnia* sp.				1		Do.*

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
BAHAMAS—Continued							
Insects—Continued.							
Frankliniella insularis (thrips)	*Helianthus* sp (sunflower)				1		Fla.*
Do	*Rosa* sp			1			Do.*
Gnorimoschema lycopersicella (tomato pinworm).	*Lycopersicum esculentum*	1					N. Y.
Haplothrips gowdeyi (thrips)	*Rosa* sp			1			Fla.*
Targionia sacchari (Coccidae)	*Saccharum officinarum*			1			Do.*
Vinsonia stellifera (Coccidae)	*Eugenia* sp			1			N. Y.
Diseases:							
Colletotrichum sp	*Poinciana regia* (Royal poinciana).			1			Do.
Melanconium sacchari	*Saccharum officinarum*			3			Do.
Pestalozzia sp	*Achras sapota* (sapodilla)				1		Do.
Do	*Punica granatum* (pomegranate).			1			Do.
Phoma sp	*Poinciana regia*			1			Do.
Phomopsis sp	*Achras sapota*				1		Do.
Phyllosticta divergens	*Albizzia lebbeck* (lebbeck)			1			Do.
Sphaceloma fawcettii	*Citrus limonia* (lemon)					1	Fla.*
Sphaerotheca pannosa	*Rosa* sp			1			Do.*
Thielaviopsis paradoxa	*Saccharum officinarum*			2			N. Y.
BARBADOS							
Insects:							
Cylas formicarius (sweetpotato weevil).	*Ipomoea batatas* (sweetpotato)			1			Do.
Pulvinaria psidii (Coccidae)	*Psychotria* sp (wild coffee)		1				Do.
Stephanoderes buscki (Scolytidae)	*Pisum sativum* (pea)		1				Do.
Targionia hartii (Coccidae)	*Dioscorea* sp (yam)		2	2			Do.
Do	*Zingiber officinale* (ginger)		1				Do.
Vinsonia stellifera (Coccidae)	*Citrus* sp		1				Do.
Do	*Pimenta* sp		2				Do.
Diseases:							
Aphelenchoides parietinus	*Colocasia esculenta* (taro)		1				Mass.
Cephalobus butschlii n. var	do		1				Do.
Ceratostomella fimbriata	*Ipomoea batatas* (sweetpotato)			1			N. Y.
Diplodia tubericola	do			1			Do.
Melanconium sacchari	*Saccharum officinarum*			1			Do.
Puccinia coronata	*Avena sativa* (oats)		1				Do.
Puccinia graminis	*Triticum aestivum* (wheat)		1				Do.
Sclerotium sp	*Rosa* sp	1					D. C.
Sphaceloma fawcettii	*Citrus grandis* (grapefruit)					1	Md.
Thielaviopsis paradoxa	*Saccharum officinarum*			3			N. Y.
BELGIAN CONGO							
Insects:							
Oxycarenus albidipennis (Lygaeidae).	*Ceiba pentandra* (kapok)		1				Pa.
Stephanoderes hampei (coffee berry borer).	*Coffea* sp		1				N. Y.
Diseases:							
Gloeosporium sp	Orchid		1				D. C.
Phyllosticta sp	do	2					Do.
BELGIUM							
Insects:							
Acrolepia assectella (Plutellidae)	*Allium porrum* (leek)					2	N. Y.
Agromyza pinguis (Agromyzidae)	*Cichorium intybus* (witloof)	65					Do.
Anaphothrips orchidaceus (thrips)	*Cymbidium* sp. (orchid)	1					D. C.
Curculio nucum (Curculionidae)	*Corylus* sp. (hazelnut)			1			N. Y.
Lepidosaphes tuberculata (Coccidae)	*Cymbidium pauwelsi* (orchid)		1				D. C.
Mamestra brassicae (Noctuidae)	*Brassica oleracea capitata*					1	N. Y.
Napomyza lateralis (Agromyzidae)	*Cichorium intybus* (witloof)	142				12	Do.
Thrips angusticeps (thrips)	do					1	Do.
Do	*Lactuca sativa* (lettuce)					2	Do.
Thrips validus (thrips)	*Brassica oleracea capitata*					1	Pa.
Diseases:							
Alternaria brassicae	*Brassica oleracea botrytis* (cauliflower).					1	N. Y.
Do	*Brassica oleracea capitata*					1	Do.
Alternaria herculea	do					2	Pa.
Bacterium maculicola	do					1	Md.
Do	do					1	N. Y.

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
BELGIUM—Continued							
Diseases—Continued.							
Botrytis cinerea	*Allium ascalonicum* (shallot)					1	La.
Do	*Allium cepa* (onion)					2	Ala.
Do	do					1	Pa.
Do	do					3	Tex.
Do	*Beta vulgaris* (beet)					1	Ala.
Botrytis cinerea	*Brassica oleracea capitata*					1	Tex.
Do	*Daucus carota* (carrot)					2	Md.
Bremia lactucae	*Lactuca sativa* (lettuce)					2	N. Y.
Cercospora apii	*Apium graveolens* (celery)					1	Do.
Do	do					1	Pa.
Colletotrichum circinans	*Allium cepa* (onion)					1	Ala.
Cryptodiaporthe salicina	*Salix* sp. (willow)		1				Wash.
Cytospora sp	do					1	N. Y.
Ditylenchus dipsaci	*Solanum tuberosum*					1	Tex.
Gloeosporium concentricum	*Brassica oleracea capitata*					1	Pa.
Mycosphaerella brassicicola	*Brassica oleracea botrytis* (cauliflower).					5	N. Y.
Do	*Brassica oleracea capitata*					2	Do.
Mycosphaerella pinodes	*Pisum sativum* (pea)					1	Tex.
Mycosphaerella schoenoprasi	*Allium porrum* (leek)					1	Pa.
Oospora sp	*Daucus carota* (carrot)					1	N. Y.
Do	*Malus sylvestris* (apple)					1	Ala.
Peronospora parasitica	*Brassica oleracea botrytis* (cauliflower).					1	N. Y.
Phoma lingam	*Brassica oleracea capitata*					1	Do.
Phoma napobrassicae	*Brassica rapa* (turnip)					1	Miss.
Phoma pachytheca	*Salix* sp. (willow)		2				Wash.
Phoma sp	*Apium graveolens* (celery)					1	La.
Phyllosticta sp	*Brassica oleracea capitata*					1	Pa.
Plasmodiophora brassicae	*Brassica rapa*					1	Do.
Puccinia extensicola hieraciata	*Lactuca sativa* (lettuce)					1	N. Y.
Puccinia graminis	*Triticum aestivum* (wheat)	1					Mich.
Puccinia hieracii	*Cichorium intybus* (witloof)					1	N. Y.
Puccinia rubigo-vera tritici	*Triticum aestivum*		1				Do.
Puccinia sp	*Allium porrum* (leek)					1	Md.
Do	*Allium sativum* (garlic)					1	N. Y.
Sclerotinia sclerotiorum	*Beta vulgaris* (beet)					1	Ala.
Do	*Brassica campestris* (rutabaga)					1	Do.
Do	*Brassica rapa* (turnip)					1	Do.
Do	do					1	Miss.
Do	*Cichorium intybus* (witloof)	12				2	N. Y.
Do	*Daucus carota* (carrot)					2	Ala.
Do	do					3	La.
Do	do					1	Md.
Do	do					1	Miss.
Do	do					2	Pa.
Do	do					3	Tex.
Do	*Lactuca sativa* (lettuce)					1	N. Y.
Do	*Phaseolus* sp. (string bean)					1	Do.
Sclerotinia sp	*Allium cepa* (onion)					1	Ala.
Sclerotium cepivorum	*Allium sativum* (garlic)					1	Do.
Sclerotium sp	*Cichorium intybus* (witloof)	2					N. Y.
Septoria apii	*Apium graveolens* (celery)					2	Md.
Do	do					26	N. Y.
Do	do					2	Pa.
Stysanus stemonites	*Solanum tuberosum*					2	Tex.
Thielavia sp	*Daucus carota* (carrot)					1	Do.
BERMUDA							
Insects:							
Ceratitis capitata (Mediterranean fruit fly).	*Eugenia uniflora* (Surinam-cherry).			1			N. Y.
Diaprepes famelicus var. (Curculionidae).	*Codiaeum* sp. (croton)			1			Do.
Do.	*Saccharum officinarum*			1			Do.
Euscepes batatae (West Indian sweetpotato weevil).	*Ipomoea batatas* (sweetpotato)			2			Do.
Frankliniella cephalica (thrips)	*Gerbera* sp				1		Do.
Do	*Hibiscus* sp			1			Do.
Do	*Lathyrus odoratus* (sweet pea)			1			Do.
Do	*Lilium longiflorum harrisii*					1	Do.
Do	Bouquet of marigolds, roses, etc.			1			Do.

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
BERMUDA—Continued							
Insects—Continued.							
Frankliniella cephalica (thrips)	*Nerium oleander* (oleander)			3			N. Y.
Do	*Rosa* sp.			2			Do.
Do	Rose cuttings, *Solanum*, carnations, etc.			1			Do.
Do	*Tagetes* sp. (marigold)			1			Do.
Frankliniella insularis (thrips)	*Gerbera* sp.				1		Do.
Do	*Gladiolus* sp.			1			Do.
Do	*Lathyrus odoratus* (sweet pea)			1			Do.
Do	*Lilium longiflorum harrisii*					1	Do.
Do	*Lilium* sp. (lily)			1			Mass.
Do	*Rosa* sp.			3			N. Y.
Do	Rose cuttings, *Solanum*, carnation, etc.			1			Do.
Haplothrips gowdeyi (thrips)	*Freesia* sp.		1				Do.
Do	*Lathyrus odoratus* (sweet pea)			1			Do.
Lepidosaphes lasianthi (Coccidae)	*Codiaeum* sp. (croton)			1			Do.
Morganella longispina (Coccidae)	*Carica papaya* (papaya)			2			Do.
Do	*Nerium oleander* (oleander)			7			Do.
Parlatoria crotonis (Coccidae)	*Codiaeum* sp.			1			Do.
Pseudococcus virgatus (Coccidae)	*Sedum* sp.			1			Do.
Pulvinaria psidii (Coccidae)	*Duranta* sp. (skyflower)			1			Do.
Diseases:							
Alternaria brassicae	*Brassica oleracea acephala* (kale).	1					Do.
Bacterium maculicola	do	1					Do.
Cercospora apii	*Apium graveolens* (celery)	1					Do.
Cercospora neriella	*Nerium oleander* (oleander)			7			Do.
Colletotrichum circinans	*Allium cepa* (onion)	1					Do.
Colletotrichum omnivorum	*Aspidistra lurida* (aspidistra)				1		Do.
Colletotrichum sp.	Palm				1		Do.
Diplocarpon rosae	*Rosa* sp.			1			Do.
Diplodia tubericola	*Ipomoea batatas* (sweetpotato)			1			Do.
Gloeosporium oleandri	*Nerium oleander* (oleander)			2			Do.
Gloeosporium sansevierae	*Sansevieria* sp.				1		Do.
Gleosporium sp.	*Aralia* sp.			1			Do.
Do	*Asparagus plumosus* (fern asparagus).			1			Do.
Do	*Aucuba* sp.				1		Do.
Do	*Codiaeum* sp. (croton)			5	4		Do.
Do	*Crassula* sp.			1			Do.
Do	*Hoya carnosa* (waxplant)			1			Do.
Do	*Caryota urens* (fish-tail palm)				1		Do.
Do	*Pandanus* sp. (screwpine)				1		Do.
Do	*Polystichum lonchitis* (mountain hollyfern).				1		Do.
Glomerella cingulata	*Aucuba japonica* (Japanese aucuba).				1		Do.
Do	*Dracaena* sp.	1					Do.
Glomerella gossypii	*Gossypium* sp. (cotton)			1			Do.
Oospora sp.	*Cucumis sativus* (cucumber)			1			Do.
Pestalozzia sp.	*Brassica oleracea acephala* (kale).	1					Do.
Do	*Chrysalidocarpus lutescens*	1					Do.
Do	*Codiaeum* sp. (croton)			1			Do.
Do	*Caryota urens* (fish-tail palm)				1		Do.
Phoma sp.	*Duranta repens* (skyflower)	1					Do.
Phomopsis sp.	*Poinsettia pulcherrima* (poinsettia).				1		Do.
Phyllosticta sp.	*Aralia filicifolia*				1		Do.
Do	*Brassica oleracea acephala* (kale).	1					Do.
Do	*Codiaeum* sp. (croton)	1		1			Do.
Do	*Dasylirion* sp. (sotol)				1		Do.
Do	*Hibiscus* sp.			1			Do.
Do	*Lilium longiflorum harrisii*		1				Do.
Do	Palm				1		Do.
Do	*Tecoma* sp.	1					Do.
Plecspora sp.	*Brassica oleracea acephala* (kale).	1					Do.
Septoria apii	*Apium graveolens* (celery)	1					Do.
Septoria chrysanthemella	*Chrysanthemum* sp.			1			Do.
Thielaviopsis paradoxa	*Saccharum officinarum*			2			Do.
Vermicularia sp.	*Lilium* sp.		1				Do.

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
BRAZIL							
Insects:							
Aleurothrixus porteri (whitefly)	*Citrus sinensis* (orange)					1	N. Y.
Anastrepha sp. (Trypetidae)	do					1	La.
Do	*Prunus domestica* (plum)					1	Do.
Castnia sp. (Castniidae)	Orchid	1					D. C.
Ceratitis capitata (Mediterranean fruit fly).	*Citrus sinensis*					1	La.
Chrysomphalus personatus (Coccidae)	*Citrus sinensis* (orange)	1					N. Y.
Corcyra cephalonica (Pyralidae)	*Theobroma cacao* (cacao)	1					Calif.*
Euscepes batatae (West Indian sweetpotato weevil).	*Ipomoea batatas* (sweetpotato)					1	La.
Do	do					3	N. Y.
Leucaspis cockerelli (Coccidae)	*Howea* sp. (palm)				1		Pa.
Parlatoria fluggeae brasiliensis (Coccidae).	*Citrus sinensis*					1	Fla.*
Do	do					2	La.
Do	do	1					N. Y.
Pectinophora gossypiella (pink bollworm).	*Gossypium* sp. (cottonseed)	1					D. C.
Do	do		1				N. Y.
Do	*Gossypium* sp. (unginned cotton).	1					D. C.
Pinnaspis buxi (Coccidae)	*Howea* sp. (palm)				1		Pa.
Platynota sp. (Tortricidae)	*Capsicum annuum*					1	Do.
Pseudaonidia trilobitiformis (Coccidae).	*Citrus limonia* (lemon)					1	La.
Do	*Howea* sp. (palm)				1		Pa.
Vinsonia stellifera (Coccidae)	*Stanhopea insignis* (orchid)	1					D. C.
Diseases:							
Alternaria brassicae	*Brassica oleracea capitata*					5	N. Y.
Alternaria herculea	do					3	La.
Bacterium maculicola	do					3	N. Y.
Botrytis cinerea	*Allium cepa* (onion)					1	Pa.
Do	*Capsicum annuum*					1	Ala.
Do	*Phaseolus* sp. (string bean)					1	Tex.
Do	*Solanum melongena* (eggplant)					1	Do.
Botrytis sp	*Phaseolus* sp. (string bean)					1	Do.
Cladosporium cucumerinum	*Curcurbita pepo* (pumpkin)					1	Md.
Cladosporium sp	*Chayota edulis* (chayote)					1	Tex.
Colletotrichum lagenarium	*Cucurbita pepo*					1	Va.
Colletotrichum orchidearum	Orchid				1		N. Y.
Colletotrichum phomoides	*Lycopersicum esculentum*					1	Do.
Diplodia cacaoicola	*Arachis hypogaea* (peanut)		1				D. C.
Diplodia natalensis	Orchid				1		La.
Fusarium moniliforme	*Zea mays* (corn)	1					Pa.
Gloeosporium cattleyae	*Cattleya warneri* (orchid)			1			N. Y.
Gloeosporium limetticolum	*Citrus aurantifolia* (lime)				1		Fla.*
Gloeosporium sp	Orchid	2					D. C.
Do	do				3		La.
Do	do			1			N. Y.
Do	do				1		Tex.
Helminthosporium alli	*Allium sativum* (garlic)					2	Ala.
Do	do					1	Va.
Oospora lactis parasitica	*Capsicum annuum*					1	Tex.
Do	*Lycopersicum esculentum*					1	La.
Do	do					1	N. Y.
Oospora sp	*Daucus carota* (carrot)					1	Pa.
Periconia sp	*Bromelia* sp	1					Do.
Pestalozzia sp	Orchid			1			N. Y.
Phoma destructiva	*Capsicum annuum*					1	Ala.
Do	do					1	La.
Phoma sp	*Chayota edulis* (chayote)					1	Do.
Do	do					1	Tex.
Do	*Citrus sinensis* (orange)					1	N. Y.
Phyllachora sp	*Azonopus* sp	1					Do.
Do	*Panicum* sp	1					Do.
Do	*Paspalum* sp	1					Do.
Phyllosticta sp	*Petroselinum hortense* (parsley)					1	Do.
Puccinia graminis	*Triticum aestivum* (wheat)	1					Do.
Puccinia rubigo-vera tritici	do					1	Md.
Puccinia sp	do	1					N. Y.
Pythium sp	*Phaseolus* sp. (string bean)					1	Tex.

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
BRAZIL—Continued							
Diseases—Continued.							
Sclerotinia sclerotiorum	*Brassica rapa* (turnip)					1	La.*
Do	*Daucus carota* (carrot)					1	Ala.
Do	do					1	La.
Do	do					1	Tex.
Sclerotium oryzae	*Oryza sativa* (rice)	1					N. Y.
Septoria apii	*Apium graveolens* (celery)					1	Do.
Do	do					1	Pa.
Septoria petroselini	*Petroselinum hortense* (parsley)					1	N. Y.
Sphaceloma fawcettii	*Citrus aurantifolia* (lime)					2	La.
Do	*Citrus limonia* (lemon)					1	Do.
Do	do					1	Md.
Do	do					3	N. Y.
Do	do					2	Pa.
Do	do					1	Tex.
Do	*Citrus sinensis* (orange)					1	Calif.*
Do	do					1	N. Y.
Sphaceloma fawcettii viscosa	do				1		La.
Do	do					1	N. Y.
Uromyces appendiculatus	*Phaseolus sp.* (string bean)					1	Do.
BRITISH GUIANA							
Insects:							
Xyleborus confusus (Scolytidae)	*Lonchocarpus* sp	1					Do.
Diseases:							
Alternaria brassicae	*Brassica oleracea capitata*					1	Do.
Bacterium maculicola	do					1	Do.
Diplodia cacaoicola	*Crescentia cujete* (calabash-tree)	1					Do.
Diplodia natalensis	*Nipa fruticans* (palm)		1				P. R.
Puccinia graminis	*Triticum aestivum* (wheat)		1				N. Y.
Puccinia sp	do		1				Do.
Sclerotium oryzae	*Oryza sativa* (rice)	1					Do.
BRITISH HONDURAS							
Insects:							
Chrysomphalus personatus (Coccidae).	Lauraceae	1					La.
Metamasius sericeus (silky cane weevil).	Banana debris	1					Do.
Do	*Musa* sp. (banana)	1					Do.
Psychid	Banana debris	3					Do.
Do	*Musa* sp. (banana)	1					Do.
Stephanoderes guatemalensis (Scolytidae).	*Pithecellobium belizense*		1				Do.
Diseases:							
Diplodia cacaoicola	*Attalea cohune* (cohune palm)	1					Do.
Gloeosporium sp	Orchid			1			Calif.*
Oospora citri-aurantii	*Citrus grandis* (grapefruit)					1	Tex.
BRITISH WEST INDIES							
Insects:							
Caryedon fuscus (Bruchidae)	*Tamarindus indica* (tamarind)			1			N. Y.
Hemichionaspis minor strachani (Coccidae).	*Sabal minus*		1				D. C.
Marmara sp. (Gracilariidae)	*Citrus aurantifolia* (lime)					1	Tex.
Targionia hartii (Coccidae)	*Dioscorea* sp. (yam)			1			N. Y.
Vinsonia stellifera (Coccidae)	*Oncidium papilio* (butterfly orchid).		1				Hawaii.*
Diseases:							
Ceratostomella paradoxa	*Saccharum officinarum*			1			N. Y.
Diplodia cacaoicola	*Theobroma cacao* (cacao)			1			Do.
Diplodia natalensis	*Citrus aurantifolia*	1					Do.
Diplodia tubericola	*Manihot esculenta* (cassava)					1	Ala.
Gloeosporium sp	Orchid			1			N. Y.
Melanconium sacchari	*Saccharum officinarum*			1			Do.
Phoma julibrissin	*Albizzia lebbek* (lebbek)				1		Do.
Phomopsis vexans	*Solanum melongena* (eggplant)					2	La.
Thielaviopsis paradoxa	*Saccharum officinarum*			1			N. Y.
BULGARIA							
Diseases:							
Phomopsis sp	*Prunus* sp	1					D. C.

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
BURMA							
Diseases:							
Colletotrichum sp	*Cymbidium eburneum* (orchid)	1					Calif.*
Stilbum sp	do	1					Do.*
CANADA							
Insects:							
Pyrausta nubilalis (European corn borer)	*Zea mays* (corn)	1					Mich.
Zeiraphera ratzeburgiana (Olethreutidae)	*Picea* sp. (spruce)		4				Mass.
Diseases:							
Bacterium marginatum	*Gladiolus* sp			1			Wash.
Botrytis cinerea	*Pelargonium* sp. (geranium)				1		Pa.
Claviceps purpurea	*Agropyron dasystachyum*		1				D. C.
Do	*Agropyron smithii*		1				Do.
Diplocarpon rosae	*Rosa* sp		1				N. Y.
Ditylenchus dipsaci	*Iris* sp	2					Wash.
Do	*Narcissus* sp		1				D. C.
Leptothyrium pomi	*Rosa* sp		1				N. Y.
Penicillium gladioli	*Gladiolus* sp		1				D. C.
Do	do			1			Wash.
Periconia sp	*Delphinium* sp			1			Mich.
Phoma citricarpa	*Citrus sinensis* (orange)		1				N. Y.
Puccinia sp	*Triticum aestivum* (wheat)	1					Pa.
Sclerotinia sclerotiorum	*Daucus carota* (carrot)					2	Tex.
Septoria cornicola	*Cornus canadensis* (bunch berry)			1			Mass.
Septoria divaricata	*Phlox paniculata* (garden phlox)		1				N. Y.
Septoria gladioli	*Gladiolus* sp			1			Do.
Do	do			1			Wash.
Septoria rubi	*Rubus parviflorus* (thimbleberry)			1			Do.
CANAL ZONE							
Insects:							
Anastrepha sp. (Trypetidae)	*Mangifera indica* (mango)					1	N. Y.
Aspidiotus destructor (Coccidae)	*Musa* sp	1					Do.
Asterolecanium aureum (Coccidae)	*Gongora maculata* (orchid)	1					Hawaii.*
Do	*Oncidium* sp. (orchid)	1					D. C.
Castnia licus (Castniidae)	*Heliconia angustifolia*		1				Hawaii.*
Coccus viridis (Coccidae)	*Jasminum* sp	1					D. C.
Conchaspis angraeci (Coccidae)	*Laelia* sp. (orchid)		1				Do.
Do	*Oncidium* sp. (orchid)	1					Do.
Furcaspis biformis (Coccidae)	*Epidendrum atropurpureum* (orchid)	1	4				Hawaii.*
Do	*Oncidium panamense* (orchid)		2				Do.*
Leucaspis japonica (Coccidae)	*Citrus limonia* (lemon)					1	Pa.
Vinsonia stellifera (Coccidae)	*Laelia* sp. (orchid)		1				D. C.
Do	*Oncidium* sp. (orchid)	1					Do.
Diseases:							
Alternaria brassicae	*Brassica oleracea capitata*					1	N. Y.
Capnodium sp	*Saccharum officinarum*		1				Pa.
Gloeosporium sp	Orchid	1					D. C.
Phoma sp	*Brassica rapa* (turnip)					1	La.
Thielaviopsis paradoxa	*Saccharum officinarum*		1				Pa.
CANARY ISLANDS							
Insects:							
Ceratitis capitata (Mediterranean fruit fly)	*Citrus sinensis* (orange)					2	P. R.
Diseases:							
Ditylenchus dipsaci	*Solanum tuberosum*					1	Tex.
Oospora lactis parasitica	*Lycopersicum esculentum*					1	N. Y.
Do	do					2	Pa.
Phoma sp	do					1	N. Y.
CAPE VERDE ISLANDS							
Diseases:							
Sclerotium sp	*Solanum tuberosum*					1	Pa.

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
CEYLON							
Insects:							
Callosobruchus chinensis (Bruchidae).	*Vigna sinensis* (cowpea)		1				D. C.
Sternochetus mangiferae (mango weevil).	*Mangifera indica* (mango)					1	Mass.
Diseases:							
Helminthosporium sp	*Oryza sativa* (paddy rice)	1					N. Y.
Sclerotium oryzae	*Oryza sativa* (rice)	2	1				Do.
CHILE							
Insects:							
Bostrychulus scabratus (Bostrichidae).	In packing for grapes	2					Do.
Gnorimoschema lycopersicella (tomato pinworm).	*Lycopersicum esculentum*	1					Do.
Leptoglossus chilensis (Coreidae)	In packing for grapes	2					Do.
Do	*Vitis* sp. (grape)	3					Do.
Megacerus laticornis (Bruchidae)	Convolvulaceae		2				D. C.
Diseases:							
Alternaria herculea	*Brassica oleracea capitata*					1	N. Y.
Bacterium maculicola	do					1	Do.
Bacterium vesicatorium	*Lycopersicum esculentum*	1					Do.
Botrytis cinerea	*Amygdalus persica nectarina* (nectarine).	2					Do.
Do	*Prunus domestica* (plum)	1					Do.
Do	*Prunus* sp. (cherry)	1					Do.
Brachysporium sp	*Cucumis melo* (melon)	1					Do.
Cladosporium carpophilum	*Prunus armeniaca* (apricot)	2					Do.
Colletotrichum circinans	*Allium sativum* (garlic)	1					Do.
Colletotrichum sp	*Puya* sp		1				Calif.*
Diplodia natalensis	do		1				Do.*
Gloeosporium sp	do		1				Do.*
Helminthosporium olivi	*Allium sativum* (garlic)	10				1	N. Y.
Heterosporium sp	*Allium cepa* (onion)					1	Do.
Phoma allicola	*Allium sativum*	1					Do.
Puccinia graminis	Straw packing	1					Do.
Do	*Triticum aestivum* (wheat)	3					Do.
Sclerotinia sclerotiorum	*Amygdalus persica nectarina* (nectarine).	1					Do.
Do	*Daucus carota* (carrot)					2	La.
Sclerotium rolfsii	*Cucumis melo* (melon)	1					N. Y.
Do	*Cucumis melo* var. (honeydew melon).	6					Do.
Sclerotium sp	*Allium sativum* (garlic)	1					Do.
Septoria apii	*Apium graveolens* (celery)					2	Md.
Sphaceloma fawcettii	*Citrus limonia* (lemon)					1	Do.
Stysanus sp	*Solanum tuberosum*					1	Va.
Thielavia sp	*Allium sativum*	1					N. Y.
Tilletia laevis	*Triticum aestivum* (wheat)		1				D. C.
Tranzschelia pruni-spinosae	*Amygdalus persica* (peach)	1					N. Y.
CHINA							
Insects:							
Aspidiotus transparens (Coccidae)	*Fatsia japonica* (fatsia)				1		Wash.
Bruchidius dorsalis (Bruchidae)	*Gleditschia sinensis* (Chinese honeylocust).		1				D. C.
Chilo simplex (Asiatic rice borer)	*Oryza sativa* (rice)	4	1	4			N. Y.
Do	do	1					Pa.
Do	do	1					S. C.
Chirothrips similis (thrips)	*Stipa* sp	1					D. C.
Icerya seychellarum (Coccidae)	*Litchi chinensis* (lychee)			1			Hawaii.*
Lepidosaphes tuberculata (Coccidae)	*Iris* sp		1				D. C.
Liothrips vaneeckei (thrips)	*Lilium tsingtauense*		1				Calif.*
Minthea rugicollis (Lyctidae)	do		1				Do.*
Odonaspis penicillata (Coccidae)	Bamboo	1					D. C.
Parlatoria ziziphus (Coccidae)	*Citrus grandis* (pomelo)			1		13	Calif.*
Do	do			1			Wash.
Pseudaonidia duplex (camphor scale).	do				1	2	Calif.*
Psychid	*Litchi chinensis* (lychee)			1			Hawaii.*
Pyrausta nubilalis (European corn borer).	*Holcus sorghum* (sorghum)			1			Wash.
Sipalus gigas (Curculionidae)	*Castanea* sp. (chestnut)	1					D. C.

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
CHINA—Continued							
Diseases:							
Anguina tritici	*Triticum aestivum* (wheat)	2					D. C.
Aphelenchoides parietinus	*Eleocharis tuberosa* (waternut)	1					N. Y.
Balansia claviceps	Bamboo			1			Calif.*
Capnodium citri	*Citrus grandis* (pomelo)					1	Do.*
Ceratostomella adiposum	*Eleocharis tuberosa* (waternut)	14					Do.*
Do	do	7					Mass.
Do	do	67					N. Y.
Do	do	2					Oreg.
Do	do	1					Pa.
Ceratostomella sp	*Colocasia esculenta* (taro)	1					Calif.*
Do	do	1					N. Y.
Do	*Eleocharis tuberosa* (waternut)	5					Do.
Do	*Maranta arundinacea* (arrowroot)	1					Do.
Colletotrichum sp	*Aglaonema* sp	2					Calif.*
Do	*Oryza sativa* (rice)			1			N. Y.
Coniothyrium sp	*Aglaonema* sp	1					Calif.*
Dictyosporium sp	do	1					Do.*
Diplodia cacaoicola	*Castanea* sp. (chestnut)	1					D. C.
Erysiphe graminis	*Triticum aestivum* (wheat)	1					N. Y.
Gloeosporium aglaonemae	*Aglaonema* sp	2					Calif.*
Gloeosporium sp	do	3					Do.
Helminthosporium sp	*Oryza sativa* (rice)	1					N. Y.
Monochaetia sp	*Aglaonema* sp	3					Calif.*
Pestalozzia sp	do	2					Do.*
Phoma citricarpa	*Citrus sinensis* (orange)	2		1			Do.*
Do	do	4					N. Y.
Phomopsis castaneum	*Castanea* sp. (chestnut)	2					D. C.
Phoma lingam	*Brassica oleracea capitata*					1	Wash.
Phomopsis sp	*Litchi* sp		1				D. C.
Physalospora sp	*Aglaonema* sp	4					Calif.*
Physarum sp	do	1					D. C.
Phytophthora sp	*Eleocharis tuberosa* (waternut)	1					Mass.
Poria cocos	*Pinus* sp			1			Wash.
Puccinia graminis	*Triticum aestivum* (wheat)	1					D. C.
Do	do	4					N. Y.
Do	do	1					Tex.
Puccinia magnusiana	*Phragmites communis*	1					N. Y.
Puccinia rubigo-vera tritici	*Triticum aestivum* (wheat)	1					Do.
Do	do	1					Tex.
Puccinia sp	do	1					N. Y.
Pythium sp	*Nymphaea* sp. (waterlily)	1					Oreg.
Do	*Zingiber officinale* (ginger)					1	Pa.
Do	do					1	Va.
Sclerotinia sp	*Eleocharis tuberosa* (waternut)	1					N. Y.
Sclerotium oryzae	*Oryza sativa* (rice)	11		6			Do.
Sclerotium rolfsii	*Colocasia esculenta* (taro)	21					Calif.*
Do	do	1					N. Y.
Sclerotium sp	*Aglaonema* sp	2					D. C.
Do	*Colocasia esculenta*	1					Mass.
Do	do	4					N. Y.
Do	*Eleocharis tuberosa* (waternut)	1					Mass.
Do	do	2					N. Y.
Do	*Lilium* sp	1					Do.
Sclerotium sp	*Maranta* sp. (arrowroot)	1					Do.
Sphaceloma fawcettii	*Citrus grandis* (pomelo)					1	Calif.*
Do	do					1	Wash.
Stachybotrys sp	*Aglaonema* sp	1					Calif.*
Stilbum incarnatum	*Pachyrhizus erosus*	1					Do.*
Stysanus stemonites	*Colocasia esculenta* (taro)	1					N. Y.
Do	*Maranta arundinacea* (arrowroot)	1					Do.
Do	*Pueraria thunbergiana* (kudzu)	1					Do.
Thielavia sp	do	1					Calif.*
Thielaviopsis paradora	*Eleocharis tuberosa* (waternut)	55					Do.*
Do	do	1					Mass.
Do	do	35					N. Y.
Do	do	1					Oreg.
Do	*Zingiber officinale* (ginger)	1					Calif.
Do	do	1					Mich.
Thielaviopsis sp	do	1					Calif.*
Tilletia laevis	*Triticum aestivum* (wheat)	2					D. C.

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
CHINA—Continued							
Diseases—Continued.							
Ustilago tritici	*Triticum aestivum*	1					N. Y.
Verticillium sp	*Zingiber officinale* (ginger)	1					Calif.*
Do	do	1					N. Y.
COLOMBIA							
Insects:							
Acrolophus fervidus (Acrolophidae)	*Cattleya trianae* (orchid)	1					D. C.
Aspidiotus destructor (Coccidae)	*Brassica* sp. (mustard)				1		N. Y.
Do	*Lepidium sativum* (cress)				1		Do.
Do	*Musa* sp. (banana)	1					Do.
Aspidiotus palmae (Coccidae)	*Stanhopea* sp. (orchid)		1				D. C.
Aspidiotus spinosus (Coccidae)	*Lycaste* sp. (orchid)	1					Do.
Cligenes distinctus (Lygaeidae)	Orchid	1					Do.
Eurytoma orchidearum (cattleya fly)	*Cattleya trianae* (orchid)	1					Calif.*
Furcaspis biformis (Coccidae)	*Cattleya* sp. (orchid)	1					D. C.
Hoplandrothrips nigricestus (thrips)	Orchid	1					Do.
Metamasius sericeus (silky cane weevil).	Banana debris	2					N. Y.
Do	do	1					S. C.
Pachymerus nucleorum (Bruchidae)	Palm		1				D. C.
Prytanes globosus (Lygaeidae)	*Cattleya trianae* (orchid)	1					Calif.*
Pseudococcus virgatus (Coccidae)	do	1					D. C.
Psychid	Banana debris	1					N. Y.
Do	do	3					S. C.
Diseases:							
Cercospora cruciferarum	*Raphanus sativus* (radish)					1	N. Y.
Colletotrichum sp	*Cattleya trianae* (orchid)	2					Calif.*
Do	*Dianthus* sp. (carnation)			1			N. Y.
Diplodia cacaoicola	*Carica papaya* (papaya)			1			Do.
Diplodia natalensis	*Cattleya trianae* (orchid)	3					Calif.*
Gloeosporium musarum	*Musa* sp. (banana)	1					N. Y.
Gloeosporium sp	*Cattleya trianae* (orchid)	4					Calif.*
Do	Orchid	10	4				D. C.
Do	do		1				La.
Do	*Passiflora* sp			1			N. Y.
Glomerella cingulata	*Carica papaya* (papaya)			1			Do.
Oospora citri-aurantii	*Citrus aurantifolia* (lime)				1		Tex.
Pestalozzia sp	do					1	N. Y.
Phyllosticta sp	*Cattleya trianae* (orchid)	1					Calif.*
Thelephora sp	Orchid	1					D. C.
COOK ISLANDS							
Insects:							
Metamasius sp. (Curculionidae)	*Saccharum officinarum*		1				Do.
COSTA RICA							
Insects:							
Calligrapha fulvipes (Chrysomelidae).	*Masdevallia* sp. (orchid)	1					Do.
Cosmopolites sordidus (banana root borer).	Banana debris	1					N. Y.
Macrosiphum lutea (aphid)	*Oncidium sphacelatum* (orchid)	1					D. C.
Metamasius sericeus (silky cane weevil).	Banana debris	6					La.
Do	do	1					Md.
Do	do	31					N. Y.
Do	*Musa* sp. (banana)	5					Calif.*
Nasutitermes cornigera (termite)	*Epidendrum* sp. (orchid)		1				D. C.
Pachymerus nucleorum (Bruchidae)	Palm		1				Do.
Psychid	Banana debris	3					La.
Do	do	4					N. Y.
Do	do	2					S. C.
Diseases:							
Diplodia cacaoicola	Orchid	1					D. C.
Gloeosporium limetticolum	*Citrus aurantifolia* (lime)					1	N. Y.
Gloeosporium sp	Orchid	5					D. C.
Do	do			1			N. Y.
Helminthosporium gramineum	Grass	1					Do.
Macrophoma sp	Orchid		1				D. C.
Mycosphaerella musae	*Musa* sp. (banana)	1					N. Y.
Puccinia rubigo-vera tritici	*Triticum aestivum* (wheat)	1					Do.
Sphaceloma fawcettii	*Citrus limonia* (rough lemon)			1			Fla.*
Thielaviopsis paradoxa	*Ananas sativus*	5					N. Y.
Do	*Musa* sp. (banana)	1					Do.

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
CUBA							
Insects:							
Aleurocanthus woglumi (citrus blackfly).	*Citrus aurantifolia* (lime)	1					Fla.*
Do	*Citrus sinensis* (orange)				1		Do.*
Anastrepha acidusa (West Indian fruit fly	*Mangifera indica* (mango)					2	N. Y.
Anastrepha suspensa (Trypetidae)	*Psidium guajava* (guava)					1	Do.
Anastrepha sp. (Trypetidae)	*Mangifera indica* (mango)			2		1	Do.
Anthonomus taripes (Curculionidae)	*Solanum melongena* (eggplant)	1					Do.
Apelma brevis (Ceratopogonidae)	*Ananas sativus*					1	Do.
Aspidiotus cocotiphagus (Coccidae)	*Cocos nucifera* (coconut)			3			Fla.*
Do	*Cycas revoluta* (sago cycas)			1			Do.*
Do	*Ficus indica*				5		N. Y.
Do	Palm			4			Fla.*
Do	*Rosa* sp.				1		Do.*
Aspidiotus destructor (Coccidae)	*Musa* sp. (banana)	4					Do.*
Do	do	3					Md.
Do	do	3					N. Y.
Do	Palm			1			Fla.*
Do	*Persea americana* (avocado)	1					Do.*
Do	*Poinciana regia* (royal poinciana).			1			Do.*
Aspidiotus hercules (Coccidae)	*Annona muricata* (soursop)			1			Do.*
Do	*Mammea americana* (mamey)			1			Do.*
Aspidiotus spinosus (Coccidae)	do			1			Do.*
Do	*Persea americana* (avocado)	1					La.
Ataenius terminalis (Scarabaeidae)	do	1					Do.
Aulacaspis major (Coccidae)	*Litchi chinensis* (lychee)	1					N. Y.
Bephrata cubensis (Eurytomidae)	*Annona muricata* (soursop)			1			Do.
Bruchus xanthopus (Bruchidae)	*Dombeya natalensis* (Cape-weddingflower).		1				D. C.
Cerotoma ruficornis (Chrysomelidae)	*Phaseolus lunatus macrocarpus* (lima bean).	2					N. Y.
Chrysomphalus personatus (Coccidae).	*Calophyllum* sp.				1		La.
Coccus acuminatus (Coccidae)	*Gardenia florida* (Cape-jasmine).			8	4		Fla.*
Coccus viridis (Coccidae)	*Citrus nobilis deliciosa* (tangerine).					1	Do.*
Do	*Ficus* sp.			1			Do.*
Do	*Gardenia florida* (Cape-jasmine).			22	12	1	Do.*
Do	*Ixora* sp.			1			Do.*
Collabismodes cubae (Curculionidae)	*Capsicum annuum*					1	N. Y.
Conoderus bifoveatus (Elateridae)	*Ananas sativus*	2					La.
Crocidosema plebeiana (Olethreutidae).	*Hibiscus esculentus* (okra)	1					Do.
Do	do	3					N. Y.
Cylas formicarius (sweetpotato weevil).	*Ipomoea batatas* (sweetpotato)			1		1	Fla.*
Do	do					2	La.
Do	do			1		2	N. Y.
Do	do					1	Pa.
Ephestia sp. (Pyralidae)	*Ananas sativus*	30					La.
Do	do	13					N. Y.
Fiorinia nephelii (Coccidae)	*Litchi chinensis* (lychee)	1					Do.
Frankliniella cubensis (thrips)	*Chalcas exotica* (orange-jasmine)			1			Fla.*
Do	*Chrysanthemum* sp.				1		Do.*
Do	*Rosa* sp.			2	6		Do.*
Frankliniella insularis (thrips)	*Dahlia* sp.				1		Do.*
Do	*Gardenia florida* (Cape-jasmine).			1			N. Y.
Do	*Lactuca sativa* (lettuce)					1	Do.
Do	*Lathyrus odoratus* (sweet pea)				1		Fla.*
Do	*Rosa* sp.				2		Do.*
Gnorimoschema lycopersicella (tomato pinworm).	*Lycopersicum esculentum*	4					La.
Do	do	2					N. Y.
Gynaikothrips uzeli (thrips)	*Ficus indica*				32		Do.
Do	*Ficus* sp.			1			Fla.*
Do	do				1		N. Y.
Do	*Laurus nobilis* (Grecian laurel)				1		Do.
Haplothrips gowdeyi (thrips)	*Lathyrus odoratus* (sweet pea)				1		Fla.*
Do	do				1		N. Y.
Do	*Pisum sativum* (pea)	1					Do.

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
CUBA—Continued							
Insects—Continued.							
Hemichionaspis minor strachani (Coccidae).	*Heterospathe elata* (palm)		1				D. C.
Heteroderes laurenti (Elateridae)	*Ananas sativus*	1					La.
Leucaspis indica (Coccidae)	*Mangifera indica* (mango)	1					D. C.
Maruca testulalis (bean pod borer)	*Phaseolus lunatus macrocarpus* (lima bean).	153					N. Y.
Metamasius sericeus (silky cane weevil).	*Ananas sativus*	1					La.
Nanus uniformis (Curculionidae)	do	1					Do.
Oedancala cubana (Lygaeidae)	*Phaseolus lunatus macrocarpus*	1					N. Y.
Paraleurodes perseae (whitefly)	*Citrus sinensis* (orange)				1		Fla.*
Phyllophaga puberula (Scarabaeidae).	*Ananas sativus*	1					La.
Pinnaspis buxi (Coccidae)	Palm				1		N. Y.
Platynota rostrana (Tortricidae)	*Ananas sativus*	1					La.
Do	*Capsicum annuum*	1					Do.
Do	do	2					N. Y.
Do	*Solanum melongena* (eggplant)	1					La.
Pseudococcus boninsis (Coccidae)	*Saccharum officinarum*			1	1		Fla.*
Do	do			1			N. Y.
Pseudococcus virgatus (Coccidae)	*Ananas sativus*	1					La.
Do	do	4					N. Y.
Do	*Capsicum annuum*	1					Do.
Do	*Hibiscus esculentus* (okra)	1					Fla.*
Do	do	1					La.
Do	do	1					N. Y.
Do	*Lycopersicum esculentum*	1					Do.
Pseudoparlatoria ostreata (Coccidae).	*Musa* sp. (banana)	1					Do.
Pseudoparlatoria parlatorioides (Coccidae).	do	1					Fla.*
Pulvinaria psidii (Coccidae)	*Ficus* sp			1			Do.*
Stenomid	*Persea americana* (avocado)				1		La.
Stephanoderes nitidipennis (Scolytidae).	*Ananas sativus*	1					Do.
Stephanoderes nitidulus (Scolytidae)	*Saccharum officinarum*			1			N. Y.
Targionia bromeliae (Coccidae)	*Ananas sativus*	2					La.
Do	do	1				1	N. Y.
Targionia hartii (Coccidae)	*Dioscorea* sp. (yam)	1		1			Do.
Targionia sacchari (Coccidae)	*Ananas sativus*	1					N. Y.
Do	*Saccharum officinarum*			4			Fla.*
Tyionymus sacchari (Coccidae)	do	1					La.
Xyleborus confusus (Scolytidae)	*Lycopersicum esculentum*	1					N. Y.
Diseases:							
Albugo candida	*Brassica chinensis* (white mustard).	39					Do.
Do	*Brassica juncea* (mustard)	52					Do.
Do	*Brassica rapa* (turnip)	5					Do.
Do	*Raphanus sativus* (radish)	1				3	Do.
Alternaria brassicae	*Brassica chinensis* (white mustard).	1					Do.
Do	*Brassica oleracea capitata*					4	Do.
Alternaria herculea	*Brassica chinensis*	2					Do.
Ascochyta sp	*Chayota edulis* (chayote)	1					Do.
Do	*Cucumis sativus* (cucumber)					1	Ala.
Bacillus sp	do	1					N. Y.
Do	*Lycopersicum esculentum*					1	Do.
Bacterium maculicola	*Brassica oleracea capitata*					3	Do.
Bacterium vesicatorium	*Capsicum annuum*	13					La.
Do	do	235				4	N. Y.
Do	*Lycopersicum esculentum*					1	Ala.
Do	do	1					Fla.*
Do	do	15				2	La.
Do	do					1	Md.
Do	do	1					Mich.
Do	do	623				12	N. Y.
Do	*Solanum melongena* (eggplant)	2					La.
Do	do	1				1	N. Y.
Capnodium citri	*Citrus aurantifolia* (lime)					1	Do.
Do	*Citrus sinensis* (orange)					1	Do.

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
CUBA—Continued							
Diseases—Continued.							
Capnodium sp.	*Litchi chinensis* (lychee)	1					N. Y.
Do	*Saccharum officinarum*				1		La.
Do	do				1		Pa.
Do	do				2		Va.
Cephaleuros virescens	*Citrus aurantifolia* (lime)	1					Fla.*
Ceratostomella adiposum	*Saccharum officinarum*	1		2			N. Y.
Ceratostomella fimbriata	*Xanthosoma sagittifolium* (yautia).	1					Do.
Do	*Xanthosoma* sp. (malanga)	9					Do.
Cercospora beticola	*Beta vulgaris* (beet)					1	Do.
Do	do					1	Pa.
Do	*Beta vulgaris cicla* (Swiss chard)					8	N. Y.
Cercospora capsici	*Capsicum annuum*					1	La.
Do	do	273				6	N. Y.
Do	*Cucumis sativus* (cucumber)	1					Do.
Cercospora hibisci	*Hibiscus esculentus* (okra)	2					Fla.*
Cercospora rosicola	*Rosa* sp.				1		N. Y.
Cercospora xanthoxyli	*Zanthoxylum* sp.	1					Pa.
Cercospora sp.	*Brassica oleracea capitata*					1	N. Y.
Do	*Phaseolus lunatus macrocarpus* (lima bean).	11					Do.
Do	*Radicula nasturtium-aquaticum* (watercress).					1	Do.
Cladosporium cucumerinum	*Cucumis sativus* (cucumber)	2					Fla.*
Do	do	1					N. Y.
Cladosporium fulvum	*Lycopersicum esculentum*					1	Ala.
Do	do					2	La.
Colletotrichum circinans	*Allium porrum* (leek)					2	Md.
Colletotrichum falcatum	*Saccharum officinarum*	1		3			Fla.*
Colletotrichum lagenarium	*Benincasa hispida* (hairy squash).	12					N. Y.
Do	*Chayota edulis* (chayote)	2				1	Do.
Do	*Citrullus vulgaris* (watermelon)	1					Do.
Do	*Cucumis sativus* (cucumber)	3					Do.
Do	*Cucurbita pepo* (pumpkin)	1					Do.
Colletotrichum nigrum	*Capsicum annuum*	4			1	3	La.
Do	do	7					N. Y.
Colletotrichum phomoides	*Lycopersicum esculentum*	2					La.
Colletotrichum truncatum	*Phaseolus lunatus macrocarpus* (lima bean).	4					N. Y.
Diplocarpon rosae	*Rosa* sp.				1		La.
Do	do			1	1		N. Y.
Diplodia cacaoicola	*Copernicia yarey*		1				D. C.
Do	*Persea americana* (avocado)	1					N. Y.
Diplodia natalensis	*Citrus aurantifolia* (lime)	1					Do.
Do	*Citrus grandis* (grapefruit)	1					La.
Do	do	2					N. Y.
Do	*Cocos nucifera* (coconut)				1		Pa.
Do	*Musa* sp. (banana)	1					Do.
Do	*Persea americana* (avocado)				2		Md.
Diplodia sp.	*Citrullus vulgaris* (watermelon)	1					N. Y.
Elsinoe phaseoli	*Phaseolus lunatus macrocarpus* (lima bean).	420				3	Do.
Gloeosporium limetticolum	*Citrus aurantifolia* (lime)	22					Fla.*
Do	do	1					N. Y.
Do	do					2	Pa.
Gloeosporium melongenae	*Solanum melongena* (eggplant)	1					N. Y.
Gloeosporium musarum	*Musa* sp. (banana)	2					Md.
Gloeosporium sp.	*Capsicum annuum*	1					N. Y.
Do	*Momordica charantia* (balsam-pear).	1					Do.
Glomerella cingulata	*Capsicum annuum*	1					La.
Do	do	2					N. Y.
Glomerella gossypii	*Gossypium* sp. (cotton)			1			Fla.*
Helminthosporium sp.	*Ananas sativus*	1					N. Y.
Do	*Capsicum annuum*	1					Do.
Do	*Musa paradisiaca* (plantain)	1					Do.
Macrosporium tomato	*Lycopersicum esculentum*	1					La.
Do	do					1	Pa.
Melanconium sacchari	*Saccharum officinarum*				1		Fla.*
Do	do			11		1	N. Y.
Do	do				1		Pa.
Do	do				1		Va.

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
CUBA—Continued							
Diseases—Continued.							
Melanconium sp	*Chayota edulis* (chayote)	2					N. Y.
Do	*Lycopersicum esculentum*	1					Do.
Melanospora mattirolianum	do	1					Do.
Mosaic	*Capsicum annum*	82				1	Do.
Do	*Lycopersicum esculentum*	67					Do.
Do	*Phaseolus lunatus macrocarpus* (lima bean).	79					Do.
Mycosphaerella citrullina	*Cucurbita maxima* (squash)	1					La.
Oidium lactis parasitica	*Lycopersicum esculentum*	1					N. Y.
Oidium sp	*Phaseolus lunatus macrocarpus*	1					Do.
Oospora citri-aurantii	*Citrus aurantifolia* (lime)	2					Fla.*
Do	do					1	Pa.
Oospora lactis parasitica	*Capsicum annuum*					1	Do.
Do	*Lycopersicum esculentum*					1	Ala.
Do	do	2				1	La.
Do	do	1				2	N. Y.
Oospora sp	*Chayota edulis* (chayote)					1	La.
Do	*Cucumis sativus* (cucumber)					1	Pa.
Periconia sp	Cactus			1			Fla.*
Do	*Hibiscus esculentus* (okra)	1					La.
Pestalozzia sp	*Citrus aurantifolia* (lime)	1					N. Y.
Phoma destructiva	*Capsicum annuum*	1					La.
Do	do	4					N. Y.
Do	*Lycopersicum esculentum*					1	Ala.
Do	do	10				4	La.
Do	do	2					Mich.
Do	do	165				9	N. Y.
Do	do					1	Pa.
Do	do					1	Tex.
Phoma sp	*Chayota edulis* (chayote)	1					La.
Do	do	1					N. Y.
Do	*Citrullus vulgaris* (watermelon)	1					Do.
Do	*Hibiscus esculentus* (okra)	1					La.
Do	*Persea americana* (avocado)	1					N. Y.
Do	*Phaseolus lunatus macrocarpus* (lima bean).	1					Do.
Do	*Poinciana regia* (royal poinciana).			1			Do.
Do	*Solanum melongena* (eggplant)	1					Do.
Phomopsis vexans	do	16				1	La.
Do	do	144				1	N. Y.
Do	*Solanum tuberosum*	1					La.
Phomopsis sp	*Capsicum annuum*	2					N. Y.
Phyllosticta phaseolina	*Phaseolus lunatus macrocarpus* (lima bean).	1					Do.
Phyllosticta sp	*Gardenia florida* (Cape-jasmine).			1			Fla.*
Do	*Hibiscus esculentus* (okra)	1					N. Y.
Do	*Mangifera indica* (mango)			1			Do.
Do	*Raphanus sativus* (radish)					1	Do.
Physopella fici	*Ficus carica* (fig)		1				Fla.*
Phytophthora sp	*Lycopersicum esculentum*	1					La.
Do	*Solanum melongena* (eggplant)	2					Do.
Pratylenchus pratensis	*Lycopersicum esculentum*	1					Do.
Puccinia graminis	*Triticum aestivum* (wheat)	1					N. Y.
Puccinia rubigo-vera tritici	do			1			Do.
Pythium sp	*Lycopersicum esculentum*	1					La.
Sclerotinia sclerotiorum	*Cucumis sativus* (cucumber)	1					Fla.*
Do	*Daucus carota* (carrot)					1	Tex.
Do	*Lycopersicum esculentum*					1	La.
Sclerotinia sp	*Hibiscus esculentus* (okra)	1					Do.
Sclerotium sp	*Citrus aurantifolia* (lime)	1					Fla.*
Do	*Colocasia esculenta* (dasheen)	1					N. Y.
Septobasidium pseudopedicellatum	*Citrus nobilis deliciosa* (tangerine).			1			Fla.*
Septoria lactucae	*Lactuca sativa* (lettuce)					1	N. Y.
Septoria lycopersici	*Solanum melongena* (eggplant)	1					La.
Septoria petroselini	*Petroselinum hortense* (*parsley*)					2	N. Y.
Septoria pisi	*Pisum sativum* (pea)					1	Do.
Sphaceloma fawcettii	*Citrus sinensis* (orange)				1		Fla.*
Sphaerotheca pannosa	*Rosa* sp				2		Do.*

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
CUBA—Continued							
Diseases—Continued.							
Stysanus stemonites	*Saccharum officinarum*			1			N. Y.
Do	*Solanum tuberosum*					1	La.
Do	do	1					N. Y.
Do	do					1	Tex.
Thielaviopsis paradoxa	*Ananas sativus*	4					La.
Do	do				1		Md.
Do	do	52					N. Y.
Do	*Musa* sp. (banana)	1					Do.
Do	*Saccharum officinarum*				1		La.
Do	do	15		13			N. Y.
Do	do				1		Pa.
Do	do				1		Va.
Trichoderma sp	*Citrus aurantifolia* (lime)	1					Fla.*
Uromyces cestri	*Cestrum* sp.				1		Do.*
Verticillium sp	*Hibiscus esculentus* (okra)	1					La.
CZECHOSLOVAKIA							
Diseases:							
Helminthosporium sp	*Triticum aestivum* (wheat)	1					N. Y.
Phyllosticta sp	*Acer platanoides* (Norway maple).	1					Do.
Do	*Fraxinus excelsior* (European ash).	1					Do.
Puccinia graminis	*Triticum aestivum* (wheat)	2	1				Do.
Puccinia rubigo-vera tritici	do	1	1				Do.
DANZIG							
Diseases:							
Claviceps purpurea	*Secale cereale* (rye)		1				Do.
DENMARK							
Insects:							
Anthonomus rectirostris (Curculionidae).	*Prunus* sp. (flowering cherry)	1					D. C.
Bruchidius villosus (Bruchidae)	*Laburnum alpinum* (Scotch laburnum).		1				Do.
Bruchus atomarius (Bruchidae)	*Lathyrus montanus*		1				Do.
Ceutorhynchus pleurostigma (turnip gall weevil).	*Brassica rapa* (turnip)					2	N. Y.
Do	do					2	Pa.
Do	do					1	P. R.
Frankliniella tenuicornis (thrips)	*Zea mays* (corn)					1	Pa.
Psylliodes chrysocephala (Chrysomelidae).	*Brassica rapa*					1	N. Y.
Taeniothrips atratus (thrips)	*Buxus* sp. (boxwood)			1			Do.
Thrips angusticeps (thrips)	*Lactuca sativa* (lettuce)					1	Do.
Thrips tabaci atricornis (thrips)	do					1	Pa.
Thrips validus (thrips)	do					1	Do.
Diseases:							
Albugo candida	*Brassica oleracea botrytis* (cauliflower).					1	N. Y.
Alternaria brassicae	*Brassica oleracea capitata*					1	Md.
Do	do					2	N. Y.
Do	do					1	Pa.
Do	do					1	Va.
Alternaria herculea	*Brassica oleracea gemmifera* (brussels sprouts).					1	Pa.
Do	*Brassica rapa* (turnip)					1	Va.
Bacterium maculicola	*Brassica oleracea capitata*					2	Md.
Botrytis cinerea	*Allium cepa* (onion)					3	Pa.
Do	do					2	Va.
Do	*Apium graveolens* (celery)					1	La.
Do	*Brassica oleracea capitata*					1	Pa.
Do	*Daucus carota* (carrot)					1	Do.
Do	do					1	Va.
Ditylenchus dipsaci	*Solanum tuberosum*					1	Mass.
Do	do					1	Tex.
Heterosporium allii	*Allium porrum* (leek)					1	N. Y.
Do	do					2	Pa.
Heterosporium sp	do					1	N. Y.
Mycosphaerella schoenoprasi	do					1	Pa.
Oospora pustulans	*Solanum tuberosum*					1	Md.
Phytophthora sp	*Brassica oleracea capitata*					1	Pa.

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
DENMARK—Continued							
Diseases—Continued.							
Puccinia rubigo-vera tritici	*Triticum aestivum* (wheat)					2	Md.
Puccinia sp	do	1					N. Y.
Pythium sp	*Brassica rapa* (turnip)					1	Pa.
Do	*Daucus carota* (carrot)					1	Tex.
Sclerotinia sclerotiorum	do					1	Ala.
Do	do					1	La.
Do	do					4	Pa.
Do	do					2	Tex.
Sclerotium sp	*Beta vulgaris* (beet)					1	Pa.
Septoria apii	*Apium graveolens* (celery)					3	N. Y.
Do	do					4	Pa.
Do	*Apium graveolens rapaceum* (celeriac).					1	Do.
Septoria petroselini	*Petroselinum hortense* (parsley)					1	N. Y.
Stysanus stemonites	*Solanum tuberosum*					1	Ala.
Urocystis occulta	*Secale cereale* (rye)					1	Md.
DOMINICA							
Insects:							
Chrysomphalus rhizophorae (Coccidae).	*Citrus aurantifolia* (lime)	1					Mass.
Coccus viridis (Coccidae)	do	4					N. Y.
Philephedra broadwayi (Coccidae)	*Theobroma cacao* (cacao)		1				D. C.
Pulvinaria psidii (Coccidae)	*Ixora* sp			1			Fla.*
Targionia hartii (Coccidae)	*Dioscorea* sp. (yam)			1			N. Y.
Diseases:							
Diplodia natalensis	*Citrus aurantifolia* (lime)	11					Do.
Gloeosporium limetticolum	do	6					Do.
Melanconium sacchari	*Saccharum officinarum*	1					Do.
DOMINICAN REPUBLIC							
Insects:							
Anaphothrips orchidii (thrips)	Orchid		1				Calif.*
Anastrepha acidusa (West Indian fruit fly).	*Mangifera indica* (mango)			1			P. R.
Aspidiotus cocotiphagus (Coccidae)	*Cocos nucifera* (coconut)				1		N. Y.
Asterolecanium aureum (Coccidae)	Orchid		1				D. C.
Coccus acuminatus (Coccidae)	*Gardenia florida* (Cape-jasmine).				1		N. Y.
Frankliniella insularis (thrips)	do				1		Do.
Furcaspis biformis (Coccidae)	*Brassia caudata* (orchid)		1				D. C.
Do	*Epidendrum* sp. (orchid)	1					Do.
Do	*Oncidium* sp. (orchid)		2				Do.
Do	Orchid		1				Do.
Do	*Polyrrhiza sallei*		1				Do.
Pectinophora gossypiella (pink bollworm).	*Gossypium sp.* (cottonseed)	1					N. Y.
Do	do			1			P. R.
Pinnaspis buxi (Coccidae)	Orchid		1				Calif.*
Pseudococcus virgatus (Coccidae)	*Cereus* sp. (cactus)		1				D. C.
Pseudoparlatoria parlatoriodes (Coccidae).	Orchid		1				Do.
Pulvinaria psidii (Coccidae)	*Gardenia florida* (Cape-jasmine).				1		N. Y.
Pyrophorus luminosus (Elateridae)	*Rosa* sp			1			P. R.
Targionia hartii (Coccidae)	*Dioscorea* sp. (yam)			1			Do.
Trichrous irroratus (Cerambycidae)	In base wood upon which orchid was growing.		1				Calif.*
Vinsonia stellifera (Coccidae)	*Brassia caudata* (orchid)		1				D. C.
Do	*Lycaste costata* (orchid)		1				Do.
Do	*Oncidium* sp. (orchid)		1				Do.
Do	Orchid		1				Calif.*
Do	do		3				D. C.
Diseases:							
Capnodium sp	*Saccharum officinarum*				1		Pa.
Diplocarpon rosae	*Rosa* sp			1			P. R.
Diplodia cacaoicola	Cactus		1				D. C.
Do	*Dillenia indica*		1				Do.
Diplodia natalensis	*Citrus aurantifolia* (lime)	1					N. Y.
Diplodia tubericola	*Ipomoea batatas* (sweetpotato)					1	Tex.
Gloeosporium sp	Orchid		3				D. C.

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
DOMINICAN REPUBLIC—Continued							
Diseases—Continued.							
Helminthosporium torulosum	*Musa paradisiaca* (plantian)	1					N. Y.
Metasphaeria cocoes	*Cocos nucifera* (coconut)				1		Do.
Mycosphaerella sp.	Cactus		1				D. C.
Pestalozzia sp.	*Eugenia malaccensis* (malay-apple).			1			N. Y.
Phoma sp.	do			1			Do.
Pythium sp.	*Saccharum officinarum*				1		Va.
Thielaviopsis paradoxa	*Ananas sativus*			1			N. Y.
Do	*Saccharum officinarum*			1			P. R.
DUTCH EAST INDIES							
Insects:							
Lepidosaphes tasianthi (Coccidae)	*Codiaeum* sp. (croton)				1		Pa.
Stephanoderes hampei (coffee berry borer).	*Coffea* sp.		6				N. Y.
Targionia sacchari (Coccidae)	*Saccharum officinarum*	1					D. C.
Diseases:							
Colletotrichum sp.	*Dendrobium* sp. (orchid)				1		Pa.
Diplodia cacaoicola	*Calamus* sp. (rattan)	1					N. Y.
Melanconium sacchari	*Saccharum officinarum*	1					D. C.
DUTCH GUIANA							
Diseases:							
Septoria apii	*Apium graveolens* (celery)					1	N. Y.
DUTCH WEST INDIES							
Diseases:							
Thielaviopsis paradoxa	*Saccharum officinarum*			1			Do.
EAST AFRICA							
Diseases:							
Fusarium moniliforme	*Zea mays* (corn)	1					Ala.
ECUADOR							
Insects:							
Cryphula trimaculata (Lygaeidae)	*Pennisetum orientale*		1				D. C.
Euscepes batatae (West Indian sweetpotato weevil).	*Ipomoea batatas* (sweetpotato)					2	Pa.
Lyctus simplex (Lyctidae)	Wooden box for orange juice	1					N. Y.
Metamasius hemipterus (West Indian cane weevil).	Banana debris	1					Do.
Metamasius sericeus (silky cane weevil).	do	2					Ala.
Do	do	18					N. Y.
Do	*Musa* sp. (banana)	1					Ala.
Do	do	1					Calif.*
Psychid	Banana debris	1					Ala.
Stenomid	*Persea americana* (avocado)					3	N. Y.
Do	do					1	Wash.
Diseases:							
Alternaria brassicae	*Brassica oleracea capitata*					1	Md.
Bacterium maculicola	do					1	Do.
Ceratostomella fimbriata	*Ipomoea batatas* (sweetpotato)					1	Pa.
Cladosporium fulvum	*Lycopersicum esculentum*					1	Md.
Colletotrichum circinans	*Allium ascalonicum* (shallot)					1	Do.
Diplodia cacaoicola	*Jacquinia armillaris*	1					N. Y.
Diplodia sp.	*Ceiba pentandra* (ceiba)	1					Do.
Puccinia graminis	*Triticum aestivum* (wheat)	1					Do.
Sclerotium oryzae	*Oryza sativa* (rice)			1			Do.
Thielaviopsis paradoxa	*Musa* sp. (banana)	1					Do.
EGYPT							
Insects:							
Chilo simplex (Asiatic rice borer)	*Oryza sativa* (rice)			2			N. Y.
Parlatoria blanchardi (Parlatoria date scale).	*Phoenix dactylifera* (date)		1				Do.
Pectinophora gossypiella (pink bollworm).	*Gossypium* sp. (cottonseed)	1					Ala.
Do	do	18					N. Y.
Do	do	1					P. R.
Do	do	1					Va.
Do	*Gossypium* sp. (seed cotton)	1					N. Y.

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
EGYPT—Continued							
Diseases:							
Alternaria brassicae	*Brassica oleracea capitata*					1	N. Y.
Do	do					1	Pa.
Capnodium citri	*Citrus sinensis* (orange)					1	Va.
Cercospora apii	*Apium graveolens* (celery)					1	N. Y.
Glomerella cingulata	*Capsicum annuum*					1	Pa.
Helminthosporium allii	*Allium sativum* (garlic)					1	Ala.
Macrosporium tomato	*Lycopersicum esculentum*					1	Ga.
Mycosphaerella pinodes	*Pisum sativum* (pea)					1	N. Y.
Oospora citri aurantii	*Citrus limonia* (lemon)					1	Pa.
Septoria petroselini	*Petroselinum hortense* (parsley)					2	N. Y.
Stysanus stemonites	*Solanum tuberosum*					1	Mass.
Verticillium sp	do					1	Do.
ENGLAND							
Insects:							
Acalypta musci (Tingitidae)	In packing around chrysanthemum roots.		1				D. C.
Acalypta parvula (Tingitidae)	*Primula* sp. (primrose)		1				N. Y.
Do	Soil and moss around holly tree.		1				Do.
Do	Soil around Japanese lily			1			Do.
Acidia heraclei (celery fly)	*Apium graveolens* (celery)					2	Pa.
Agriotes obscurus (Elateridae)	*Solanum tuberosum*					1	N. Y.
Aleyrodes azaleae (whitefly)	*Azalea* sp	1					D. C.
Aleyrodes brassicae (whitefly)	*Brassica oleracea capitata*					3	N. Y.
Do	*Brassica oleracea gemmifera* (brussels sprouts).					1	Do.
Anaphothrips orchidii (thrips)	*Odontonia tyana argus* (orchid)	1					D. C.
Andricus albopunctatus (Cynipidae)	*Quercus* sp. (oak)			1			N. Y.
Do	*Rosa* sp			1			Do.
Apion carduorum (Curculionidae)	*Cynara scolymus* (globe artichoke).					2	Do.
Aspidiotus palmae (Coccidae)	*Karatas carolinae*			1			Do.
Batophila rubi (Chrysomelidae)	Moss packing around *Dianthus*		1				D. C.
Ceutorhynchus ericae (Curculionidae).	*Calluna vulgaris* (heather)		1				Pa.
Ceutorhynchus pleurostigma (turnip gall weevil).	*Brassica campestris* (rutabaga)					1	N. Y.
Do	do					1	Pa.
Do	*Brassica rapa* (turnip)					1	Ala.
Do	do					2	La.
Do	do					2	Md.
Do	do					13	N. Y.
Do	do					5	Pa.
Do	do					2	Tex.
Do	do					1	Va.
Do	*Raphanus sativus* (radish)					1	N. Y.
Chrysomela aenea cuprara (Chrysomelidae).	*Omphalodes verna* (Venus-button).		1				D. C.
Curculio nucum (Curculionidae)	*Corylus avellana* (filbert)		1				N. Y.
Denticollis linearis (Elateridae)	Carnation cutting	1					D. C.
Dialeurodes chittendeni (rhododendron whitefly).	*Rhododendron* sp	3					Do.
Dinoderus bifoveolatus (Bostrichidae).	*Serjania mexicana* (barbasco)		2				N. Y.
Drymus brunneus (Lygaeidae)	In packing around chrysanthemum roots.		1				D. C.
Drymus sylvaticus (Lygaeidae)	Moss around plants	1					N. Y.
Epipolaeus caliginosus (Curculionidae).	*Humulus* sp. (hop)	1					D. C.
Forficula auricularia (European earwig).	*Antirrhinum* sp. (snapdragon)		1				Ill.
Heliothrips errans (thrips)	*Laeliocattleya soulange* x *Cattleya woltersiana*.	1					D. C.
Hylesinus fraxini (Scolytidae)	Ash crating for earthenware	5					Pa.
Do	Bark of unidentified wood	1					La.
Do	Unidentified bark and wood	1					N. Y.
Do	Wood crating for porcelain	1					Wash.
Hypera nigrirostris (Curculionidae)	*Dianthus* sp. (carnation)		1				D. C.
Lepidosaphes tuberculata (Coccidae)	*Cymbidium castor aureum* (orchid).	1					Do.
Do	*Cymbidium* sp. (orchid)	1					Calif.*
Do	do	5					D. C.

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
ENGLAND—Continued							
Insects—Continued.							
Liothrips vaneeckei (thrips)	*Lilium heldreichii*		1				D. C.
Do	*Lilium martagon*		1				Do.
Do	*Lilium monadelphum szovitzianum.*		1				Do.
Do	*Lilium* sp.	1					N. Y.
Macrosiphum kaltenbachii (aphid)	*Lactuca sativa longifolia* (Romaine lettuce).					1	Do
Mamestra brassicae (Noctuidae)	*Brassica oleracea capitata*					1	Mass.
Melanothrips fuscus (thrips)	*Radicula nasturtium-aquaticum* (watercress).					1	N. Y.
Myzus ornatus (aphid)	*Brassica oleracea capitata*					1	Do.
Do	*Chrysanthemum* sp.				3		Do.
Do	*Hedera* sp. (ivy)			1			Do.
Do	*Hydrangea* sp.			1			Do.
Do	*Pittosporum* sp.			1			Do.
Do	*Primula acaulis alba* (primrose).		1				D. C.
Do	*Rumex* sp. (sorrel)					1	N. Y.
Myzus polyanthi (aphid)	*Primula* sp. (primrose)			1			Do.
Do	do	1					Wash.
Myzus primulae (aphid)	do		1				D. C.
Ortheziola vejdovskyi (Coccidae)	Soil and moss around roots of holly.		1				N. Y.
Parlatoria crotonis (Coccidae)	*Codiaeum* sp. (croton)				1		Do.
Pseudoparlatoria parlatorioides (Coccidae)	*Cypripedium* sp. (orchid)	1					D. C.
Psylliodes chrysocephala (Chrysomelidae).	*Brassica oleracea gemmifera* (brussels sprouts).					1	N. Y.
Do	*Brassica rapa* (turnip)					5	Do.
Rhopalosiphum rufomaculata (aphid)	*Chrysanthemum* sp.				1		Mass.
Do	do				2		N. Y.
Rhopalosiphoninus tulipaella (aphid).	*Gladiolus* sp.		1				D. C.
Sericothrips staphylinus (thrips)	In soil around holly		1				N. Y.
Taeniothrips ericae (thrips)	*Calluna vulgaris* (heather)		1				Pa.
Taeniothrips vulgatissimus (thrips)	*Radicula nasturtium-aquaticum* (watercress).					1	N. Y.
Thrips angusticeps (thrips)	*Brassica oleracea capitata*					1	Do.
Do	*Cichorium intybus* (chicory)					1	Do.
Do	*Lactuca sativa* (lettuce)					2	Do.
Thrips flavus (thrips)	*Chrysanthemum* sp.			1			Do.
Do	*Cichorium intybus* (witloof)					1	Do.
Thrips tabaci pullus (thrips)	*Cynara scolymus* (globe artichoke).					1	Mass.
Tingis cardui (Tingitidae)	*Onopordun acanthium* (Scotch thistle).		1				N. Y.
Diseases:							
Albugo candida	*Brassica oleracea botrytis* (cauliflower).					3	N. Y.
Do	*Brassica oleracea captitata*					1	Do.
Do	*Brassica rapa* (turnip)					1	Do.
Alternaria brassicae	*Brassica oleracea capitata*					1	Md.
Alternaria herculea	*Brassica oleracea botrytis*					1	Mass.
Do	do					3	Pa.
Do	*Brassica oleracea capitata*					4	Md.
Do	do					1	Pa.
Do	*Brassica rapa* (turnip)					1	Tex.
Aphelenchoides parietinus	*Daucus carota* (carrot)					1	Md.
Do	do					1	Tex.
Bacterium campestre	*Brassica oleracea botrytis*					1	Mass.
Do	*Brassica oleracea capitata*					1	La.
Bacterium maculicola	*Brassica oleracea acephala* (kale).					2	N. Y.
Do	*Brassica oleracea botrytis* (cauliflower).					1	La.
Do	do					2	Pa.
Do	*Brassica oleracea capitata*					2	La.
Bacterium maculicola	*Brassica oleracea capitata*					4	Md.
Do	do					3	N. Y.
Do	do					1	Pa.
Do	*Brassica oleracea gemmifera* (brussels sprouts).					13	N. Y.
Do	do					1	Va.

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
ENGLAND—Continued							
Diseases—Continued.							
Botrytis cinerea	*Allium cepa* (onion)					1	Ala.
Do	do					1	La.
Do	do					2	Pa.
Do	do					3	Tex.
Do	do					6	Va.
Do	*Allium porrum* (leek)					2	Pa.
Do	*Beta vulgaris* (beet)					1	Tex.
Do	*Brassica oleracea botrytis* (cauliflower).					1	La.
Do	*Brassica oleracea capitata*					1	Fla.*
Do	*Brassica rapa* (turnip)					1	Tex.
Do	do					1	Va.
Botrytis cinerea	*Daucus carota* (carrot)					1	Ala.
Do	do					3	Md.
Do	do					3	Tex.
Do	do					1	Va.
Do	*Pastinaca sativa* (parsnip)					1	Pa.
Do	do					1	Tex.
Do	do					1	Va.
Do	*Radicula armoracia* (horseradish).					1	Do.
Do	*Ribes* sp. (gooseberry)					1	Tex.
Bremia lactucae	*Lactuca sativa* (lettuce)					6	N. Y.
Do	*Lactuca sativa longifolia* (Romaine lettuce).					1	Do.
Camarosporium sp	*Ribes* sp			1			Do.
Cercospora odontoglossi	*Odontoglossum* sp	1					D. C.
Cercospora sp	*Cheiranthus allioni* (wallflower).		1				Pa.
Chaetomium globosum	Palm				1		N. Y.
Colletotrichum atramentarium	*Solanum tuberosum*					1	Tex.
Colletotrichum omnivorum	*Aspidistra* sp				1		N. Y.
Colletotrichum sp	*Laelia cattleya* (orchid)	1					Calif.*
Do	*Odontioda* sp. (orchid)	1					Do.*
Cumminsiella sanguinea	*Mahonia* sp			2			N. Y.
Ditylenchus dipsaci	*Narcissus* sp		2	1			D. C.
Do	*Solanum tuberosum*					1	Mass.
Do	do					1	Pa.
Do	do					1	Tex.
Erysiphe graminis	*Triticum aestivum* (wheat)	7					Pa.
Gloeosporium sp	*Ceropegia monteiroae*		1				D. C.
Do	*Codiaeum* sp. (croton)				1		N. Y.
Do	*Cymbidium* sp. (orchid)	1					Calif.*
Do	*Euonymus* sp				1		N. Y.
Do	*Laelia cattleya* (orchid)	1					Calif.*
Do	*Laurus nobilis* (Grecian laurel)				1		N. Y.
Do	*Odontioda* sp. (orchid)	1					Calif.*
Do	*Odontoglossum* sp. (orchid)	1					Do.*
Do	Palm				6		N. Y.
Helminthosporium sativum	Straw packing	1					Pa.
Do	*Triticum aestivum* (wheat)					1	Md.
Do	do	4					Pa.
Heterosporium sp	*Dianthus* sp		1				D. C.
Do	*Triticum aestivum* (wheat)	1					Pa.
Leptosphaeria heterospora	*Iris* spp		5				D. C.
Leptothyrium sp	*Rhododendron* sp	1					Do.
Marsonia sp	*Vitis* sp. (grape)					1	N. Y.
Monochaetia sp	*Laelia cattleya* (orchid)	1					Calif.*
Mycosphaerella brassicicola	*Brassica oleracea acephala* (kale).					2	N. Y.
Do	*Brassica oleracea botrytis* (cauliflower).					24	Do.
Do	*Brassica oleracea capitata*					10	Do.
Do	do					1	Pa.
Do	*Brassica oleracea gemmifera* (brussels sprouts).					1	N. Y.
Mycosphaerella pinodes	*Pisum sativum* (pea)					2	Do.
Do	do					1	Pa.
Mycosphaerella schoenoprasi	*Allium porrum* (leek)					3	Do.
Mycosphaerella sp	Palm				1		Do.
Oidium sp	*Chrysanthemum* sp			1			N. Y.
Papulospora sp	*Beta vulgaris* (beet)					1	Va.

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
ENGLAND—Continued							
Diseases—Continued.							
Peronospora parasitica	*Brassica oleracea botrytis* (cauliflower).					2	N. Y.
Do	do					2	Pa.
Do	*Brassica oleracea capitata*					1	N. Y.
Pestalozzia guepini	*Rhododendron* sp				1		Do.
Pestalozzia macrotricha	do		1				D. C.
Do	do	1					Wash.
Pestalozzia sp	*Galax* sp			1			N. Y.
Do	Palm				1		Do.
Do	*Rhododendron* sp	1					Wash.
Phoma betae	*Beta vulgaris* (beet)					1	La.
Do	do					1	Md.
Phoma lingam	*Brassica oleracea capitata*					1	N. Y.
Do	do					1	Pa.
Phoma sp	*Brassica rapa* (turnip)					1	Do.
Do	*Ilex* sp. (holly)			1			N. Y.
Do	*Ribes* sp			1			Do.
Phomopsis sp	*Pittosporum mayi*		1				D. C.
Phyllosticta sp	*Ilex* sp. (holly)		1				N. Y.
Do	Palm				1		Do.
Do	*Solidago* sp. (goldenrod)		1				Oreg.
Phytophthora sp	*Brassica campestris* (rutabaga)					1	Pa.
Do	*Daucus carota* (carrot)					1	Ala.
Do	do					2	La.
Puccinia chrysanthemi	*Chrysanthemum* sp				2		N. Y.
Puccinia graminis	*Triticum aestivum* (wheat)			1			Do.
Puccinia hieracii	*Cichorium intybus* (chicory)					1	Do.
Puccinia menthae	*Mentha* sp. (mint)					1	Mass.
Do	do					3	N. Y.
Puccinia rubigo-vera tritici	*Triticum aestivum* (wheat)					2	Md.
Do	do	4	1				N. Y.
Do	do	2					Pa.
Do	do	1					P. R.
Puccinia sp	*Allium porrum* (leek)					1	Pa.
Do	*Avena sativa* (oats)					1	Md.
Do	do	1					N. Y.
Do	*Chrysanthemum* sp				1		Mass.
Do	*Rumex* sp. (sorrel)					1	N. Y.
Do	*Triticum aestivum* (wheat)	1					Md.
Do	do	2					N. Y.
Do	Straw		1				Pa.
Pythium sp	*Brassica rapa* (turnip)					1	La.
Ramularia lampsanae	*Cichorium intybus* (witloof)					1	N. Y.
Rhytisma sp	*Vitis* sp. (grape)					1	Do.
Sclerotinia sclerotiorum	*Beta vulgaris* (beet)					1	Pa.
Do	*Brassica rapa* (turnip)					1	Fla.*
Do	do					3	Va.
Do	*Daucus carota* (carrot)					4	Ala.
Do	do					5	La.
Do	do					2	Md.
Do	do					5	N. Y.
Do	do					4	Pa.
Do	do					17	Tex.
Do	do					2	Va.
Do	*Phaseolus* sp. (string bean)					1	N. Y.
Do	*Pisum sativum* (pea)					1	Do.
Sclerotinia sp	*Allium cepa* (onion)					1	Va.
Do	*Solanum tuberosum*					1	Pa.
Sclerotium sp	*Apium graveolens rapaceum* (celeriac).					1	Do.
Do	*Galanthus* sp		1				Do.
Sclerotium sp	*Narcissus* sp			1			N. Y.
Do	*Tritonia* sp		1				D. C.
Septoria apii	*Apium graveolens* (celery)					1	Md.
Do	do					13	N. Y.
Do	do					1	Pa.
Septoria chrysanthemella	*Chrysanthemum* sp			2	7		N. Y.
Septoria petroselini	*Petroselinum hortense* (parsley)					13	Do.
Septoria sp	*Apium graveolens* (celery)					1	Pa.
Do	*Ranunculus bilobus*		1				Calif.*
Sphaeronema sp	*Narcissus* sp		1				D. C.
Stachybotrys sp	*Hyacinthus* sp		1				Pa.
Tilletia tritici	*Triticum aestivum* (wheat)	1					N. Y.

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
ENGLAND—Continued							
Diseases—Continued.							
Uromyces caryophyllinus	*Dianthus* sp.	3	3				D. C.
Ustilago avenae	*Avena sativa* (oats)		1				Wash.
Vermicularia sp.	*Codiaeum* sp. (croton)				1		N. Y.
Verticillium sp.	*Allium cepa* (onion)					1	La.
Do.	*Brassica rapa* (turnip)					1	Tex.
ESTONIA							
Diseases:							
Fusicoccum putrefaciens	*Vaccinium* sp. (cranberry)	1					N. Y.
Godronia cassandrae	do	1					Do.
Phyllosticta sp.	do	1					Do.
FEDERATED MALAY STATES							
Insects:							
Aleuroplatus samoanus (whitefly)	*Codiaeum* sp. (croton)				1		Fla.*
Lepidosaphes lasianthi (Coccidae)	do				1		Do.*
FIJI ISLANDS							
Diseases:							
Diplodia sp.	*Barringtonia edulis*			1			N. Y.
FINLAND							
Diseases:							
Phragmotrichum chailletii	*Lariz* sp. (larch)			1			Do.
Sclerotinia sclerotiorum	*Daucus carota* (carrot)					1	Tex.
FRANCE							
Insects:							
Acalypta parmula (Tingitidae)	Rose cuttings and sphagnum		1				D. C.
Acrolepia assectella (Plutellidae)	*Allium porrum* (leek)					4	N. Y.
Do.	do					1	Pa.
Apion carduorum (Curculionidae)	*Cynara scolymus* (globe artichoke).					17	N. Y.
Baris laticollis (Curculionidae)	*Brassica rapa* (turnip)					3	Do.
Bruchidius halodendri (Bruchidae)	*Halimodendron argenteum*		1				D. C.
Bruchidius mulsanti (Bruchidae)	*Cytisus proliferus*		1				Do.
Bruchus signaticornis (Bruchidae)	*Lens esculenta* (lentil)		1				Do.
Bruchus viciae (Bruchidae)	*Lathyrus articulatus*		1				Do.
Cassida nobilis (Chrysomelidae)	*Brassica rapa*					1	N. Y.
Ceutorhynchus pleurostigma (turnip gall weevil).	*Brassica campestris* (rutabaga)					1	Md.
Do.	*Brassica rapa*					3	N. Y.
Ceutorhynchus quadridens (Curculionidae).	do					1	Do.
Chirothrips similis (thrips)	*Festuca elatior* (meadow fescue).		1				D. C.
Chrysomphalus dictyospermi var. (Coccidae).	*Citrus sinensis* (orange)			1			N. Y.
Drusenatus nasturtii (Curculionidae).	*Radicula nasturtium-aquaticum* (watercress).					1	Do.
Forficula auricularia (European earwig).	*Lilium* sp.	1					Do.
Frankliniella intonsa	*Allium sativum* (garlic)					1	Do.
Do.	*Aster* sp.				1		Do.
Helophorus rufipes (Hydrophilidae).	*Brassica rapa* (turnip)					1	Do.
Helophorus rugosus (Hydrophilidae).	do					1	Do.
Do.	*Cichorium intybus* (witloof)					1	Do.
Liothrips vaneeckei (thrips)	*Lilium candidum* (Madonna lily).	1					Do.
Do.	*Lilium* sp.	1					Do.
Macrosiphum kaltenbachii (aphid)	*Cichorium intybus* (witloof)					1	Do.
Do.	*Lactuca sativa* (lettuce)					1	Do.
Mamestra brassicae (Noctuidae)	*Brassica oleracea botrytis* (cauliflower).					1	Do.
Parlatoria crotonis (Coccidae)	*Codiaeum* sp. (croton)				1		Do.
Parthenothrips dracaenae (thrips)	Palm				1		Do.
Pediaspis aceris (Cynipidae)	*Acer monspessulanum* (Montpelier maple).		2				D. C.
Phelomerus germaini (Bruchidae)	*Parkinsonia aculeata* (Jerusalem-thorn).		2				Do.

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
FRANCE—Continued.							
Insects—Continued.							
Phyllotreta atra (Chrysomelidae)	*Brassica oleracea botrytis*					1	N. Y.
Do	*Brassica oleracea capitata*					1	Do.
Phyllotreta cruciferae (Chrysomelidae).	*Allium porrum* (leek)					1	Do.
Phyllotreta nemorum (Chrysomelidae).	*Brassica rapa* (turnip)					2	Do.
Do	*Raphanus sativus* (radish)					3	Do.
Phytodecta olivaceus (Chrysomelidae).	*Genista scoparia*		1				D. C.
Pionea forficalis (Pyralidae)	*Brassica oleracea capitata*					1	N. Y.
Psylliodes chrysocephala (Chrysomelidae).	*Brassica oleracea botrytis*					1	Do.
Do	*Brassica rapa* (turnip)					15	Do.
Sitona lineata (Curculionidae)	*Brassica oleracea botrytis*					1	Do.
Taeniothrips atratus (thrips)	*Brassica rapa*					1	Do.
Taeniothrips frontalis (thrips)	*Dianthus* sp. (carnation)			1			Do.
Thrips angusticeps (thrips)	*Cichorium intybus* (witloof)					1	Do.
Do	*Foeniculum vulgare* (fennel)					1	Do.
Do	*Lactuca sativa* (lettuce)					2	Do.
Thrips tabaci pullus (thrips)	*Iris* sp		1				D. C.
Diseases:							
Albugo candida	*Brassica oleracea acephala* (kale)					1	N. Y.
Do	*Brassica oleracea botrytis* (cauliflower).					7	Do.
Do	*Brassica oleraca capitata*					3	Do
Do	*Brassica rapa* (turnip)					3	Do
Albugo tragopogonis	*Tragopogon porrifolius* (salsify)					1	Do.
Alternaria brassicae	*Brassica oleracea botrytis*					1	Do.
Do	*Brassica oleracea capitata*					1	Do.
Bacterium maculicola	*Brassica oleracea botrytis*					5	Do.
Do	*Brassica oleracea gemmifera* (brussels sprouts).					3	Do.
Botrytis cinerea	*Allium ascalonicum* (shallot)					1	Ala.
Do	do					2	La.
Do	*Allium cepa* (onion)					1	Ala.
Do	do					1	La.
Do	do					1	Pa.
Do	do					1	Tex.
Do	*Capsicum annuum*					1	La.
Do	*Daucus carota* (carrot)					1	Tex.
Do	*Pisum sativum* (pea)					1	N. Y.
Bremia lactucae	*Chicorium intybus* (witloof)					1	Do.
Do	*Lactuca sativa* (lettuce)					11	Do.
Do	*Lactuca sativa longifolia* (Romaine lettuce).					8	Do.
Ceratostomella sp	*Vitis* sp. (grape)					1	Do.
Colletotrichum nigrum	*Capsicum annuum*					1	Ala.
Colletotrichum orchidearum	*Phalaenopsis* sp. (orchid)	1					D. C.
Coniothyrium sp	*Rosa* sp		1				Do.
Coryneum microstictoides	*Paeonia moutan* (peony)	1					Calif.*
Coryneum microstictum	*Rosa* sp		1				D. C.
Cumminsiella sanguinea	*Mahonia aquifolium* (Oregon hollygrape).				1		N. Y.
Gloeosporium sp	*Pandanus* sp. (Screwpine)				1		Do.
Graphiola phoenicis	Palm				3		Do.
Do	*Phoenix dactylifera* (date palm)				1		Do.
Helminthosporium allii	*Allium sativum* (garlic)		1			2	N. Y.
Helminthosporium sativum	*Secale cereale* (rye)	1					S. C.
Helminthosporium sp	*Hyacinthus* sp			1			N. Y.
Heterosporium allii	*Allium porrum* (leek)					2	Do.
Heterosporium echinulatum	*Dianthus* sp. (carnation)		1				Md.
Leptosphaeria culmicola	*Triticum aestivum* (wheat)	1					N. Y.
Macrosporium parasiticum	*Allium cepa* (onion)					1	Do.
Mycosphaerella brassicicola	*Brassica oleracea botrytis* (cauliflower).					43	Do.
Do	*Brassica oleracea capitata*					7	Do.
Mycosphaerella pinodes	*Pisum sativum* (pea)					4	Do.
Myxosporium sp	*Peaonia moutan* (peony)	1					Calif.*
Papulospora sp	*Pisum sativum* (pea)					1	N. Y.
Paranthostomella sp	*Paeonia moutan*	1					Calif.*
Periconia sp	do	1					Do.*
Do	*Paeonia* sp. (peony)	1					Do.*

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
FRANCE—Continued							
Diseases—Continued.							
Peronospora parasitica	*Brassica oleracea botrytis*					1	N. Y.
Do	*Brassica oleracea capitata*					2	Do.
Pestalozzia guepini	*Camellia japonica* (camellia)	3					D. C.
Do	*Camellia reticulata*	1					Do.
Pestalozzia sp	*Pandanus* sp. (screwpine)				1		N. Y.
Pezizella lythri	*Rosa* sp		1				D. C.
Phoma sp	*Cynara scolymus* (globe artichoke).					1	Ala.
Do	do					27	N. Y.
Do	*Iris* sp		1				D. C.
Do	*Lycopersicum esculentum*					2	N. Y.
Phyllosticta sp	*Euonymus* sp				1		Wash.
Do	*Laurus nobilis* (Grecian laurel)					1	N. Y.
Do	*Vitis* sp. (grape)					1	Do.
Plasmodiophora brassicae	*Brassica rapa* (turnip)					1	Do.
Pseudopeziza trifolii	*Trifolium* sp. (clover)					1	Do.
Puccinia allii	*Allium porrum* (leek)					12	Do.
Puccinia extensicola hieraciata	*Lactuca sativa* (lettuce)					1	Do.
Puccinia graminis	*Avena sativa* (oats)	1					Md.
Do	do	1					N. Y.
Do	*Triticum aestivum* (wheat)	1					Md.
Do	do	6					N. Y.
Do	do	2					Pa.
Puccinia hieracii	*Cichorium intybus* (chicory)					13	N. Y.
Do	*Taraxacum officinale* (dandelion)					1	Do.
Puccinia porri	*Allium sativum* (garlic)					1	Pa.
Puccinia rubigo-vera tritici	*Triticum aestivum*	2		1			Md.
Do	do	2				1	N. Y.
Do	do	2					Pa.
Puccinia sp	*Allium porrum* (leek)					1	N. Y.
Do	do					1	Pa.
Do	*Secale cereale* (rye)	1					La.
Do	*Triticum aestivum* (wheat)	7					N. Y.
Pythium sp	*Daucus carota* (carrot)					1	Tex.
Ramularia sp	*Cynara scolymus* (globe artichoke).					1	N. Y.
Sclerotinia sclerotiorum	do					1	Do.
Do	*Daucus carota* (carrot)					4	Tex.
Do	*Phaseolus* sp. (string bean)					7	N. Y.
Sclerotium sp	*Allium sativum* (garlic)					1	Do.
Do	*Paeonia* sp. (peony)	1					Calif.*
Septoria apii	*Apium graveolens* (celery)					9	N. Y.
Do	do					1	Pa.
Do	*Apium graveolens rapaceum* (celeriac).					3	N. Y.
Septoria petroselini	*Petroselinum hortense* (parsley)					19	Do.
Stysanus stemonites	*Solanum tuberosum*					2	Tex.
Uredo sp	*Allium porrum* (leek)					1	N. Y.
Do	do					1	Pa.
Urocystis cepulae	*Allium cepa* (onion)		1				Calif.*
Uromyces appendiculatus	*Phaseolus* sp. (string bean)					1	N. Y.
Uromyces caryophyllinus	*Dianthus* sp. (carnation)			1			Do.
Venturia pyrina	*Pyrus communis* (pear)					1	Pa.
Verticillium sp	*Lilium candidum* (Madonna lily).	1					N. Y.
Do	*Solanum tuberosum*					1	Tex.
FRENCH WEST AFRICA							
Diseases:							
Sclerotinia sclerotiorum	*Daucus carota* (carrot)					1	La.
GERMANY							
Insects:							
Acalypta parvula (Tingitidae)	Sphagnum moss packing			1			N. Y.
Acrolepia assectella (Plutellidae)	*Allium porrum* (leek)					2	Do.
Agriotes obscurus (Elateridae)	*Radicula armoracia* (horseradish).					1	Do.
Aptinothrips rufus (thrips)	Sphagnum moss and debris			1			Do.
Aptinothrips rufus form *stylifera* (thrips).	do			1			Do.

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
GERMANY—Continued							
Insects—Continued.							
Athous hirtus (Elateridae)	*Cichorium intybus* (chicory)					1	N. Y.
Athous subfuscus (Elateridae)	In soil on spruce		1				Do.
Brachyrhinus porcatus (Curculionidae).	Packing around violet and cedar plants.		1				Md.
Do	Soil around violet and freesia plants.		1				N. Y.
Ceutorhynchus ericae (Curculionidae).	*Calluna vulgaris* (heather)		2				Pa.
Ceutorhynchus pleurostigma (turnip gall weavil).	*Brassica rapa* (turnip)					1	N. Y.
Ceutorhynchus quadridens (Curculionidae).	do					1	Do.
Drymus sylvaticus (Lygaeidae)	Sphagnum moss packing			1			Do.
Emphytus cinctus (sawfly)	*Rosa* sp	1					D. C.
Ernobius abietis (Anobiidae)	*Pinus* sp (pine)		1				Md.
Eurytoma onobrychidis (Eurytomidae).	*Onobrychis viciaefolia*		1				N. Y.
Frankliniella intonsa (thrips)	*Aster* sp				1		Do.
Frankliniella tenuicornis (thrips)	*Lactuca sativa* (lettuce)					1	Mass.
Haplothrips aculeatus (thrips)	Sphagnum moss and debris			1			N. Y.
Haplothrips setiger (thrips)	Packing around violet and cedar plants.		1				Md.
Hypera nigrirostris (Curculionidae)	Spray of laurel and willow		1				N. Y.
Ischnodes sanguinicollis (Elateridae)	In soil around araucaria			1			Do.
Laspeyresia strobilella (Olethreutidae).	*Picea* sp. (spruce)			1			Do.
Do	*Pinus* sp		1				Do.
Lepidosaphes lasianthi (Coccidae)	*Aucuba* sp				1		Do.
Do	*Codiaeum* sp. (croton)				1		Do.
Leucaspis loewi (Coccidae)	*Pinus* sp			1			Do.
Limothrips denticornis (thrips)	*Dianthus* sp. (carnation)			1			Do
Do	*Rubus* sp. (blackberry)		1				Do.
Do	Sphagnum moss and debris			1			Do.
Macrosiphum kaltenbachii (aphid)	*Lactuca sativa* (lettuce)					2	Do.
Mamestra brassicae (Noctuidae)	*Brassica oleracea botrytis* (cauliflower).					1	Md.
Do	do					2	N. Y.
Do	*Brassica oleracea capitata*					1	Do.
Mecinus pyraster (Curculionidae)	*Picea* sp. (spruce)		1				Mich.
Myzus ornatus (aphid)	*Helenium* sp		1				D. C.
Parthenothrips dracaenae (thrips)	Bamboo				2		N. Y.
Do	*Brassica oleracea capitata*					1	Do.
Do	*Chrysanthemum* sp				3		Do.
Do	*Crassula* sp				1		Do.
Do	*Euonymus* sp				2		Do.
Do	*Hosta* sp				2		Do.
Physokermes piceae (Coccidae)	*Picea excelsa* (Norway spruce)		1				Pa.
Polydrusus tereticollis (Curculionidae).	*Artemisia dracunculus* (tarragon).					1	N. Y.
Psylliodes chrysocephala (Chrysomelidae).	*Brassica oleracea bullata* (Savoy cabbage).					1	Do.
Do	*Brassica rapa* (turnip)					1	Do.
Strophosoma melanogrammus (Curculionidae).	Sphagnum moss packing			1			Do.
Taeniothrips atratus (thrips)	*Lactuca sativa* (lettuce)					1	Do.
Do	Sphagnum moss and debris			1			Do.
Taeniothrips dianthi (thrips)	Soil around cuttings		1				Pa.
Taeniothrips ericae (thrips)	*Calluna vulgaris* (heather)		2				Do.
Thrips angusticeps (thrips)	*Tragopogon porrifolius* (salsify)					1	N. Y.
Thrips flavus (thrips)	*Amaranthus* sp			1			Do.
Do	*Aster* sp				1		Do.
Do	*Rosa* sp			1			Do.
Thrips fuscipennis (thrips)	*Brassica oleracea botrytis* (cauliflower).					1	Do.
Do	*Pinus* sp		1				Md.
Thrips fuscipennis form *corticina* (thrips).	do		1				Do.
Diseases:							
Albugo candida	*Brassica oleracea botrytis* (cauliflower).					1	N. Y.
Do	*Brassica oleracea bullata* (Savoy cabbage).					1	Do.

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
GERMANY—Continued							
Diseases—Continued.							
Albugo tragopogonis	*Tragopogon porrifolius* (salsify).					2	N. Y.
Alternaria brassicae	*Brassica oleracea botrytis* (cauliflower).					1	Pa.
Do	*Brassica oleracea capitata*					5	N. Y.
Do	do					1	Pa.
Alternaria dianthi	*Dianthus* sp		1				D. C.
Do	do		1				Pa.
Alternaria herculea	*Brassica oleracea botrytis*					3	N. Y.
Do	*Brassica oleracea capitata*					1	Mass.
Do	do					1	Pa.
Do	do					1	Tex.
Do	*Brassica oleracea caulo-rapa* (kohlrabi).					1	N. Y.
Aphelenchoides parietinus	*Allium cepa*					1	La.
Ascochyta berberidina	*Berberis* sp		1				Wash.
Ascochyta brassicae	*Brassica oleracea caulo-rapa*					1	N. Y.
Bacterium campestre	*Brassica oleracea capitata*					1	Pa.
Bacterium maculicola	*Brassica oleracea botrytis* (cauliflower).					2	Md.
Do	*Brassica oleracea capitata*					2	La.
Do	do					2	Md.
Do	do					1	N. Y.
Do	do					1	Pa.
Do	*Brassica oleracea caulo-rapa* (kohlrabi).					2	N. Y.
Do	*Brassica oleracea gemmifera* (brussels sprouts).					2	Do.
Bacterium marginatum	*Gladiolus* sp	1	1				D. C.
Bitter pit	*Malus sylvestris*					1	Pa.
Botrytis cinerea	*Allium cepa* (onion)					2	Ala.
Do	do					2	La.
Do	do					4	Pa.
Do	do					4	Tex.
Do	*Allium porrum* (leek)					2	Pa.
Do	*Brassica oleracea capitata*					1	La.
Do	do					3	Pa.
Do	*Brassica rapa* (turnip)					2	Ala.
Do	do					4	La.
Do	*Daucus carota* (carrot)					3	Ala.
Do	do					4	La.
Do	do					3	Tex.
Do	*Symphoricarpos albus*		1				Pa.
Do	*Tulipa* sp. (tulip)				1		Do.
Botrytis galanthina	*Galanthus* sp		1				N. Y.
Brachysporium sp	*Betula* sp. (birch)			1			Do.
Bremia lactucae	*Lactuca sativa* (lettuce)					2	Do.
Do	*Lactuca sativa longifolia* (Romaine lettuce).					1	Do.
Capnodium sp	*Abies pectinata* (silver fir)		1				Tex.
Do	*Buxus* sp. (boxwood)		1				Pa.
Colletotrichum atramentarium	*Solanum tuberosum*					1	La.
Cumminsiella sanguinea	*Mahonia* sp. (hollygrape)		1				Wash.
Cytospora sp	*Salix discolor* (pussy willow)		1				N. Y.
Do	*Salix* sp. (willow)	3	1				Do.
Diplocarpon rosae	*Rosa* sp				1		Pa.
Ditylenchus dipsaci	*Convallaria majalis* (lily-of-the-valley).	18					N. Y.
Do	*Solanum tuberosum*					1	Ala.
Do	do					3	La.
Do	do					1	Md.
Do	do					5	Pa.
Do	do					7	Tex.
Erysiphe graminis	*Triticum aestivum* (wheat)					1	Md.
Exoascus betulinus	*Betula* sp. (birch)			1			N. Y.
Gloeosporium pelargonii	*Pelargonium* sp. (geranium)			1			Do.
Gloeosporium sp	*Aucuba japonica* (Japanese aucuba).				1		Do.
Do	Palm				2		Do.
Glomerella cingulata	*Malus sylvestris* (apple)		1				Pa.
Helminthosporium allii	*Allium sativum* (garlic)					1	N. Y.

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
GERMANY—Continued							
Diseases—Continued.							
Heterosporium allii	*Allium porrum* (leek)					1	N. Y.
Do	do					2	Pa.
Heterosporium echinulatum	*Dianthus* sp		1				Do.
Heterosporium sp	*Daucus carota* (carrot)					1	N. Y.
Melampsora sp	*Salix* sp. (willow)					1	Do.
Mycosphaerella brassicicola	*Brassica oleracea botrytis* (cauliflower).					12	Do.
Do	*Brassica oleracea bullata* (Savoy cabbage).					1	Do.
Do	*Brassica oleracea capitata*					2	Do.
Nectria cinnabarina	*Betula* sp. (birch)			1			Do.
Nectria galligena	*Salix discolor* (pussy willow)			1			Do.
Oidium euonymi-japonici	*Euonymus japonica variegata*				3		Do.
Do	*Euonymus* sp				2		Do.
Oidium sp	*Chrysanthemum* sp				2		Do.
Penicillium gladioli	*Gladiolus* sp	1					D. C.
Penicillium glaucum	*Vitis* sp. (grape)				1		Va.
Peronospora parasitica	*Brassica oleracea capitata*					1	N. Y.
Do	*Raphanus sativus* (radish)					1	Do.
Pestalozzia sp	*Laurus* sp				1		Do.
Phoma sp	*Picea* sp. (spruce)			1			Do.
Do	*Pinus montana mughus* (mugho pine).			1			Do.
Do	*Radicula armoracia* (horseradish).					1	Ala.
Phomopsis sp	*Pyrus communis* (pear)			1			N. Y.
Phyllosticta solitaria	*Malus sylvestris* (apple)			2			Do.
Phyllosticta sp	*Pinus montana mughus*			1			Do.
Do	*Tilia* sp		1				Do.
Pratylenchus pratensis	*Allium cepa* (onion)					1	Tex.
Do	*Convallaria majalis* (lily-of-the-valley).	4					N. Y.
Puccinia allii	*Allium porrum* (leek)					5	Do.
Puccinia carlinae	*Carlina vulgaris* (carline thistle).			1			Do.
Puccinia chrysanthemi	*Chrysanthemum* sp				3		Do.
Puccinia graminis	*Avena sativa* (oats)	1					Do.
Do	do					1	Wash.
Do	*Secale cereale* (rye)	1					La.
Do	*Triticum aestivum* (wheat)		2				Ill.
Do	do	1				3	Md.
Do	do	12	2				N. Y.
Do	do	3					Pa.
Puccinia hieracii	*Cichorium intybus* (chicory)					2	N. Y.
Puccinia menthae	*Mentha* sp. (mint)					1	Do.
Puccinia rubigo-vera tritici	*Triticum aestivum* (wheat)					3	Md.
Do	do		1				N. Y.
Do	do	1					Pa.
Do	do	1					P. R.
Puccinia sp	do	3					N. Y.
Do	*Aechmea fasciata*		1				D. C.
Ramularia sp	*Raphanus sativus* (radish)					1	N. Y.
Rhizoctonia sp	*Brassica campestris* (rutabaga)					1	Pa.
Sclerotinia cinerea	*Prunus domestica* (plum)			1			N. Y.
Do	*Prunus* sp. (cherry)					1	Do.
Sclerotinia gladioli	*Gladiolus* sp	1					D. C.
Sclerotinia sclerotiorum	*Apium graveolens* (celery)					1	La.
Do	*Brassica rapa* (turnip)					1	Ala.
Do	*Daucus carota* (carrot)					4	Do.
Do	do					7	La.
Do	do					1	Miss.
Do	do					2	N. Y.
Do	do					1	Pa.
Do	do					4	Tex.
Do	do					3	Va.
Do	*Phaseolus* sp. (string bean)					2	N. Y.
Sclerotium sp	*Brassica oleracea capitata*					1	Pa.
Do	*Dianthus* sp		1				D. C.
Do	*Solanum tuberosum*					1	La.

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
GERMANY—Continued							
Diseases—Continued.							
Septoria apii	*Apium graveolens* (celery)					2	N. Y.
Do	do					1	Pa.
Do	*Apium graveolens rapaceum* (celeriac).					5	N. Y.
Do	do					1	Pa.
Septoria chrysanthemella	*Chrysanthemum* sp			1	9		N. Y.
Septoria petroselini	*Petroselinum hortense* (parsley)					16	Do.
Septoria sp	*Pinus* sp		1				Do.
Do	*Triticum aestivum* (wheat)		1				Ill.
Sphaeronema sp	*Allium cepa* (onion)					1	Pa.
Stemphylium sp	Lycopodiaceae		1				D. C.
Stysanus stemonites	*Radicula armoracia* (horseradish).					1	La.
Do	*Solanum tuberosum*					1	Va.
Venturia pyrina	*Pyrus communis* (pear)					1	Tex.
Vermicularia herbarum	*Dianthus* sp		1				N. Y.
Vermicularia sp	do			1			Do.
Verticillium albo-atrum	*Dahlia* sp		1				D. C.
Verticillium sp	do		1				Do.
Do	*Solanum tuberosum*					1	Ala.
Do	do					1	La.
Do	do					1	Tex.
GIBRALTAR							
Diseases:							
Alternaria brassicae	*Brassica oleracea capitata*					1	Md.
Bacterium maculicola	do					1	Do.
GRAND CAYMAN							
Diseases:							
Diplodia tubericola	*Manihot esculenta* (cassava)				1		Ala.
GREAT BRITAIN							
Insects:							
Frankliniella intonsa (thrips)	*Calluna vulgaris* (heather)		1				Pa.
Taeniothrips ericae (thrips)	do		1				Do.
Diseases:							
Botrytis cinerea	*Sorbus* sp		1				Do.
GREECE							
Insects:							
Acanthoscelides spinipes (Bruchidae).	Legume		1				D. C.
Apion longirostre (Curculionidae)	*Cydonia oblonga* (quince)	1					N. Y.
Callirhytis glandium (Cynipidae)	*Quercus* sp. (valonia)	1					Do.
Ceratitis capitata (Mediterranean fruit fly).	*Cydonia oblonga* (quince)			1			Do.
Chrysomphalus dictyospermi var. (Coccidae).	Palm				1		Do.
Dacus oleae (olive fruit fly)	*Olea europaea* (olive)					7	Md.
Leucaspis riccae (Coccidae)	do			1			N. Y.
Myelois ceratoniae (Pyralidae)	*Ceratonia siliqua* (carob)		1				Do.
Parlatoria oleae (Coccidae)	*Malus sylvestris* (apple)			2			Do.
Do	*Olea europaea* (olive)			1			Do.
Targionia vitis (Coccidae)	*Vitis* sp. (grape)			1			Do.
Diseases:							
Colletotrichum circinans	*Allium cepa* (onion)					1	Md.
Phoma sp	*Citrus limonia* (lemon)			1			N. Y.
Pseudopeziza medicaginis	*Medicago sativa* (alfalfa)	1					Do.
Puccinia rubigo-vera tritici	*Triticum aestivum* (wheat)					1	Md.
Puccinia sp	do	1					N. Y.
GRENADA							
Insects:							
Targionia hartii (Coccidae)	*Dioscorea* sp. (yam)			1			Mass.
Diseases:							
Scirrhia bambusae	Bamboo			1			N. Y.

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
GUAM							
Diseases:							
Gloeosporium catechu	*Areca catechu* (betel)		1				Wash.
GUATEMALA							
Insects:							
Anastrepha ludens (Mexican fruit fly).	*Citrus sinensis* (orange)				1		La.
Do	do			1			N. Y.
Anastrepha sp. (Trypetidae)	*Mammea americana* (mamey)				1		Tex.
Aspidiotus palmae (Coccidae)	*Musa* sp	1					Ala.
Do	do	1					S. C.
Asterolecanium aureum (Coccidae)	*Epidendrum* sp. (orchid)	1					D. C.
Coccus viridis (Coccidae)	*Citrus aurantifolia* (lime)					1	Mass.
Lygaeus vittiscutis (Lygaeidae)	Packing around orchids	1					D. C.
Macrosiphum luteum (aphid)	*Lycaste* sp. (orchid)		1				Do.
Do	*Oncidium* sp. (orchid)		1				Hawaii.*
Do	Orchid	1	1				D. C.
Metamasius sericeus (silky cane weevil).	Banana debris	6					Ala.
Do	do	13					La.
Do	do	3					Md.
Do	do	10					S. C.
Do	do	1					Tex.
Do	*Musa* sp. (banana)	3					Ala.
Do	do	1					Md.
Oosternum costatum (Hydrophilidae).	*Lycaste aromatica* (orchid)	1					D. C.
Phelomerus aberrans (Bruchidae)	*Cassia fistula* (golden-shower)			1			Pa.
Psychid	Banana debris	5					Ala.
Do	do	35					La.
Do	do	10					Md.
Do	do	2					Pa.
Do	do	23					S. C.
Do	do	4					Tex.
Do	*Musa* sp. (banana)	10					Ala.
Do	do	2					La.
Do	do	1					Md.
Do	do	1					N. Y.
Do	do	4					Pa.
Vinsonia stellifera (Coccidae)	*Stanhopea* sp. (orchid)	1					D. C.
Zabrotes subfasciatus (Bruchidae)	Bean		2				N. Y.
Diseases:							
Cephaleuros virescens	*Musa* sp					1	Pa.
Cercospora sp	*Cypripedium caudatum* (orchid).		1				D. C.
Do	Orchid		1				Do.
Colletotrichum sp	*Cattleya* sp. (orchid)			1			Calif.*
Do	Orchid			1			N. Y.
Diplodia cacaoicola	do	1					D. C.
Dorylaimus n. sp	*Anoectochilus* sp		1				Hawaii.*
Gloeosporium cattleyae	Orchid		1				La.
Gloeosporium limetticolum	*Citrus aurantifolia* (lime)	1					Calif.*
Gloeosporium palmarum	*Chamaedorea elegans* (palm)			1			Do.*
Gloeosporium sp	Orchid	1	1				D. C.
Do	do			2			N. Y.
Physalospora cattleyae	do		1				La.
Pratylenchus pratensis	*Dioscorea* sp. (yam)	1					D. C.
Selenophoma sp	*Dendrobium* sp. (orchid)		1				Do.
Speira toruloides	*Chamaedorea elegans* (palm)			1			Calif.*
GUERNSEY							
Diseases:							
Oospora lactis parasitica	*Lycopersicum esculentum*					2	Pa.
HAITI							
Insects:							
Anastrepha sp. (Trypetidae)	*Chrysophyllum cainito* (star-apple).					1	Fla.*
Do	*Mangifera indica* (mango)			2		3	N. Y.
Aspidiotus destructor (Coccidae)	*Musa* sp. (banana)	1					Do.
Aspidiotus herculeanus (Coccidae)	*Spondias mombin* (hog plum)			1			Fla.*
Do	*Swietenia mahogani* (mahogany).			1			Do.*

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
HAITI—Continued							
Insects—Continued.							
Cylas formicarius (sweetpotato weevil).	*Ipomoea batatas* (sweetpotato)					3	Pa.
Morganella longispina (Coccidae)	*Citrus sinensis* (orange)				1		Do.
Trionymus sacchari (Coccidae)	*Saccharum officinarum*			1			N. Y.
Diseases:							
Bacterium vesicatorium	*Capsicum annuum*	1					Do.
Do	*Lycopersicum esculentum*					1	Do.
Colletotrichum phomoides	do					1	Do.
Diplodia cacaoicola	*Mangifera indica* (mango)		1				D. C
Diplodia natalensis	*Citrus aurantifolia* (lime)	2					N. Y.
Diplodia tuberciola	*Ipomoea batatas* (sweetpotato)					1	Pa.
Diplodia sp	*Cocos nucifera* ((coconut)					1	N. Y.
Gloeosporium limetticolum	*Citrus aurantifolia*					1	Do.
Helminthosporium sp	*Musa paradisiaca* (plantain)	1					Do.
Pestalozzia sp	*Cocos nucifera* (coconut)					1	Do.
Phyllosticta sp	*Mangifera indica* (mango)			1			Do.
Puccinia rubigo-vera tritici	*Triticum aestivum* (wheat)	1					Do.
Thielaviopsis paradoxa	*Saccharum officinarum*			1			Do.
Verticillium sp	*Musa paradisiaca* (plantain)	1					Do.
HAWAII							
Insects:							
Amorbia emigratella (Tortricidae)	*Rosa* sp			1			Calif*
Antonina bambusae (Coccidae)	Bamboo				1		Do.*
Bactrocera cucurbitae (melon fly)	*Cucumis sativus* (cucumber)					1	Do.*
Caryedon fuscus (Bruchidae)	*Cassia fistula* (golden-shower)			1			Do.*
Do	*Cassia* sp			1			Do.*
Do	Legume		1	1			Do.*
Do	*Rhamnus purshiana* (cascara buckthorn).			2			Do.*
Ceratitis capitata (Mediterranean fruit fly).	*Coffea* sp			4			Do.*
Do	*Mangifera indica* (mango)			1			Do.*
Do	*Persea americana* (avocado)				1		Do.*
Do	*Vitis* sp. (grape)			1			Do.*
Ceroplastes rubens (Coccidae)	*Alyxia olivaeformis* (maile)			1			Do.*
Do	*Allamanda schottii*	1					Do.*
Do	*Dioclea violacea*			1			Do.*
Do	Flower leis			2			Do.*
Do	Leaf leis			1			Do.*
Coccus acuminatus (Coccidae)	*Averrhoa carambola* (carambola).	1					Do.*
Do	*Gardenia florida* (Cape-jasmine).			5			Do.*
Coccus viridis (Coccidae)	*Caladium* sp			1			Do.*
Do	*Coffea* sp			1			Do.*
Do	Flower leis			5	1		Do.*
Do	*Gardenia florida*	1		21	2		Do.*
Do	*Hamelia* sp	1					Do.*
Do	*Panax* sp		1				Do.*
Do	*Triphasia trifolia* (lime-berry)		1				Do.*
Diocalandra taitensis (Tahitian coconut weevil).	*Cocos nucifera* (coconut)			1			Do.*
Eremetis flavistriata (sugarcane bud worm).	*Ananas sativus*	9		2			Do.*
Do	*Cocos nucifera*	11		50	8		Do.*
Do	*Musa* sp. (banana)	5					Do.*
Eremetis minuscula (Tineidae)	*Ananas sativus*	22		6			Do.*
Haplothrips gowdeyi (thrips)	*Bignonia venusta* (flower lei)			1			Do.*
Do	*Bougainvillea* sp			3	1		Do.*
Do	*Calotropis gigantea*			1			Do.*
Do	*Calotropis* sp			1			Do.*
Do	*Canavalia* sp			1			Do.*
Do	Composite leis			1			Do.*
Do	Crown flower leis	1					Do.*
Do	*Dianthus* sp. (carnation)	2		17	1		Do.*
Do	*Dioclea violacea* (Mauna-loa)			3			Do.*
Do	Everlasting flower leis			4			Do.*
Do	Flower leis	1	1	20	2		Do.*
Do	*Gardenia florida* (Cape-jasmine).			1			Do.*
Do	*Gomphrena globosa* (globe-amaranth).			2			Do.*

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
HAWAII—Continued							
Insects—Continued.							
Haplothrips gowdeyi (thrips)	*Hibiscus* sp.		1				Calif.*
Do	*Jasminum sambac*	1					Do.*
Do	*Mesembryanthemum* sp.			1			Do.*
Do	*Plumeria acutifolia*			2			Do.*
Do	*Plumeria* sp.			1			Do.*
Do	*Polyanthes tuberosa* (tuberose)			3			Do.*
Do	*Statice* sp.			1			Do.*
Do	*Tagetes* sp. (marigold)			2			Do.*
Do	*Zingiber officinale* (ginger)			4			Do.*
Kalotermes piceatus (termite)	*Lilium* sp.	1					Do.*
Lampides baetica (Lycaenidae)	*Canavalia* sp.			8			Do.*
Do	*Dioclea violacea* (Mauna-loa)	1		8			Do.*
Do	Flower leis			5			Do.*
Lepidosaphes auriculata (Coccidae)	*Codiaeum variegatum* (croton)	1					Do.*
Do	*Codiaeum* sp. (croton)			3	4		Do.*
Lepidosaphes pallida (Coccidae)	*Juniperus* sp. (juniper)			1	1		Do.*
Lepidosaphes uniloba (Coccidae)	*Alyxia olivaeformis* (maile)			17	3		Do.*
Do	Leaf leis			1			Do.*
Maruca testulalis (bean pod borer)	*Canavalia* sp.			5			Do.*
Do	*Dioclea violacea* (Mauna-loa)			9			Do.*
Do	Flower leis			1			Do.*
Do	*Phaseolus* sp. (string bean)					1	Do.*
Odonaspis secreta (Coccidae)	Bamboo				1		Do.*
Opogona aurisquamosa (Tineidae)	*Ananas sativus*	1					Do.*
Do	*Musa* sp. (banana)	1					Do.*
Parlatoria mytilaspiformis (Coccidae).	*Codiaeum variegatum* (croton)		1				Do.*
Do	*Codiaeum* sp. (croton)				1		Do.*
Do	*Colocasia esculenta* (taro)		1				Do.*
Do	*Dendrobium* sp. (orchid)				1		Do.*
Do	Orchid			1			Do.*
Do	*Strelitzia* sp. (bird-of-paradise-flower).				1		Do.*
Pectinophora gossypiella (pink bollworm).	*Gossypium* sp. (cotton) (boll)			1			Do.*
Do	*Gossypium* sp. (cottonseed)			1			Do.*
Pinnaspis buxi (Coccidae)	*Cocos nucifera*			1			Do.*
Do	*Dendrobium* sp. (orchid)				1		Do.*
Do	*Smilax* sp.			4			Do.*
Do	*Strelitzia* sp.	1					Do.*
Pseudaonidia clavigera (Coccidae)	*Melaleuca styphelioides*	1					Do.*
Do	*Parmentiera cerifera* (candle tree).	1					Do.*
Do	*Plumeria* sp.	1					Do.*
Pseudaonidia tesserata (Coccidae)	*Hibiscus* sp.			1	1		Do.*
Do	*Rosa* sp.		1				Do.*
Pseudococcus kraunhiae (Coccidae)	*Codiaeum* sp. (croton)			1	6		Do.*
Do	*Costus villosissimus*	1					Do.*
Do	*Dovyalis caffra* (kei-apple)	1					Do.*
Do	Flower leis			4	2		Do.*
Do	*Gardenia florida* (Cape-jasmine)	1		4	1		Do.*
Do	Orchid				1		Do.*
Pseudococcus virgatus (Coccidae)	*Areca catechu* (betel palm)	5					Do.*
Do	*Piper betle* (betel pepper)	6					Do.*
Rhyncolus longulus (Curculionidae)	*Cordyline terminalis* (dracena)	1					Do.*
Do	Flower leis			1			Dol*
Ripersia palmarum (Coccidae)	*Cocos nucifera* (coconut)	10		70	21		Do.*
Do	*Musa* sp.	1					Do.*
Sternochetus mangiferae (mango weevil).	*Mangifera indica* (mango)			10	3	2	Do.*
Taeniothrips hawaiiensis (thrips)	*Calotropis gigantea*	2		2			Do.*
Do	*Cassia fistula* (golden-shower)			1			Do.*
Do	*Cassia* sp.			1			Do.*
Do	*Dianthus* sp. (carnation)	3		25	1		Do.*
Do	Flower leis	1		20	1		Do.*
Do	*Gardenia florida* (Cape-jasmine)			2			Do.*
Do	*Gomphrena globosa* (globe-amaranth).			2			Do.*
Do	*Helipterum* sp. (everlasting flower).			1			Do.*
Do	*Nelumbo* sp. (lotus)			1			Do.*
Do	*Plumeria acutifolia*			2	1		Do.*
Do	*Plumeria* sp.			2			Do.*

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
HAWAII—Continued							
Insects—Continued.							
Taeniothrips hawaiiensis (thrips)	*Polyanthes tuberosa* (tuberose)			1			Calif.*
Do	*Solidago* sp. (goldenrod)			1	1		Do.*
Do	*Tagetes* sp. (marigold)			2			Do.*
Do	*Tropaeolum majus* (nasturtium).			1			Do.*
Do	*Zingiber officinale* (ginger)			1			Do.*
Taeniothrips simplex (gladiolus thrips).	*Dianthus* sp. (carnation)			2	1		Do.*
Do	*Gladiolus* sp			2	1		Do.*
Trionymus sacchari (Coccidae)	*Saccharum officinarum*				1		Do.*
Diseases:							
Gloeosporium sp	*Erythrina* sp. (coral tree)	1					Do.*
Hendersonia sp	*Dracaena aurea*	1					Do.*
Oidium sp	*Rosa* sp			1			Wash.
Pestalozzia sp	*Macadamia* sp		1				Calif.*
Phomopsis sp	*Polyscias* sp	1					Do.*
Stilbum sp	*Erythrina* sp. (coral tree)	1					Do.*
Uromyces sp	*Alyxia olivaeformis* (maile)			3			Do.*
Do	*Thespesia populnea* (portia-tree).			1			Do.*
HONDURAS							
Insects:							
Anastrepha sp. (Trypetidae)	*Citrus sinensis* (orange)			1			La.
Do	*Mangifera indica* (mango)			1			Do.
Aspidiotus destructor (Coccidae)	*Cocos nucifera* (coconut)			1	2		Do.
Do	Palm				1		Do.
Aspidiotus palmae (Coccidae)	*Carissa* sp	1					D. C.
Do	*Ixora coccinea* (scarlet ixora)	1					Do.
Do	*Musa* sp. (banana)	2					Ala.
Do	do	1					Md.
Do	do	1					Tex.
Coccus acuminatus (Coccidae)	*Gardenia florida* (Cape-jasmine)			1	2		La.
Conotrachelus aguacatae (Curculionidae).	*Persea americana* (avocado)					1	Ala.
Cylas formicarius (sweetpotato weevil).	*Ipomoea batatas* (sweetpotato)					1	Fla.*
Metamasius sericeus (silky cane weevil).	Banana debris	5					Ala.
Do	do	19					La.
Do	do	8					Md.
Do	do	9					N. Y.
Do	do	16					Tex.
Do	*Musa* sp. (banana)	1					Md.
Neocattarus vegetus (Lygaeidae)	Orchid	1					D. C.
Phatnoma marmorata (Tingitidae)	*Theobroma cacao* (cacao)			1			La.
Pseudococcus virgatus (Coccidae)	*Musa* sp. (banana)	1					Do.
Pseudoparlatoria parlatorioides (Coccidae).	do	1					N. Y.
Do	Orchid		1				D. C.
Psychid	Banana debris	8					Ala.
Do	do	37					La.
Do	do	8					Md.
Do	do	25					N. Y.
Do	do	4					S. C.
Do	do	16					Tex.
Do	*Musa* sp. (banana)	16					Ala.
Do	do	7					La.
Do	do	2					Md.
Do	do	3					N. Y.
Do	do	1					S. C.
Do	do	2					Tex.
Stephanoderes multidentatus (Scolytidae).	*Citrus grandis* (grapefruit)	1					N. Y.
Diseases:							
Capnodium sp	*Saccharum officinarum*				1		La.
Ceratostomella fimbriata	*Ipomoea batatas* (sweetpotato)					1	Miss.
Ceratostomella paradoxa	*Cocos nucifera* (coconut)	1					N. Y.
Diplodia cacaoicola	do				1		Do.
Do	*Musa paradisiaca* (plantain)	1					Do.
Do	*Theobroma cacao* (cacao)			1			La.
Diplodia natalensis	*Citrus sinensis* (orange)	1					N. Y.

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	stores	
HONDURAS—Continued							
Diseases—Continued.							
Diplodia tubericola	*Xanthosoma* sp. (malanga)					1	Ala.
Gloeosporium limetticolum	*Citrus aurantifolia* (lime)	1		1			Fla.*
Gloeosporium sp	*Oncidium* sp. (orchid)		2				Calif.*
Phoma sp	do		1				Do.*
Phyllosticta sp	Orchid				1		N. Y.
Physarum sp	*Musa* sp. (banana)	1					La.
Sphaceloma fawcettii	*Citrus grandis* (grapefruit)					1	N. Y.
Thielaviopsis paradoxa	*Musa* sp. (banana)	1					Do.
HUNGARY							
Insects:							
Bruchus brachialis (Bruchidae)	*Vicia* sp. (vetch)		1				D. C.
Diseases:							
Mycosphaerella schoenprasi	*Allium sativum* (garlic)		1				N. Y.
Puccinia graminis	*Triticum aestivum* (wheat)	1	1				Do.
Puccinia rubigo-vera tritici	do	4					Do.
Puccinia sp	do	1					Do.
Sclerotinia cinerea	*Prunus domestica* (plum)					1	Do.
Sclerotinia sclerotiorum	*Dahlia* sp		1				Do.
Ustilago hordei	*Hordeum vulgare* (barley)		1				D. C.
INDIA							
Insects:							
Bruchus emarginatus (Bruchidae)	*Pisum arvense*		1				Do.
Do	*Pisum sativum* (pea)		1				Do.
Callosobruchus analis (Bruchidae)	*Cicer arietinum* (chickpea)	1					N. Y.
Do	*Pisum sativum* (pea)	2					Do.
Do	*Vigna sinensis* (cowpea)		2				D. C.
Callosobruchus chinensis (Bruchidae).	*Cicer arietinum*	1				1	N. Y.
Do	Legume seed	1					Do.
Do	*Oryza sativa* (paddy rice)	1					Do.
Callosobruchus phaseoli (Bruchidae)	*Dolichos lablab* (hyacinth-bean)		5				D. C.
Caryedon fuscus (Bruchidae)	*Beaumontia* sp		1				Calif.*
Do	*Cassia fistula* (golden-shower)		1				D. C.
Do	Legume seed		1				Calif.*
Chilo simplex (Asiatic rice borer)	*Oryza sativa* (rice)	1					N. Y.
Do	do		1				Pa.
Coccus capparidis (Coccidae)	*Cypripedium fairieanum* (orchid).		1				Calif.*
Do	*Cypripedium villosum* (orchid)		1				Do.*
Cylas formicarius (sweetpotato weevil).	*Ipomoea batatas* (sweetpotato)					3	N. Y.
Dinoderus bifoveolatus (Bostrichidae).	Bamboo basket		1				Hawaii.*
Heterobostrychus aequalis (Bostrichidae).	Wooden crate	4					Calif.*
Do	*Pinus* sp. (pine)	1					N. Y.
Lophocateres pusillus (Siamese grain beetle).	*Oryza sativa* (paddy rice)					1	Do.
Parlatoria pseudaspidiotus (Coccidae).	*Vanda teres aurorea* (orchid)		1				D. C.
Pseudococcus virgatus (Coccidae)	*Codiaeum* sp. (croton)				1		Pa.
Sinoxylon conigerum (Bostrichidae)	Wooden crate	1					Calif.*
Trypetid	*Rosa* sp		1				D. C.
Diseases:							
Albugo sp	*Lawsonia inermis* (henna)		1				N. Y.
Claviceps purpurea	*Dactylis glomerata* (orchard grass).	1					D. C.
Colletotrichum sp	*Cymbidium eburneum* (orchid)	1					Calif.*
Do	*Cymbidium pendulum* (orchid)	1					Do.*
Do	*Olea europaea* (olive)		1				Md.
Do	Orchid	2					Calif.*
Do	*Phajus maculatus* (orchid)	1					Do.*
Diplodia natalensis	*Arundina bambusaefolia*	1					Do.*
Do	*Cocos nucifera* (coconut)					1	Pa.
Diplodia sp	*Lawsonia inermis* (henna)		1				N. Y.
Erysiphe cichoracearum	*Hyssopus* sp. (hyssop)	1					D. C.
Gloeosporium sp	*Capsicum annuum*					1	Va.
Do	*Cymbidium grandiflorum* (orchid)	1					Calif.*
Do	*Vanda caerulea* (orchid)		1				Do.*

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
INDIA—Continued							
Diseases—Continued.							
Graphiola borassi	*Borassus* sp.	1					Pa.
Helminthosporium oryzae	*Oryza sativa* (rice)	1					N. Y.
Periconia sp.	*Cymbidium eburneum* (orchid)	1					Calif.*
Pestalozzia sp.	*Mangifera indica* (mango)			1			N. Y.
Phomopsis sp.	*Cymbidium eburneum* (orchid)	1					Calif.*
Phyllosticta sp.	*Cassia* sp. (senna)		1				N. Y.
Do.	*Lawsonia inermis* (henna)		1				Do.
Puccinia graminis	*Triticum aestivum* (wheat)	1					Do.
Puccinia rubigo-vera tritici	do	1					Do.
Puccinia sp.	do	1					Do.
Sclerotium oryzae	*Oryza sativa* (rice)	11	3	4			Do
Sphacelotheca sorghi	*Holcus sorghum* (sorghum)			1			Do.
Stysanus stemonites	*Solanum tuberosum*					1	Mass.
Tilletia tritici	*Triticum aestivum* (wheat)			1			N. Y.
Ustilago tritici	do			1			Do.
INDO-CHINA							
Diseases:							
Helminthosporium sp.	*Oryza sativa* (paddy rice)		1				Do.
IRAN							
Diseases:							
Sclerotium oryzae	*Oryza sativa* (rice)	1					Do.
IRELAND							
Insects:							
Myzus ornatus (aphid)	*Chrysanthemum* sp.			1			Do
Sciaphilus muricatus (Curculionidae).	*Trifolium repens* var. (shamrock).		1				Do
Taeniothrips ericae (thrips)	*Calluna vulgaris* (heather)			1			Do.
Do.	Do.		1				Pa.
Thrips flavus (thrips)	*Chrysanthemum* sp.			1			N. Y.
Do.	*Ilex* sp. (holly)			1			Do.
Do.	*Rosa* sp.			1			Do.
Thrips fuscipennis (thrips)	*Calluna vulgaris* (heather)			1			Do.
Diseases:							
Bacterium maculicola	*Brassica oleracea capitata*					1	Md.
Bacterium marginatum	*Gladiolus* sp.		1				D. C.
Botrytis cinerea	*Daucus carota* (carrot)					1	Md.
Do.	*Rosa* sp.			1			N. Y.
Diplocarpon rosae	*Rosa* sp.		1				Ill.
Ditylenchus dipsaci	*Narcissus* sp.		1				D. C.
Gloeosporium taxicolum	*Taxus* sp. (yew)			1			N. Y.
Phyllachora trifolii	*Trifolium repens* var. (shamrock).		1				Do.
Phyllosticta sp.	*Ilex* sp. (holly)			1			Do.
Pseudopeziza medicaginis	*Trifolium repens* var. (shamrock).		5				Do.
Puccinia sp.	*Triticum aestivum* (wheat)	2					Do.
Rhizoctonia sp.	*Primula* sp. (primrose)		1				Pa.
Rhytisma acerinum	*Acer* sp. (maple)			1			N. Y.
Sclerotinia cinerea	*Malus sylvestris* (apple)			1			Do.
Sclerotinia gladioli	*Gladiolus* sp.		1				D. C.
Sclerotinia sp.	*Trifolium repens* var. (shamrock).		1				Pa.
Sphaeronema sp.	*Narcissus* sp.		3				D. C.
ITALY							
Insects:							
Acanthoscelides spinipes (Bruchidae).	Bean pod		1				N. Y.
Acrolepia assectella (Plutellidae)	*Allium porrum* (leek)					1	Do.
Aleyrodes brassicae (whitefly)	*Brassica oleracea acephala* (kale)					1	Do.
Do.	*Brassica oleracea botrytis* (cauliflower).					1	Do.
Do.	*Brassica oleracea capitata*					3	Do.
Do.	do.					1	Pa.
Apion carduorum (Curculionidae)	*Cynara scolymus* (globe artichoke).					1	N. Y.
Brachycerus albidentatus (Curculionidae).	*Allium sativum* (garlic)	4					Do.
Bruchidius cisti (Bruchidae)	*Onobrychis viciaefolia*		1				D. C.

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
ITALY—Continued							
Insects—Continued.							
Bruchidius villosus (Bruchidae)	*Laburnum vulgare* (golden-chain).		1				D. C.
Do	do	1					N. Y.
Bruchus signaticornis (Bruchidae)	*Lens esculenta* (lentil)	1					Do.
Bruchus tristis (Bruchidae)	*Lathyrus sativus* (grass pea)		2				Do.
Ceratitis capitata (Mediterranean fruit fly).	*Amygdalus persica* (peach)			1			Do.
Do	*Citrus grandis* (grapefruit)					1	Do.
Do	*Citrus nobilis deliciosa* (tangerine).			1		1	Do.
Do	Tangerine in ship's garbage						Do.
Do	*Citrus sinensis* (orange)			1			Do.
Do	*Cydonia oblonga* (quince)			1			Do.
Do	*Diospyros* sp. (persimmon)			4			Do.
Do	*Ficus carica* (fig)			1			Do.
Do	*Malus sylvestris* (apple)			1			Do.
Do	*Opuntia compressa* (prickly-pear).			3			Do.
Do	*Punica granatum* (pomegranate).			3	1		Do.
Do	*Sorbus* sp. (sorbe apple)		1				Do
Do	In bag containing various kinds of fruit.			1			Do.
Do	In bag containing tangerines			1			Do.
Do	In sawdust packing for figs and grapes.			1			Do.
Do	In straw packing around persimmons.			1			Do.
Do	On wrapper around pomegranate.			1			Do.
Ceroplastes rusci (Coccidae)	*Ficus carica* (fig)		1	1			Do.
Ceutorhynchus contractus (Curculionidae).	*Brassica oleracea botrytis* (cauliflower).					1	Do.
Ceutorhynchus pleurostigma (turnip gall weevil).	*Brassica rapa* (turnip)					1	Do.
Ceutorhynchus quadridens (Curculionidae).	*Brassica oleracea capitata*					4	Ala.
Chrysomela americana (Chrysomelidae).	*Rosmarinus officinalis* (rosemary).	1					N. Y.
Chrysomphalus dictyospermi var. (Coccidae).	*Citrus limonia* (lemon)					1	Md.
Do	do					1	Mass.
Do	do			1		2	N. Y.
Do	*Citrus sinensis* (orange)					1	Pa.
Do	do		1				Wash.
Do	Palm				1		Pa.
Cryptoblabes gnidiella (Pyralidae.)	*Punica granatum* (pomegranate).			1			N. Y.
Cynips quercus-tozae (Cynipidae)	*Quercus* sp. (oak)			1			Do.
Dacus oleae (olive fruit fly)	*Olea europaea* (olive)		3	8			Do.
Do	In package of green olives			1			Do.
Dichrorhampha plumbana (Olethreutidae).	*Beta vulgaris* (beet)					1	Do.
Epicometis hirta (Scarabaeidae)	*Opuntia* sp		1				Do.
Forficula auricularia forcipata (earwig).	*Punica granatum* (pomegranate).			1			Do.
Frankliniella intonsa (thrips)	*Daucus carota* (carrot)					1	Do.
Do	*Raphanus sativus* (radish)					1	Do.
Laspeyresia splendana (Olethreutidae).	*Castanea* sp. (chestnut)		1				Ill.
Do	do		1	3			N. Y.
Lepidosaphes ficus (Coccidae)	*Ficus carica* (fig)	1		2			Do.
Do	do		1				Wash.
Do	*Ficus* sp.		1				D. C.
Leucaspis pusilla (Coccidae)	*Pinus* sp. (pine)				3		N. Y.
Macrosiphum kaltenbachii (aphid)	*Lactuca sativa longifolia* (Romaine lettuce).					1	Do.
Monosteira unicosta (Tingitidae)	*Prunus domestica* (plum)			1			Do.
Myelois ceratoniae (Pyralidae)	*Ceratonia siliqua* (carob)	1					Va.
Nysius senecionis (Lygaeidae)	*Brassica oleracea capitata*					1	Ala.

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
ITALY—Continued							
Insects—Continued.							
Parlatoria oleae (Coccidae)	*Amygdalus persica nectarina* (nectarine).	----	----	1	----	----	N. Y.
Do	*Diospyros* sp. (persimmon)	----	----	1	----	----	Do.
Do	*Malus sylvestris* (apple)	3	----	----	1	2	Do.
Do	*Prunus armeniaca* (apricot)	----	----	----	----	1	Do.
Do	*Prunus domestica* (plum)	----	----	1	----	2	Do.
Do	*Pyrus communis* (pear)	1	----	1	----	----	Do.
Do	*Rosa* sp.	----	1	----	----	----	D. C.
Do	*Sorbus* sp. (sorbe apple)	----	----	2	----	----	N. Y.
Parlatoria ziziphus (Coccidae)	*Citrus limonia* (lemon)	----	----	----	----	2	Calif.*
Do	do	----	----	----	----	1	Fla.*
Phyllotreta vittata (Chrysomelidae)	*Brassica oleracea capitata*	----	----	----	----	1	N. Y.
Do	*Cichorium intybus* (witloof)	----	----	----	----	1	Do.
Pseudococcus krausnhiae (Coccidae)	*Chayota edulis* (chayote)	----	----	1	----	----	Do.
Pulvinaria floccifera (Coccidae)	*Pittosporum tobira* (tobira)	----	----	----	1	----	Wash.
Smicronyx cyaneus (Curculionidae)	*Spinacia oleracea* (spinach)	----	----	----	----	1	N. Y.
Taeniothrips atratus (thrips)	*Cichorium intybus*	----	----	----	----	1	Do.
Taeniothrips crocicollis (thrips)	*Iris* sp.	----	----	1	----	----	Do.
Thrips adamsoni (thrips)	*Allium porrum* (leek)	----	----	----	----	1	Pa.
Thrips angusticeps (thrips)	*Cynara scolymus* (globe artichoke).	----	----	----	----	1	N. Y.
Do	*Lactuca sativa* (lettuce)	----	----	----	----	2	Do.
Do	*Lactuca sativa longifolia* (Romaine lettuce).	----	----	----	----	1	Do.
Thrips nigropilosus (thrips)	*Cichorium intybus*	----	----	----	----	2	Do.
Do	*Lactuca sativa* (lettuce)	----	----	----	----	1	Do.
Tinea cloacella (Tineidae)	*Typha latifolia* (salami)	----	1	----	----	----	Do.
Trypetid	*Cynara scolymus* (globe artichoke).	----	1	----	----	----	Do.
Diseases:							
Albugo candida	*Brassica oleracea botrytis* (cauliflower).	----	----	----	----	1	Do.
Do	*Brassica oleracea capitata*	----	----	----	----	2	Do.
Do	*Brassica rapa* (turnip)	----	----	----	----	3	Do.
Do	*Raphanus sativus* (radish)	----	----	----	----	4	Do.
Alternaria brassicae	*Brassica oleracea acephala* (kale)	----	----	----	----	1	Do.
Do	*Brassica oleracea botrytis*	----	----	----	----	2	Do.
Do	*Brassica oleracea capitata*	----	----	----	----	5	Do.
Alternaria herculea	*Brassica oleracea botrytis*	----	----	----	----	1	Do.
Do	*Brassica oleracea capitata*	----	----	----	----	1	Md.
Do	do	----	----	----	----	1	N. Y.
Ascochyta sp.	*Juglans* sp. (walnut)	----	1	----	----	----	Do.
Bacterium campestre	*Brassica oleracea capitata*	----	----	----	----	1	Va.
Bacterium maculicola	*Brassica oleracea acephala* (kale)	----	----	----	----	1	N. Y.
Do	*Brassica oleracea botrytis*	----	----	----	----	3	Do.
Do	*Brassica oleracea capitata*	----	----	----	----	1	La.
Do	do	----	----	----	----	1	Md.
Do	do	----	----	----	----	5	N. Y.
Do	*Brassica* sp. (mustard)	----	----	----	----	1	Do.
Bacterium savastanoi	*Olea europaea* (olive)	----	1	----	----	----	Mass.
Bacterium vesicatorium	*Lycopersicum esculentum*	----	----	----	----	1	N. Y.
Botrytis cinerea	*Allium cepa* (onion)	----	----	----	----	1	Tex.
Do	*Cucurbita pepo* (vegetable marrow).	----	----	----	----	1	Mass.
Do	*Daucus carota* (carrot)	----	----	----	----	1	Tex.
Do	*Nerium oleander* (oleander)	----	1	----	----	----	Pa.
Do	*Rosa* sp.	----	----	----	----	1	N. Y.
Do	*Vitis* sp. (grape)	----	----	1	----	1	Do.
Do	do	----	1	----	----	----	Pa.
Bremia lactucae	*Cichorium intybus* (witoof)	----	----	----	----	1	N. Y.
Do	*Lactuca sativa* (lettuce)	----	----	----	----	5	Do.
Do	*Lactuca sativa longifolia* (Romaine lettuce).	----	----	----	----	1	Do.
Capnodium citri	*Citrus limonia* (lemon)	----	----	----	----	1	Mass.
Do	do	----	----	----	----	1	Va.
Cercospora beticola	*Beta vulgaris cicla* (Swiss chard)	----	----	----	----	10	N. Y.
Cercospora foeniculi	*Foeniculum vulgare* (fennel)	----	----	----	----	2	Do.
Cladosporium carpophilum	*Amygdalus communis* (almond)	----	----	1	----	----	Do.
Do	*Amygdalus persica* (peach)	----	----	1	----	----	Do.
Do	*Prunus armeniaca* (apricot)	----	----	----	----	1	Do.
Cladosporium cucumerinum	*Cucurbita pepo* (vegetable marrow).	----	----	----	----	1	Mass.

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
ITALY—Continued							
Diseases—Continued.							
Colletotrichum circinans	*Allium cepa* (onion)					1	Tex.
Do	*Allium sativum* (garlic)					1	Pa.
Colletotrichum graminicolum	*Triticum aestivum* (wheat)	1					N. Y.
Collectotrichum sp	*Nephrolepis exaltata bostoniensis* (Boston fern).				1		Do.
Coniothyrium ruscicola	*Ruscus* sp				1		Do.
Coryneum beijerinckii	*Amygdalus communis* (almond)					1	Do.
Exosporium palmivorum	*Phoenix* sp. (palm)				1		Do.
Fusicladium eriobotryae	*Eriobotrya japonica* (loquat)					3	Do.
Gloeosporium olivarum	*Olea europaea* (olive)		1	3			Do.
Gloeosporium sp	*Citrus limonia* (lemon)	2					Do.
Do	*Citrus nobilis deliciosa* (tangerine).					1	Mass.
Do	*Codiaeum* sp. (croton)				1		La.
Do	*Hoya carnosa* (waxplant)			1			N. Y.
Do	Palm				1		Do.
Do	*Smilax* sp				1		Do.
Glomerella cingulata	*Aucuba* sp				1		Do.
Do	*Rosa* sp			2			Do.
Graphiola phoenicis	Palm				3		Do.
Do	*Phoenix dactylifera* (date palm)				4		Do.
Helminthosporium allii	*Allium cepa* (onion)					1	Pa.
Do	*Allium sativum* (garlic)					1	Ala.
Do	do					1	La.
Do	do	3	1			2	N. Y.
Helminthosporium sativum	*Triticum aestivum* (wheat)		1				Do.
Heterosporium echinulatum	*Dianthus* sp. (carnation)				1		Do.
Leptosphaeria rusci	*Ruscus* sp	1					Pa.
Leptothyrium pomi	*Malus sylvestris* (apple)			1			N. Y.
Macrophoma sp	*Vitis* sp. (grape)	1					Do.
Macrosporium tomato	*Lycopersicum esculentum*					1	Ala.
Mycosphaerella brassicicola	*Brassica oleracea botrytis* (cauliflower).					3	N. Y.
Mycosphaerella pinodes	*Pisum sativum* (pea)					1	Do.
Mycosphaerella schoenoprasi	*Allium porrum* (leek)					1	Do.
Mycosphaerella sp	*Vitis* sp. (grape)			1			Do.
Oidium euonymi-japonici	*Euonymus japonicus* (evergreen burningbush).				1		Do.
Do	*Euonymus* sp				1		Do.
Oidium sp	do				1		Do.
Oospora lactis parasitica	*Lycopersicum esculentum*					1	Ala.
Do	do					1	N. Y.
Oospora sp	*Opuntia compressa* (prickly-pear).		1				Pa.
Peronospora parasitica	*Brassica oleracea botrytis* (cauliflower).					1	N. Y.
Pestalozzia palmarum	Palm				1		Do.
Pestalozzia sp	*Laurus nobilis* (Grecian laurel)				1		Do.
Do	*Nerium oleander* (oleander)		1				Pa.
Do	Palm				1		N. Y.
Do	*Quercus ilex* (holly oak)	1					Do.
Do	*Rosa* sp			1			Do.
Phoma destructiva	*Lycopersicum esculentum*					1	Ala.
Phoma sp	*Citrus limonia* (lemon)	11		1		2	N. Y.
Do	*Cynara scolymus* (globe artichoke).					2	Do.
Do	*Ficus carica* (fig)	1		4			Do.
Do	*Phlomis tuberosa* (Jerusalem sage).		1				Do.
Do	*Pinus* sp. (pine)				1		Do.
Do	*Vitis* sp. (grape)			3			Do.
Do	do		1				Wash.
Phragmidium sp	*Rosa* sp					1	N. Y.
Phyllosticta ruscicola	*Ruscus* sp	1			4		Do.
Do	do	1	1				Pa.
Phyllosticta sp	*Aucuba japonica* (Japanese aucuba).				1		N. Y.
Do	*Citrus limonia* (lemon)					1	Mass.
Do	*Citrus* sp			1			N. Y.
Do	*Laurus nobilis* (Grecian laurel)				1		Do.
Do	Palm				1		Do.
Do	*Phaseolus* sp (string bean)	1					Do.
Do	*Pyrus communis* (pear)					1	Do.

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
ITALY—Continued							
Diseases—Continued.							
Phyllosticta sp.	*Ruscus* sp.	2					Pa.
Do.	*Triticum aestivum* (wheat)	1					La.
Plasmopara viticola	*Vitis* sp. (grape)					1	N. Y.
Pleospora herbarum	*Allium cepa* (onion)	1					Do.
Pleospora sp.	*Citrus limonia* (lemon)	1					Do.
Pseudopeziza medicaginis	*Medicago sativa* (alfalfa)	1					Do.
Puccinia allii	*Allium porrum* (leek)					1	Do.
Do.	*Allium sativum* (garlic)					1	Md.
Puccinia angelica	*Pimpinella anisum* (anise)		1				N. Y.
Puccinia coronata	*Avena sativa* (oats)	1					Do.
Puccinia hieracii	*Cichorium intybus* (witloof)					1	Do.
Puccinia graminis	*Avena sativa* (oats)	1					Do.
Do.	*Secale cereale* (rye)		1				Pa.
Do.	*Triticum aestivum* (wheat)	8	2	5			N. Y.
Do.	do		1				Pa.
Puccinia malvacearum	*Malva* sp. (mallow)		19				N. Y.
Puccinia rubigo-vera tritici	*Triticum aestivum*	5	1				Do.
Puccinia sp.	*Allium sativum* (garlic)					1	Do.
Do.	*Avena sativa* (oats)					1	Do.
Do.	*Triticum aestivum* (wheat)	5	1				Do.
Sclerotinia cinerea	*Pyrus communis* (pear)			1			Do.
Sclerotinia sclerotiorum	*Brassica oleracea botrytis* (cauliflower).					1	Do.
Do.	*Daucus carota* (carrot)					1	Do.
Do.	*Phaseolus* sp. (string bean)					1	Do.
Sclerotinia sp.	*Allium sativum* (garlic)					1	La.
Do.	*Pisum sativum* (pea)					1	Pa.
Do.	*Solanum tuberosum*					1	Do.
Sclerotium cepivorum	*Allium cepa* (onion)					1	Tex.
Sclerotium oryzae	*Oryza sativa* (rice)	1					N. Y.
Sclerotium rolfsii	*Lilium* sp.			1			Do.
Sclerotium sp.	*Allium sativum* (garlic)					1	Ala.
Septoria apii	*Apium graveolens* (celery)					16	N. Y.
Do.	do					2	Pa.
Septoria aucubae	*Aucuba japonica* (Japanese aucuba).				1		N. Y.
Do.	*Aucuba* sp.				1		Do.
Septoria citri	*Citrus limonia* (lemon)					1	La.
Do.	do					1	Md.
Do.	do	1				1	Mass.
Do.	do	1				2	N. Y.
Do.	do					1	Pa.
Do.	do					2	Va.
Septoria citri	*Citrus limonia* (lemon)					1	Wash.
Do.	*Citrus sinensis* (orange)					1	N. Y.
Septoria petroselini	*Petroselinum hortense* (parsley)					1	Mass.
Do.	do					16	N. Y.
Septoria sp.	*Triticum aestivum* (wheat)	1					Do.
Sphaceloma fawcettii	*Citrus limonia*	1				4	Do.
Do.	do					2	Pa.
Do.	*Citrus sinensis* (orange)					1	N. Y.
Stysanus stemonites	*Solanum tuberosum*					1	Pa.
Thielavia sp.	*Sambucus ebulus* (dwarf elder)	1					N. Y.
Trichoderma lignorum	*Citrus limonia*	1					Do.
Uredo sp.	*Amygdalus persica nectarina* (nectarine).			1			Do.
Uromyces betae	*Beta vulgaris cicla* (Swiss chard).					3	Do.
Uromyces caryophyllinus	*Dianthus* sp. (carnation)			1			Do.
Uromyces fabae	*Vicia faba* (fava bean)					1	Do.
Ustilago zeae	*Zea mays* (corn)	1					Do.
Venturia furcata	*Juniperus* sp.	1					Do.
Venturia pyrina	*Pyrus communis* (pear)					1	Do.
JAMAICA							
Insects:							
Anastrepha acidusa (West Indian fruit fly).	*Mangifera indica* (mango)				1		La.
Do.	do	3		2		1	N. Y.
Anastrepha sp. (Trypetidae)	do				1		La.
Do.	do			3	1	1	N. Y.

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
JAMACIA—Continued							
Insects—Continued.							
Aspidiotus herculeanus (Coccidae)	*Poinciana regia* (royal poinciana).			1			Fla.*
Do	*Spondias dulcis* (golden apple)			1			N. Y.
Do	*Spondias* sp.			1			Do.
Aspidiotus palmae (Coccidae)	*Musa* sp. (banana)	1					Mich.
Asterolecanium aureum (Coccidae)	*Oncidium luridum* (orchid)		1				D. C.
Bephrata cubensis (Eurytomidae)	*Annona muricata* (soursop)	1					N. Y.
Caryedon fuscus (Bruchidae)	*Tamarindus indica* (tamarind)		1		1		Do.
Chrysomphalus dictyospermi var. (Coccidae).	*Mangifera indica* (mango)		1	1			Do.
Coccus viridis (Coccidae)	*Citrus aurantifolia* ((lime)	1					Do.
Do	*Coffea* sp.			3			Do.
Do	*Eugenia* sp.			2			Do.
Frankliniella cephalica (thrips)	*Rosa* sp.			1			Do.
Furcaspis birformis (Coccidae)	*Brassavola nodosa* (orchid)	1					D. C.
Do	Orchid			1			Fla.*
Do	do			3			N. Y.
Do	*Schomburgkia* sp. (orchid)	1					D. C.
Hemichionaspis minor strachani (Coccidae).	*Eugenia* sp.			1			N. Y.
Do	*Zizyphus mauritiana* (India jujube).			1			Do.
Leucaspis cockerelli (Coccidae)	*Vanda teres* (orchid)	1					D. C.
Marmara sp. (Gracilariidae)	*Citrus sinensis* (orange)				1		La.
Palaeopus costicollis (Curculionidae)	*Dioscorea* sp. (yam)			3			N. Y.
Parlatoria crotonis (Coccidae)	*Codiaeum* sp. (croton)			1	13		Do.
Pseudococcus boninsis (Coccidae)	*Saccharum officinarum*			1			Fla.*
Pseudococcus virgatus (Coccidae)	*Codiaeum* sp. (croton)				1		N. Y.
Pseudoparlatoria parlatorioides (Coccidae).	*Carica papaya* (papaya)				1		Fla.*
Pulvinaria psidii (Coccidae)	*Blighia sapida* (akee)				1		Do.
Targionia hartii (Coccidae)	*Dioscorea* sp. (yam)			1			Mass.
Trypetid	*Mangifera indica* (mango)					1	Fla.*
Vinsonia stellifera (Coccidae)	Banana debris	1					N. Y.
Do	*Broughtonia sanguinea*		1				D. C.
Do	*Citrus* sp.		1				N. Y.
Do	*Epidendrum coccineum* (orchid)	1					D. C.
Xyleborus confusus (Scolytidae)	*Mangifera indica*			1			N. Y.
Diseases:							
Ascochyta sp.	*Codiaeum variegatum* (croton)				1		Do.
Botrytis cinerea	*Daucus carota* (carrot)					1	Tex.
Capnodium citri	*Citrus sinensis* (orange)					5	Mass.
Ceratostomella adiposum	*Saccharum officinarum*			1			N. Y.
Colletotrichum sp.	*Hibiscus* sp.			1			Do.
Coniosporium bambusae	Bamboo			1			Do.
Coniosporium shiraianum	do			1			Do.
Diplodia cacaoicola	*Saccharum officinarum*			1			Do.
Do	*Theobroma cacao* (cacao)			1			Do.
Diplodia natalensis	*Citrus aurantifolia* (lime)	8					Do.
Diplodia sp.	*Bryophyllum* sp.			2			Do.
Do	*Crescentia cujete* (calabash-tree)				1		Do.
Do	*Opuntia* sp. (cactus)			1			Do.
Do	Orchid			1			Do.
Gloeosporium limetticolum	*Citrus aurantifolia*	1					Do.
Gloeosporium musarum	*Musa* sp. (banana)	1					Do.
Gloeosporium sp.	*Blighia sapida* (akee)			1			Do.
Do	Cactus				1		Fla.*
Do	do			1			N. Y.
Do	*Codiaeum* sp. (croton)			1			Do.
Do	*Dieffenbachia* sp.				1		Do.
Do	Orchid	2	1				D. C.
Do	do			1			N. Y.
Helminthosporium sp.	*Cymbopogon citratus* (lemon grass).		1				Do.
Macrophoma sp.	*Codiaeum variegatum* (croton)				1		Do.
Melanconium sacchari	*Saccharum officinarum*			9			Do.
Microdiplodia sp.	Bamboo			1			Do.
Oospora citri-aurantii	*Citrus aurantifolia* (lime)	2					Do.
Pestalozzia sp.	*Bryophyllum* sp.			1			Do.
Do	*Punica granatum* (pomegranate).			2			Do.

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
JAMAICA—Continued							
Diseases—Continued.							
Phoma sp.	*Capsicum annuum*		1				N. Y.
Do.	*Citrus aurantifolia*	1					Do.
Phomopsis sp.	*Codiaeum* sp. (croton)			2			Do.
Phyllosticta sp.	*Coffea* sp.				1		Do.
Do.	*Cymbopogon citratus* (lemon grass).		1				Do.
Puccinia graminis	*Triticum aestivum* (wheat)	2					Do.
Puccinia sp.	do	2					Do.
Ramularia sp.	*Cucumis* sp.			1			Do.
Sphaceloma fawcettii	*Citrus aurantifolia* (lime)	1					Do.
Stagonospora sp.	*Cymbopogon citratus* (lemon grass).		1				Do.
Thielaviopsis paradoxa	*Saccharum officinarum*			17			Do.
Vermicularia sp.	*Hibiscus* sp.			1			Do.
JAPAN							
Insects:							
Aspidiotus cocotiphagus (Coccidae)	*Cocos nucifera* (coconut)				1		Do.
Aspidiotus degeneratus (Coccidae)	*Camellia* sp.	1					Wash.
Aspidiotus destructor (Coccidae)	Palm				1		Calif.*
Bruchidius dorsalis (Bruchidae)	*Gleditsia sinensis* (Chinese honeylocust).		1				D. C.
Do.	do		1				Ill.
Ceroplastes rubens (Coccidae)	*Aralia* sp.				1		Calif.*
Do.	*Camellia japonica* (camellia)				1		La.
Do.	*Citrus nobilis deliciosa* (tangerine).					1	Md.
Do.	do			1			Wash.
Do.	*Citrus sinensis* (orange)			1		1	Do.
Do.	*Cydonia japonica* (flowering quince).				1		La.
Do.	*Fatsia japonica* (fatsia)				4		Do.
Do.	do				1		Pa.
Do.	do				1		Wash.
Chilo simplex (Asiatic rice borer)	*Oryza sativa* (rice)			6			Calif.*
Do.	do		2				Hawaii.*
Do.	do	1					La.
Do.	do	3	1	4			Md.
Do.	do	2					Mich.
Do.	do	16	3			2	N. Y.
Do.	do		1				Oreg.
Do.	do	1	1				Pa.
Do.	do			1			Wash.
Do.	*Triticum aestivum* (wheat)	1					La.
Chionaspis wistariae (Coccidae)	*Wisteria* sp.	1	1				Calif.*
Do.	do		1				D. C.
Chionaspis yanonensis (Coccidae)	*Citrus aurantifolia* (lime)					1	Calif.*
Do.	*Citrus limonia* (lemon)					1	Wash.
Do.	*Citrus nobilis deliciosa* (Mandarin orange).				1	1	Calif.*
Do.	*Citrus nobilis deliciosa* (tangerine).					2	Do.*
Do.	do			1			Hawaii.*
Do.	do					1	N. Y.
Do.	*Citrus nobilis unshiu* (Satsuma orange).			1			Wash.
Do.	*Citrus sinensis* (orange)					15	Calif.*
Do.	do					1	Md.
Do.	do	2				3	Wash.
Chlorophorus figuratus latifasciatus (Cerambycidae).	Dry twig			1			Calif.*
Chrysomphalus dictyospermi var. (Coccidae).	*Citrus nobilis deliciosa* (tangerine).					1	N. Y.
Do.	*Euonymus* sp.				1		Wash.
Coccus pseudomagnoliarum (Coccidae).	*Aralia* sp.				1		Calif.*
Do.	*Citrus sinensis* (orange)					1	Do.*
Do.	*Daphne* sp.				1		Do.*
Dihammus luxuriosus (Cerambycidae).	*Fatsia* sp.				1		Wash.
Fiorinia fioriniae (Coccidae)	Palm				1		Hawaii.*
Do.	*Pinus* sp. (pine)			1			Calif.*

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
JAPAN—Continued							
Insects—Continued.							
Fiorinia juniperi (Coccidae)	*Taxus cuspidata* (Japanese yew).				1		Wash.
Frankliniella intonsa (thrips)	*Buxus* sp. (boxwood)			1			Oreg.
Haplothrips aculeatus (thrips)	*Azalea indica*		1				Calif.*
Do	*Azalea* sp		1				Do.*
Haplothrips gowdeyi (thrips)	*Chrysanthemum* sp				1		Do.*
Kuwanina parvus (Coccidae)	*Prunus* sp			1			Do.*
Laspeyresia splendana (Olethreutidae).	*Castanea* sp. (chestnut)		1				Do.*
Lepidosaphes conchiformis (Coccidae).	*Diospyros* sp. (persimmon)					1	Wash.
Do	*Euonymus* sp				1		N. Y.
Do	*Pyrus communis* (pear)			3			Wash.
Lepidosaphes kamakurensis (Coccidae).	*Camellia* sp	1					Do.
Lepidosaphes lasianthi (Coccidae)	*Codiaeum* sp. (croton)				2		N. Y.
Lepidosaphes pallida (Coccidae)	*Cupressus* sp			1			Calif.*
Do	*Sciadopitys verticillata*				1		Do.*
Lepidosaphes tuberculata (Coccidae)	*Cymbidium* sp. (orchid)		1				Calif.*
Do	do	1					Wash.
Do	Orchid				1		Va.
Leucaspis japonica (Coccidae)	Ornamental plant			1			Calif.*
Do	Unknown plant				1		N. Y.
Liothrips vaneeckei (thrips)	*Lilium thunbergianum*		1				Calif.*
Do	*Lilium* sp					3	La.
Do	do					2	Md.
Do	do	1					N. Y.
Mantura clavareaui (Chrysomelidae).	*Oryza sativa* (rice)	1					Wash.
Maruca testulalis (bean pod borer)	*Phaseolus* sp. (string bean)					1	Do.
Parlatoria pergandii camelliae (Coccidae).	*Camellia japonica* (camellia)		1				D. C.
Do	do	19					Wash.
Do	*Citrus sinensis* (orange)					1	Do.
Parlatoria theae (Coccidae)	*Acer japonicum* (fullmoon maple).	1					Calif.*
Do	*Acer japonicum aureum*	1					Do.*
Do	*Acer palmarum* (Japanese maple).		1				D. C.
Do	*Acer palmatum dissectum*			1			Calif.*
Do	*Acer* sp. (maple)	1	1	1	1		Do.*
Do	do	1					Wash.
Do	*Camellia japonica* (camellia)				1		Calif.*
Do	*Enkianthus campanulatus* (red-vein enkianthus).		1				Wash.
Do	*Euonymus* sp				1		N. Y.
Parlatoria ziziphus (Coccidae)	*Citrus aurantifolia* (lime)					1	Calif.*
Do	*Citrus grandis* (pomelo)					3	Do.*
Do	do					1	N. Y.
Phenacaspis fujicola (Coccidae)	*Wisteria* sp		1				D. C.
Phenacaspis kentiae (Coccidae)	*Cocos nucifera* (coconut)				1		N. Y.
Do	Palm				1		Do.
Porthetria dispar (gypsy moth)	*Acer* sp. (maple)			1			Wash.
Pseudaonidia duplex (camphor scale).	do	1					Do.
Do	*Aucuba* sp				2		N. Y.
Do	*Camellia japonica* (camellia)	1					Wash.
Do	*Citrus aurantifolia* (lime)					1	Calif.*
Do	*Citrus grandis* (pomelo)					2	Do.*
Do	*Citrus grandis* (grapefruit)					3	Do.*
Do	*Citrus grandis* (pomelo)					1	Wash.
Do	*Citrus limonia* (lemon)					1	Calif.*
Do	*Citrus nobilis deliciosa* (tangerine).					3	Do.*
Do	do			1		1	Hawaii.
Do	do					1	Md.
Do	*Citrus nobilis deliciosa* (Mandarin orange).					3	Calif.*
Do	do					1	Wash.
Do	*Citrus nobilis unshiu* (Satsuma orange).					1	Calif.*
Do	do	1		1			Wash.
Do	*Citrus sinensis* (orange)			1	3	31	Calif.*
Do	do			1			Hawaii.*

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
JAPAN—Continued							
Insects—Continued.							
Pseudaonidia duplex (camphor scale)	*Citrus sinensis* (orange)					1	La.
Do	do					1	Md.
Do	do					1	Mass.
Do	do					1	Pa.
Do	do			1		2	Wash.
Do	*Citrus sinensis junos* (Japanese orange).			1			Do.
Pseudaonidia paeoniae (Coccidae)	*Azalea* sp		2		1		Calif.*
Do	do	1					Wash.
Do	*Camellia japonica* (camellia)	4				1	Calif.*
Do	do	1					D. C.
Do	do	3					Wash.
Pseudococcus kraunhiae (Coccidae)	*Citrus limonia* (lemon)					1	Calif.*
Pseudococcus scrobicularum (Coccidae).	Cactus		1				Do.*
Do	Succulent		1				Do.*
Psychid	*Aspidistra* sp				1		N. Y.
Do	*Camellia japonica*	1					Calif.*
Do	do	1					Wash.
Do	*Cupressus* sp				1		Do.
Do	*Euonymus* sp				1		N. Y.
Do	do				2		Wash.
Do	*Osmanthus aquifolium* (holly osmanthus).			1			Calif.*
Do	*Paeonia moutan* (peony)	2					Do.*
Do	*Pinus* sp				1		La.
Do	*Prunus* sp. (flowering prunus)			1			Calif.*
Do	*Thuja japonica*				1		Wash.
Do	*Thuja* sp				1		Calif.*
Pyrausta nubilalis (European corn borer).	*Phaseolus* sp. (string bean)					1	Wash.
Do	*Zea mays* (corn)					1	Calif.*
Do	do					2	Wash.
Sitona japonica (Curculionidae)	Packing			1			Calif.*
Taeniothrips gracilis (thrips)	*Lycoris squamigera* (hardy cluster-amaryllis).	3					Wash.
Do	*Lycoris* sp	1					Do.
Diseases:							
Albugo candida	*Brassica* sp					1	Wash.
Alternaria brassicae	*Brassica oleracea capitata*					2	N. Y.
Do	do					1	Pa.
Do	*Raphanus sativus* (radish)	1					Calif.*
Alternaria herculea	*Brassica oleracea botrytis* (cauliflower).					1	Md.
Do	*Brassica oleracea capitata*					3	Do.
Do	*Brassica pekinensis* (petsai cabbage).					1	Do.
Do	do					1	Pa.
Do	do					1	Wash.
Aphelenchoides parietinus	*Colocasia esculenta* (dasheen)					1	La.
Do	*Dioscorea* sp. (yam)					1	Do.
Bacillus sp	*Brassica oleracea capitata*					1	N. Y.
Bacterium campestre	do					1	Md.
Bacterium citri	*Citrus aurantifolia* (lime)					2	Calif.*
Do	*Citrus grandis* (grapefruit)					1	N. Y.
Do	*Citrus sinensis* (orange)					3	Calif.*
Do	do					2	Md.
Do	do					1	Mass.
Do	do					6	N. Y.
Bacterium maculicola	*Brassica oleracea capitata*					8	Md.
Do	*Brassica oleracea gemmifera* (brussels sprouts)					1	N. Y.
Do	*Brassica pekinensis* (Chinese cabbage)					3	Md.
Do	*Raphanus sativus* (radish)					1	Do.
Do	*Raphanus sativus longipinnatus* (Japanese radish)					2	Do.
Bacterium sp	*Lilium* sp	1					Oreg.
Botrytis cinerea	*Allium cepa* (onion)					1	Miss.
Do	do					4	Pa.
Do	*Allium fistulosum* (Welsh onion)					1	Do.

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
JAPAN—Continued							
Diseases—Continued.							
Botrytis cinerea	*Allium porrum* (leek)					2	Md.
Do	do					3	Pa.
Do	*Arctium lappa* (gobo)					2	La.
Do	do					1	Md.
Do	do					1	Pa.
Do	*Brassica oleracea capitata*					5	Do.
Do	*Citrus nobilis deliciosa* (tangerine).					1	Mass.
Do	*Daucus carota* (carrot)					1	La.
Do	do					1	Pa.
Do	*Nymphaea* sp. (water lily)					1	Do.
Do	*Petroselinum hortense* (parsley)					1	Va.
Capnodium citri	*Citrus aurantium* (sour orange)					1	Md.
Do	*Citrus nobilis deliciosa* (Mandarin orange).					3	Do.
Do	*Citrus sinensis* (orange)					1	Oreg.
Do	do					4	Pa.
Do	*Citrus sinensis junos* (Japanese orange).					1	Md.
Do	do					1	Va.
Capnodium sp	*Shortia* sp	1					Wash.
Cephaleuros sp	*Camellia* sp	2					Do.
Cephalosporium pammelii purpurascens.	*Malus sylvestris* (apple)					1	Oreg.
Do	do					1	Pa.
Cercospora brassicicola	*Brassica* sp					1	Wash.
Cladosporium carpophilum	*Amygdalus persica* (peach)					1	Calif.*
Colletotrichum glycines	*Soja max* (soybean)					1	Md.
Colletotrichum omnivorum	*Aspidistra* sp				1		N. Y.
Colletotrichum peregrinum	*Fatsia japonica* (fatsia)				1		Do.
Colletotrichum pollaccii	*Aucuba* sp				1		Calif.*
Do	do				1		N. Y.
Colletotrichum sp	*Camellia japonica* (camellia)	1					Calif.*
Do	*Camellia* sp	1					D. C.
Do	*Cymbidium* sp. (orchid)	1					Calif.*
Coniothyrium olivaceum	*Camellia japonica*		1				Do.*
Coniothyrium sp	do	2					Do.*
Do	do	1					Wash.
Do	*Paeonia moutan* var	1					Calif.*
Do	*Wisteria multijuga* (longcluster wisteria).	1					Wash.
Cryptosphaerella sp	do	1					Do.
Cryptostictis sp	*Paeonia suffruticosa*		1				Do.
Cylindrosporium brassicae	*Brassica pekinensis* (Chinese cabbage).					1	Md.
Do	do					1	Pa.
Cytospora sp	*Acer palmatum rosea-marginatum.*	1					Calif.*
Didymella sp	*Camellia japonica* (camellia)	1					Wash.
Didymosphaeria sp	*Paeonia moutan*	1					Calif.*
Diplodia natalensis	*Castanea* sp. (chestnut)	1					Do.*
Diplodia tubericola	*Dioscorea* sp. (yam)			1			N. Y.
Do	*Ipomoea batatas* (sweetpotato)				1		Pa.
Discosia artocreas	*Camellia japonica*	1					Calif.*
Do	*Quercus agrifolia japonica*		1				Wash.
Dothiorella dasycarpi	*Acer atropurpureum*			1			Calif.*
Dothiorella sp	*Chrysanthemum* sp		1				Do.*
Erysiphe graminis	*Hordeum vulgare* (barley)	6					N. Y.
Do	*Secale cereale* (rye)	1					Wash.
Do	*Triticum aestivum* (wheat)	3					La.
Do	do	1				2	Md.
Do	do	51					N. Y.
Do	do	23					Pa.
Do	do	1					P. R.
Do	do	2					S. C.
Gloeosporium sp	*Aucuba japonica* (Japanese aucuba).	1	1				Calif.*
Do	do				1		N. Y.
Do	*Codiaeum* sp. (croton)				1		Mass.
Do	*Cymbidium* sp. (orchid)	1					Calif.*
Do	do				1		Wash.
Do	Euphorbiaceae				1		Mass.
Do	*Fatsia japonica* (fatsia)				1		N. Y.
Do	Orchid				1		Pa.

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
JAPAN—Continued							
Diseases—Continued.							
Glomerella cingulata	*Aucuba japonica*				1		N. Y.
Do	*Aucuba* sp.				1		Do.
Do	*Malus sylvestris* (apple)					1	Va.
Gnomonia aceris	*Acer* sp.		1				Calif.*
Gonatobotrys sp.	*Zingiber officinale* (ginger)					1	Pa.
Helminthosporium avenae	*Avena sativa* (oats)			1			Calif.*
Do	do		1				Tex.
Helminthosporium oryzae	*Oryza sativa* (rice)			1			Ala.
Do	do					2	La.
Do	do	2					Md.
Helminthosporium sativum	*Hordeum vulgare* (barley)	1					N. Y.
Do	*Triticum aestivum* (wheat)	1					La.
Do	do	1				5	Md.
Do	do	26					Pa.
Do	do	2					S. C.
Do	do			1			Wash.
Helminthosporium sp.	*Brassica oleracea capitata*					1	Md.
Do	*Lilium* sp.					1	Pa.
Do	*Oryza sativa* (rice)	1	2			2	N. Y.
Do	*Triticum aestivum*	1	1				Do.
Laccaria laccata	On soil at base of pine tree				1		Wash.
Laestadia minuscula	*Codiaeum* sp. (croton)				1		La.
Leptothyrium sp.	*Euonymus* sp.	1					Wash.
Do	*Paeonia moutan* (peony)	1					Calif.*
Lophodermium pinastri	*Pinus* sp.	1	2				Wash.
Lophodermium sp.	*Pinus strobus* (five-needle pine)			1			Calif.*
Melanomma glumarum	*Oryza sativa* (rice)	1					N. Y.
Microsphaera euonymi	*Euonymus* sp.				1		Calif.*
Monochaetia paeoniae	*Paeonia suffruticosa* (tree peony).		2				Wash.
Monochaetia sp.	*Paeonia moutan* (peony)	3					Calif.*
Mycosphaerella moutan	do	1					Do.*
Do	*Paeonia suffruticosa*		1				Wash.
Do	*Paeonia* sp. (peony)	1					Do.
Mycosphaerella pinodes	*Pisum sativum* (pea)					1	Md.
Mycosphaerella schoenoprasi	*Allium cepa* (onion)					3	Do.
Do	*Allium fistulosum* (Welsh onion).					11	Pa.
Do	*Allium porrum* (leek)					27	Md.
Do	do					5	N. Y.
Do	do					14	Pa.
Mycosphaerella sp.	*Paeonia moutan* (peony)	1					Calif.*
Do	*Spinacia oleracea* (spinach)					1	Pa.
Myxosporium sp.	*Camellia japonica* (camellia)	3	3		1		Calif.*
Do	do	3					Wash.
Do	*Paeonia moutan* (peony)	2					Calif.*
Oidium euonymi-japonici	*Euonymus japonicus* (evergreen burning-bush).				1		Do.*
Do	*Euonymus japonicus variegata*				1		Do.*
Do	*Euonymus* sp.				1		Do.*
Do	do				3		Wash.
Oidium sp.	*Billbergia speciosa*				1		Mass.
Oospora lactis parasitica	*Lycopersicum esculentum*					1	Md.
Oospora sp.	*Allium cepa* (onion)					1	Pa.
Do	do					1	Va.
Do	*Brassica pekinensis* (petsai cabbage)					1	Pa.
Do	*Daucus carota* (carrot)					1	La.
Penicillium glaucum	*Cucurbita pepo* (pumpkin)					1	Md.
Peronospora effusa	*Spinacia oleracea* (spinach)					1	Wash.
Peronospora parasitica	*Brassica oleracea capitata*					1	Md.
Do	*Brassica* sp.					1	Wash.
Pestalozzia glandicola	*Quercus agrifolia japonica*		1				Do.
Pestalozzia guepini	*Camellia japonica* (camellia)	6	2				Calif.*
Do	do	1	1				D. C.
Do	do	8	1		1		Wash.
Pestalozzia sp.	*Acer* sp. (maple)	1					Calif.*
Do	*Aucuba* sp.				2		N. Y.
Do	*Camellia japonica*	3					Calif.*
Do	*Camellia sasanqua*		1				Do.*
Do	*Cymbidium* sp. (orchid)	1					Do.*
Do	*Euonymus* sp.				1		Wash.
Do	*Fatsia* sp.				1		Calif.*

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
JAPAN—Continued							
Diseases—Continued.							
Pestalozzia sp.	*Lilium* sp.	1					Calif.
Do	*Nandina* sp.	1					Do.*
Do	*Paeonia moutan* (peony)	1		1			Do.*
Do	*Paeonia suffruticosa* (tree peony).		1				Wash.
Do	*Paeonia* sp. (peony)	1					Calif.*
Do	do	1					Wash.
Do	*Pinus* sp.				1		Pa.
Do	*Raphiolepis ovata*				1		Calif.*
Do	*Shortia uniflora*		1				Wash.
Pezizella lythri	*Paeonia* sp. (peony)	1	2				D. C.
Phoma citricarpa	*Citrus limonia* (lemon)					1	Calif.*
Do	*Citrus sinensis* (orange)					4	Do.*
Phoma ejiciens	*Camellia japonica* (camellia)	1					Wash.
Phoma glumarum	*Oryza sativa* (rice)					2	N. Y.
Phoma sp.	*Acer palmatum* (Japanese maple).		1				D. C.
Do	*Acer* sp. (maple)	2					Calif.*
Do	*Brassica oleracea capitata*					1	N. Y.
Do	*Camellia japonica* (camellia)	3					Calif.*
Do	*Paeonia moutan* (peony)		1				Do.*
Phomopsis sp.	*Azalea* sp.				1		Pa.
Do	*Wisteria* sp.		1				D. C.
Phyllosticta evonymella	*Euonymus* sp.				1		Wash.
Phyllosticta sp.	*Allium cepa* (onion)					1	Do.
Do	*Allium porrum* (leek)					1	Pa.
Do	*Antirrhinum majus* (snapdragon).			1			Wash.
Do	*Adrisia crispa*				1		Md.
Do	*Aspidistra* sp.				1		Wash.
Do	*Aucuba japonica* (Japanese aucuba).				2		Pa.
Do	do				1		Tex.
Do	*Aucuba japonica dentata*				1		Pa.
Do	*Aucuba* sp.				2		N. Y.
Do	do				1		Wash.
Do	*Camellia japonica* (camellia)	1		1			Calif.*
Do	do	1					Wash.
Do	*Codiaeum* sp. (croton)				1		N. Y.
Do	do				1		Pa.
Do	*Fatsia japonica* (fatsia)				1		N. Y.
Do	*Nandina domestica* (nandina)	2					Calif.*
Do	*Shortia uniflora grandiflora*		1				Wash.
Do	*Spinacia oleracea* (spinach)					1	Do.
Do	*Triticum aestivum* (wheat)					1	Md.
Phytophthora sp.	*Colocasia esculenta* (dasheen)					1	Tex.
Do	*Nymphaea* sp. (waterlily)					1	Pa.
Do	*Pachyrhizus erosus* (yam bean)					1	La.
Plasmodiophora brassicae	*Brassica rapa* (turnip)					1	Pa.
Pleospora sp.	*Allium porrum* (leek)					1	N. Y.
Puccinia anomala	*Hordeum vulgare* (barley)	7					Do.
Puccinia graminis	*Triticum aestivum* (wheat)	2					Pa.
Puccinia rubigo-vera	*Hordeum vulgare*	1					N. Y.
Puccinia rubigo-vera secalis	*Secale cereale* (rye)	1					Wash.
Puccinia rubigo-vera tritici	*Hordeum vulgare*	2					N. Y.
Do	*Triticum aestivum* (wheat)	1					Ill.
Do	do	1					La.
Do	do	1				3	Md.
Do	do	41					N. Y.
Do	do	26					Pa.
Do	do	1					P. R.
Do	do			1			Wash.
Puccinia sp.	*Allium porrum* (leek)					3	Md.
Do	do					1	N. Y.
Do	*Hordeum vulgare* (barley)	1					Do.
Do	*Triticum aestivum* (wheat)	1					Ala.
Do	do	15					N. Y.
Do	do	1					Pa.
Pythium sp.	*Citrus sinensis* (orange)					1	Va.
Do	*Nelumbo* sp. (lotus)					1	Do.
Do	*Zingiber officinale* (ginger)					1	Pa.

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
JAPAN—Continued							
Diseases—Continued.							
Rhabdospora sp.	*Camellia japonica* (camellia)	1					Wash.
Do	*Paeonia* sp. (peony)	1					Do.
Rhizopus necans	*Lilium* sp.	1					Calif.*
Sclerotinia sclerotiorum	*Brassica oleracea capitata*					1	N. Y.
Do	*Brassica pekinensis* (petsai cabbage).					1	Pa.
Do	*Daucus carota* (carrot)					2	Md.
Do	do					1	N. Y
Do	do					1	Tex.
Do	*Raphanus sativus* (radish)					1	La.
Do	do					1	Md.
Do	do					1	N. Y.
Do	do					1	Pa.
Sclerotinia sp.	*Allium cepa* (onion)					1	La.
Do	*Colocasia esculenta* (taro)					1	Do.
Do	*Nymphaea* sp. (waterlily)					1	Pa.
Do	*Radicula armoracia* (horseradish).					1	Md.
Sclerotiopsis testudinea	*Paeonia moutan* (peony)	6	3				Calif.*
Do	do		1				Wash.
Do	*Paeonia suffruticosa* (tree peony).	2	1				Do.
Do	*Paeonia* sp.	2					Calif.*
Do	do	1					Wash.
Sclerotium oryzae	*Oryza sativa* (rice)	15	5	2		3	N. Y.
Sclerotium sp.	*Allium porrum* (leek)					1	Md.
Do	*Arctium lappa* (gobo)					1	Pa.
Do	*Colocasia esculenta* (taro)					1	Do.
Do	*Nymphaea* sp. (waterlily)					1	Do.
Do	*Paeonia moutan* (peony)	2					Calif.*
Septoria apii	*Apium graveolens* (celery)					3	Wash.
Septoria euonymi	*Euonymus* sp.				1		Do.
Septoria oryzae	*Oryza sativa* (rice)		1			1	N. Y.
Septoria petroselini	*Petroselinum hortense* (parsley)					1	Wash.
Sphaceloma fawcettii	*Citrus aurantium* (sour orange)					1	Va.
Do	*Citrus sinensis* (orange)					2	Calif.*
Do	do					2	Oreg.
Do	do					1	Pa.
Sphaceloma n. sp.	*Fatsia japonica* (fatsia)				1		N. Y.
Sphaeronema sp.	*Allium cepa* (onion)					1	Miss.
Sphaerulina sp.	*Paeonia suffruticosa* (tree peony).		1				Wash.
Uredo sp.	*Allium fistulosum* (Welsh onion).					1	Pa.
Do	*Allium porrum* (leek)					3	Md.
Do	do					1	Pa.
Do	Bamboo			1			Wash.
Urocystis cepulae	*Allium porrum* (leek)					1	N. Y.
Ustilago nuda	*Hordeum vulgare* (barley)	1					Do.
Ustilago tritici	*Secale cereale* (rye)	1					Wash.
Do	*Triticum aestivum* (wheat)	1					N. Y.
Do	do	2					Pa.
Vermicularia sp.	*Aspidistra* sp.				1		N. Y.
Do	*Iris* sp.		1				Wash.
Verticillium sp.	*Lilium longiflorum giganteum*	1					Ill.
Virus	*Lycopersicum esculentum*					1	Calif.*
JAVA							
Insects:							
Hemichionaspis townsendi (Coccidae).	*Aerides* sp. (orchid)	1					Hawaii.*
Do	*Vanda suavis* (orchid)		1				Do.*
Parlatoria pseudaspidiotus (Coccidae).	*Vanda* sp. (orchid)		1				Do.*
Pseudaonidia trilobitiformis (Coccidae).	*Citrus limonia* (lemon)					1	N. Y.
Stephanoderes hampei (Scolytidae)	*Coffea* sp.		7				Do.
Diseases:							
Colletotrichum nigrum	*Capsicum annuum*					1	Va.
Helminthosporium allii	*Allium sativum* (garlic)					1	Do.
Helminthosporium oryzae	*Oryza sativa* (paddy rice)				1		L.
Puccinia porri	*Allium sativum* (garlic)					1	N. Y.

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
JAVA—Continued							
Diseases—Continued.							
Sclerotium oryzae	*Oryza sativa* (rice)	1					N. Y.
Vermicularia capsici	*Capsicum annuum*					1	Pa.
Do	do					1	Va.
KENYA							
Insects:							
Stephanoderes hampei (Scolytidae)	*Coffea* sp		1				N. Y.
LATVIA							
Diseases:							
Claviceps purpurea	*Secale cereale* (rye)		1				Do.
Sclerotinia sp	*Solanum tuberosum*					1	Tex.
LIBERIA							
Diseases:							
Helminthosporium oryzae	*Oryza sativa* (rice)			1			Pa.
LORD HOWE ISLAND							
Diseases:							
Gloeosporium sp	Palm	1					Calif.*
LUXEMBURG							
Diseases:							
Stysanus sp	*Rosa* sp		1				D. C.
MADAGASCAR							
Diseases:							
Diplodia cacaoicola	*Euphorbia intisy*	1					D. C
MADEIRA ISLANDS							
Diseases:							
Bacterium marginatum	*Gladiolus* sp			1			N. Y.
Botrytis cinerea	*Phaseolus* sp. (string bean)					1	Mass.
Mycosphaerella pinodes	*Pisum sativum* (pea)			1			N. Y.
Puccinia glumarum	*Triticum aestivum* (wheat)	1					Do.
Puccinia graminis	do	1					Do.
Puccinia rubigo-vera tritici	do	1					Do.
Puccinia sp	do	2					Do.
MALAY STATES							
Insects:							
Aleuroplatus samoanus (whitefly)	*Codiaeum* sp. (croton)				1		La.
Lepidosaphes lasianthi (Coccidae)	do				2		Do.
MANCHURIA							
Insects:							
Chirothrips similis (thrips)	*Agropyron pseudo-canium*		1				D. C.
Kytorhinus thermopsis (Bruchidae)	*Thermopsis lanceolata*		1				Do.
Diseases:							
Pratylenchus pratensis	*Solanum tuberosum*					1	Wash.
MARTINIQUE							
Insects:							
Targionia hartii (Coccidae)	*Dioscorea* sp. (yam)				1		La.
Diseases:							
Cercospora sp	*Phaseolus* sp. (string bean)					1	P. R.
Diplodia tubericola	*Ipomoea batatas* (sweetpotato)				1		La.
Pythium aphanidermatum	*Raphanus sativus* (radish)					1	P. R.
Thielaviopsis paradoxa	*Saccharum officinarum*			1			N. Y.
MEXICO							
Insects:							
Aeolus rubricatus (Elateridae)	*Gossypium* sp. (cotton)	1					Tex.
Do	*Holcus sorghum* var. (broomcorn).			1			Do.
Aethus hogenhoferi (Cydnidae)	*Citrus aurantifolia* (lime)	1					Do.
Agallia producta (Cicadellidae)	*Lactuca sativa* (lettuce)			1			Do.
Aleurodicus guppyii (whitefly)	Orchid	1					D. C.
Aleurothrixus floccosus (whitefly)	*Citrus sinensis* (orange)			1			Ariz.
Do	do			1			Tex.

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
MEXICO—Continued							
Insects—Continued.							
Anacentrinus deplanatus (Curculionidae).	*Allium cepa* (onion)			1			Tex.
Anastrepha acidusa (West Indian fruit fly).	*Cydonia oblonga* (quince)			3			Do.
Anastrepha ludens (Mexican fruit fly).	*Achras sapota* (sapodilla)			1			Do.
Do	*Citrus aurantium* (sour orange)			3			Do.
Do	*Citrus grandis* (grapefruit)				1		Ala.
Do	do					1	La.
Do	do			3		1	Tex.
Do	*Citrus limetta* (sweet lime)			11			Do.
Do	*Citrus sinensis* (orange)			1			Calif.*
Do	do				4	1	La.
Do	do				1		Md.
Do	do			95	1		Tex.
Do	*Mammea americana* (mamey)			1			Do.
Do	*Mangifera indica* (mango)			22			Do.
Do	Sapote			2			Do.
Anastrepha serpentina (Trypetidae).	*Mammea americana* (mamey)			2			Do.
Do	Sapote			2			Do.
Anastrepha striata (Trypetidae)	*Psidium guajava* (guava)			1			Do.
Anastrepha sp. (Trypetidae)	*Amygdalus persica* (peach)			5	1		Do.
Do	*Citrus grandis* (grapefruit)			1			Do.
Do	*Citrus limetta* (sweet lime)			2			Do.
Do	*Citrus sinensis* (orange)					1	La.
Do	do			23			Tex.
Do	*Cydonia oblonga* (quince)			3			Do.
Do	*Malus sylvestris* (apple)			1			Do.
Do	*Mammea americana* (mamey)			1			Do.
Do	*Mangifera indica* (mango)				2	1	La.
Do	do			16			Tex.
Do	*Persea americana* (avocado)			1			Do.
Do	*Psidium guajava* (guava)			2			Do.
Do	*Punica granatum* (pomegranate).			1			Do.
Do	Sapote			2			Do.
Aspidiotus cocotiphagus (Coccidae)	Cocos nucifera (coconut)				1		La.
Aspidiotus palmae (Coccidae)	*Musa* sp. (banana)	1					Do.
Do	do	2					N. Y.
Aspidiotus spinosus (Coccidae)	*Camellia japonica* (camellia)	2					Tex.
Do	*Dioon* sp		1				D. C.
Do	*Mangifera indica* (mango)			1			Ariz.
Calendra pertinax (Curculionidae)	*Ananas sativus*	1					Tex.
Catolethrus longulus (Curculionidae)	*Zea mays* (corn)			1			D. C.
Do	do	1					La.
Cebrenis centrolineata (Coreidae)	*Gardenia florida* (Cape-jasmine)	1					Tex.
Chilo loftini (Pyralidae)	*Saccharum officinarum*			1			Ariz.
Chirida extensa (Chrysomelidae)	*Lilium* sp	1					Tex.
Chrysomphalus dictyospermi var. (Coccidae).	*Citrus aurantifolia* (lime)	2					Ariz.
Do	do	3					Tex.
Do	*Citrus sinensis* (orange)				1		Ala.
Do	do			1			Tex.
Chrysomphalus personatus (Coccidae).	*Citrus aurantifolia*	1					Calif.*
Do	*Mangifera indica* (mango)			1			Ariz.
Do	*Rosa* sp			2			Tex.
Cicadella lutea (Cicadellidae)	*Gardenia florida* (Cape-jasmine)	1					Do.
Clastoptera funesta (Cercopidae)	do	1					Do.
Cligenes picturata (Lygaeidae)	*Echinocactus nidulans* (cactus)	1					Ariz.
Do	*Echinocereus* sp. (cactus)	1					Do.
Do	*Mammillaria* sp. (cactus)	3					Do.
Conchaspis angraeci (Coccidae)	Cactus	1					Tex.
Do	*Oncidium* sp. (orchid)	1					D. C.
Conotelus mexicanus (fruit bud beetle).	*Allium sativum* (garlic)			2			Tex.
Do	*Ananas sativus*	1					Ariz.
Do	*Lilium longiflorum* (Easter lily).			3			Tex.
Do	*Lilium* sp	1		2			Do.
Do	*Lycopersicum esculentum*			1			Do.
Do	*Zea mays* (corn)	3					Ariz.

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
MEXICO—Continued							
Insects—Continued.							
Conotrachelus aguacatae (Curculionidae).	*Persea americana* (avocado)		1				D. C.
Do	do			1			Tex.
Conotrachelus dimidiatus (Curculionidae).	*Psidium guajava* (guava)			2			Do.
Conotrachelus leucophaeatus (Curculionidae).	*Ananas sativus*	1					Do.
Crocidosema plebeiana (Olethreutidae).	*Hibiscus esculentus* (okra)	3		1			Do.
Ctenochira punicea (Chrysomelidae).	*Gardenia florida* (Cape-jasmine).	1					Do.
Cylas formicarius (sweetpotato weevil).	*Ipomoea batatas* (sweetpotato)					3	La.
Do	do			39		2	Tex.
Diabrotica corrusca (Chrysomelidae)	*Capsicum annuum*	1					Ariz.
Diabrotica theimei (Chrysomelidae)	do	1					Do.
Diabrotica vittata var. (Chrysomelidae).	*Echinocereus* sp. (cactus)	1					Do.
Diatraea grandiosella (Pyralidae)	*Zea mays* (corn)			1			Tex.
Diatraea saccharalis (sugarcane borer).	*Saccharum officinarum*			3			Do.
Drycothaea sallei (Cerambycidae)	*Zea mays*	1					La.
Epicaerus cognatus (Curculionidae)	*Solanum tuberosum*			7		2	Tex.
Ernoporides jalappae (Scolytidae)	*Parathesis serrulata* (jalapon)	1					La.
Euphoria dimidiata (Scolytidae)	In sack of oranges			1			Tex.
Exitianus obscurinervis (Cicadellidae).	*Gardenia florida* (Cape-jasmine).	1					Do.
Erptochiomera minima (Lygaeidae)	do	1					Do.
Fiorinia fioriniae (Coccidae)	*Camellia japonica* (camellia)				1		La.
Do	do			1			Tex.
Frankliniella difficilis (thrips)	Cactus			1			Do.
Frankliniella distinguenda (thrips)	*Narcissus* sp			1			Do.
Frankliniella insularis (thrips)	*Gardenia florida* (Cape-jasmine).			1			N. Y.
Do	*Rosa* sp			2			Tex.
Frankliniella moultoni (thrips)	*Gardenia florida*	1					Do.
Do	*Gladiolus* sp			1			Do.
Frankliniella williamsi (thrips)	*Holcus sorghum* var. (broomcorn).			1			Do.
Geocoris thoracicus (Lygaeidae)	*Capsicum annuum*	1					Do.
Gligenes picturata (Lygaeidae)	*Echinocactus nidulans* (cactus)	1					Ariz.
Gnorimoschema gudmannella (Gelechiidae).	*Capsicum annuum*	8					Do.
Do	do	1		1			Tex.
Do	*Lycopersicum esculentum*	2					Ariz.
Do	do	1					Tex.
Gnorimoschema lycopersicella (tomato pinworm).	do	2222		63			Ariz.
Do	do	2					Calif.*
Do	do			3			Calif.
Do	do	1					Pa.
Do	do	121		118			Tex.
Haplothrips gowdeyi (thrips)	*Citrus aurantifolia* (lime)	1					Calif.*
Hemichionaspis minor strachani (Coccidae).	*Sanchezia* sp	1					D. C.
Hesperolabops picta (Miridae)	*Opuntia compressa* (prickly-pear).	1					Tex.
Hypselonotus concinnus (Coreidae)	*Gardenia florida* (Cape-jasmine).	1					Do.
Lepidosaphes philococcus (Coccidae)	*Cereus* sp. (cactus)	1					D. C.
Do	*Pachycereus* sp. (cactus)	1					Ariz.
Leucaspis japonica (Coccidae)	*Citrus aurantifolia* (lime)				1		Pa.
Ligyrocoris auriviliianus (Lygaeidae).	*Fragaria* sp. (strawberry)	1					Tex.
Macrosiphum kaltenbachii (aphid)	*Lactuca sativa* (lettuce)			1			Do.
Macrosiphum luteum (aphid)	Orchid	1					D. C.
Do	do	1					Tex.
Marmara sp. (Gracilariidae)	*Achras sapota* (sapodilla)			1			Do.
Do	Cactus			1			Do.
Do	*Capsicum annuum*	10		1			Ariz.
Do	*Citrus aurantifolia*	34		10			Tex.
Do	*Persea americana* (avocado)	1		1406			Do.

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
MEXICO—Continued							
Insects—Continued.							
Metamasius sericeus (silky cane weevil).	Banana debris	9					La.
Do	do	2					Tex.
Do	*Musa* sp. (banana)	1					La.
Do	do	1					Miss.
Metamasius sericeus carbonarius (Curculionidae).	Banana debris	1					N. Y.
Do	do	2					Tex.
Do	*Musa* sp. (banana)	1					Md.
Do	do	1					Tex.
Metamasius sp. (Curculionidae)	do	2		2			Do.
Noctuelia rufofascialis (Pyralidae)	*Gossypium* sp. (cotton)			1			Do.
Do	*Hibiscus cardiophyllus*			1			Do.
Parlatoria fluggeae brasiliensis (Coccidae).	*Citrus aurantifolia* (lime)	5					Do.
Parlatoria cinerea (Coccidae)	do	15					Calif.*
Parlatoria pergandii camelliae (Coccidae).	*Gardenia florida* (Cape-jasmine).					1	N. Y.
Pectinophora gossypiella (pink bollworm).	*Gossypium* sp. (cottonseed)	1		3			Tex.
Do	*Gossypium* sp. (seed cotton)			22			Do.
Do	*Gossypium* sp. (cotton) boll			1			Do.
Do	Cottonseed in railway car (4 interceptions).						Do.
Do	Cottonseed on top of railway car.						Do.
Platynota rostrana (Tortricidae)	*Capsicum annuum*	1					Do.
Do	*Lycopersicum esculentum*	1					Ariz.
Platynota stultana (Tortricidae)	*Capsicum annuum*	151		1			Do.
Do	do	5					Calif.*
Do	*Lycopersicum esculentum*	7					Ariz.
Do	do	2					Tex.
Do	*Solanum melongena* (eggplant)	1					Ariz.
Pseudococcus solani (Coccidae)	*Lycopersicum esculentum*			1			Tex.
Pseudococcus virgatus (Coccidae)	*Ananas sativus*	1					Do.
Do	*Musa* sp. (banana)	1					La.
Do	*Sanchezia* sp	1					D. C.
Pseudoparlatoria parlatorioides (Coccidae).	*Laelia autumnalis* (orchid)		1				Calif.*
Psychid	*Ananas sativus*	1					La.
Do	Banana debris	35					Do.
Do	do	2					N. Y.
Do	do	3					Tex.
Do	*Musa* sp. (banana)	21					La.
Do	do	2					Pa.
Puto yuccae (Coccidae)	*Echeveria* sp		1				Calif.*
Rhagoletis sp. (Trypetidae)	*Amygdalus persica* (peach)			1			Tex.
Do	*Crataegus* sp. (thorn apple)			2			Do.
Do	*Cydonia oblonga* (quince)			3			Do.
Do	*Juglans nigra* (black walnut)			2			Do.
Siamnes contractus (Lygaeidae)	*Mammillaria* sp. (cactus)		1				Calif.*
Stenomid	*Persea americana* (avocado)			1			Tex.
Stephanoderes guatemalensis (Scolytidae).	*Poinciana regia* (flamboyant)			1			La.
Taeniothrips simplex (gladiolus thrips).	*Echeveria* sp		1				D. C.
Do	*Gladiolus* sp	1		2			Tex.
Trypetid	*Arctostaphylos* sp. (manzanita)			1			Do.
Do	*Cydonia oblonga* (quince)			2			Do.
Xyleborus affinis (Scolytidae)	*Lycopersicum esculentum*	1					Do.
Xyleborus torquatus (Scolytidae)	do	1					Do.
Zabrotes subfasciatus (Bruchidae)	*Phaseolus vulgaris* (bayo bean)			1			Do.
Do	Bean			4			Do.
Do	*Sabastiania palmeri*			1			Do.
Diseases:							
Alternaria herculea	*Brassica oleracea botrytis* (cauliflower).					1	La.
Do	*Brassica oleracea capitata*					1	Tex.
Aplanobacter michiganense	*Lycopersicum esculentum*	1					Ariz.
Do	do			3			Tex.
Bacterium maculicola	*Brassica oleracea capitata*					2	La.
Do	do			2		1	Tex.

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
MEXICO—Continued							
Diseases—Continued.							
Bacterium phaseoli	*Phaseolus* sp. (string bean)			1			Tex.
Bacterium pisi	*Pisum sativum* (pea)			3		1	Do.
Bacterium vesicatorium	*Capsicum annuum*	3		10			Do.
Do	*Lycopersicum esculentum*					2	La.
Do	do					1	N. Y.
Do	do	17		112			Tex.
Do	*Physalis* sp. (husk tomato)	2		2			Do.
Botrytis cinerea	*Allium cepa* (onion)			1			Do.
Do	*Phaseolus* sp. (string bean)			1			Do.
Do	*Vicia faba* (fava bean)			1			Do.
Capnodium citri	*Citrus aurantifolia* (lime)	4		2			Do.
Capnodium sp	Bamboo	1					Do.
Do	*Fragaria* sp. (strawberry)	1					Ariz.
Do	*Gardenia florida* (Cape-jasmine).	2		1			Tex.
Do	*Holcus sorghum* var. (broomcorn).			1			Do.
Do	*Saccharum officinarum*			1			Do.
Cephaleuros virescens	*Gardenia florida*			1			Do.
Do	*Persea americana* (avocado)			1			Do.
Cercospora atricincta	*Zinnia elegans* (zinnia)			1			Do.
Cercospora capsici	*Capsicum annuum*	1		1			Do.
Cercospora rosicola	*Rosa* sp			20			Do.
Cercospora sp	*Doryopteris* sp. (fern)			1			Do.
Do	*Gardenia florida*			2			Do.
Do	*Physalis* sp. (husk tomato)			1			Do.
Cladosporium fulvum	*Capsicum annuum*	1					Calif.*
Do	do			1			Tex.
Do	*Lycopersicum esculentum*					1	La.
Do	do	4		60			Tex.
Do	*Physalis* sp. (husk tomato)			2			Do.
Clypeotrabutia (?) sp	*Anisacanthus* sp			1			Do.
Coleosporium ipomoeae	*Ipomoea* sp			1			Do.
Colletotrichum falcatum	*Saccharum officinarum*			1			Do.
Colletotrichum lagenarium	*Chayota edulis* (chayote)					1	Ala.
Colletotrichum phomoides	*Lycopersicum esculentum*	7		27			Tex.
Do	*Physalis* sp. (husk tomato)			1			Do.
Colletotrichum pisi	*Pisum sativum* (pea)	1					N. Y.
Colletotrichum truncatum	*Phaseolus lunatus macrocarpus* (lima bean).	1					Ariz.
Colletotrichum sp	*Carica papaya* (papaya)			1			Tex.
Do	*Citrus aurantifolia* (lime)			1			Ariz.
Do	*Citrus limetta* (sweet lime)			1			Tex.
Do	*Echeveria* sp		4				Calif.*
Do	*Gardenia florida* (Cape-jasmine)			1			Tex.
Do	*Lilium regale* (regal lily)	1					Do.
Do	*Lilium* sp	1					Do.
Do	*Lycopersicum esculentum*	1					Ariz.
Do	*Odontoglossum* sp. (orchid)		2				Calif.*
Do	*Oncidium unguiculatum* (orchid).		1				Do.*
Do	*Phaseolus* sp. (string bean)	1					Ariz.
Do	do	1					Wash.
Do	*Solanum melongena* (eggplant)	1					Tex.
Coniothecium sp	*Lycopersicum esculentum*	1					Ariz.
Do	*Rosa* sp			1			Tex.
Corticium sp	*Capsicum annuum*	10					Ariz.
Do	*Citrullus vulgaris* (watermelon)			1			Do.
Do	*Lycopersicum esculentum*	50				1	Do.
Do	*Phaseolus lunatus macrocarpus* (lima bean).	1					Do.
Do	*Phaseolus* sp. (string bean)	4					Do.
Do	*Pisum sativum* (pea)	5					Do.
Do	*Solanum melongena* (eggplant)	3					Do.
Do	*Vicia faba* (fava bean)			1			Do.
Do	do			1			Tex.
Cylindrosporium chrysanthemi	*Chrysanthemum* sp			1			Do.
Cylindrosporium juglandis	*Juglans* sp. (walnut)			2			Do.
Didymella n. sp	*Alsophila quadripinnata* (tree-fern).	1					Do.
Diplocarpon rosae	*Rosa* sp			1			N. Y.
Do	do			19			Tex.

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
MEXICO—Continued							
Diseases—Continued.							
Diplodia cacaoicola	*Persea americana* (avocado)			1			Tex.
Diplodia cerei-triangularis	*Pachycereus* sp. (cactus)	1					Calif.*
Diplodia natalensis	*Citrus aurantifolia* (lime)	2					Tex.
Do	*Citrus limetta* (sweet lime)			1			Ariz.
Do	*Citrus limonia* (lemon)			1			Tex.
Diplodia tubericola	*Ipomoea batatas* (sweetpotato)					2	Ala.
Do	do			1			Calif.
Erinose	*Eupatorium* sp			1			N. Y.
Do	*Gardenia florida* (Cape-jasmine).			1			Tex.
Erysiphe polygoni	*Pisum sativum* (pea)			6			Do.
Erysiphe sp	do	4		1			Ariz.
Fusarium moniliforme	*Zea mays* (corn)			1			Calif.
Do	do			1			Tex.
Gloeosporium limetticolum	*Citrus aurantifolia* (lime)			2			Do.
Gloeosporium musarum	*Musa* sp. (banana)	1					Md.
Do	do			2			Tex.
Gloeosporium sp	*Echeveria* sp		1				Calif.*
Do	*Gardenia florida* (Cape-jasmine).			1			Tex.
Do	*Lycopersicum esculentum*	1					Ariz.
Do	*Mangifera indica* (mango)			2			Do.
Do	*Musa* sp. (banana)	3		1			Do.
Do	*Odontoglossum* sp. (orchid)		2				Calif.*
Do	*Oncidium cavendishianum* (orchid).		1				D. C.
Do	*Oncidium tigrinum unguiculatum* (orchid).		3				Calif.*
Do	Orchid	1					D. C.
Do	*Passiflora* sp. (passionflower)					1	N. Y.
Do	*Persea americana* (avocado)			3			Ariz.
Do	*Phaseolus* sp. (string bean)	1					Do.
Do	*Solanum melongena* (eggplant)	1					Do.
Glomerella rufomaculans	Orchid		1				Calif.*
Glomerella sp	*Lycopersicum esculentum*	1					Ariz.
Do	Orchid	1					D.C.
Graphiola phoenicis	*Phoenix dactylifera* (date)			1			Calif.
Helminthosporium allii	*Allium sativum* (garlic)	5					La.
Do	do	14					N. Y.
Do	do	5		10			Tex.
Helminthosporium sp	*Heteropogon contortus*			1			La.
Do	*Leucophyllum* sp			1			Tex.
Do	*Lycopersicum esculentum*	3					Ariz.
Do	*Pisum sativum* (pea)	1					Do.
Do	do			1			Tex.
Heterosporium echinulatum	*Dianthus* sp. (carnation)	1					Do.
Heterosporium sp	*Lycopersicum esculentum*	1					Ariz.
Leprosis	*Citrus sinensis* (orange)			1			Tex.
Macrosporium solani	*Lycopersicum esculentum*	1					Calif.
Macrosporium tomato	do					1	La.
Do	do	2		22			Tex.
Monilia sp	*Amygdalus persica* (peach)			2			Ariz.
Mycosphaerella pinodes	*Pisum sativum* (pea)			3			Calif.
Do	do	1					N. Y.
Do	do			1			Tex.
Nigrospora sp	*Saccharum officinarum*			1			Do.
Oidium sp	*Gardenia florida* (Cape-jasmine).	2		2			Do.
Do	Millet			1			Do.
Do	*Phaseolus* sp. (string bean)	1					Do.
Do	*Pisum sativum* (pea)	6		2			Ariz.
Oospora lactis parasitica	*Capsicum annuum*			1			Tex.
Do	*Lycopersicum esculentum*	3		1			Do.
Do	*Physalis* sp. (husk tomato)			3			Do.
Oospora sp	*Citrus aurantifolia* (lime)	1					Ariz.
Do	*Fragaria* sp. (strawberry)	1					Do.
Do	*Lycopersicum esculentum*	14					Do.
Do	*Persea americana* (avocado)			1			Do.
Do	*Phaseolus* sp. (string bean)	2					Do.
Do	*Pisum sativum* (pea)	1					Do.
Do	*Psidium guajava* (guava)			1			Do.

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
MEXICO—Continued							
Diseases—Continued.							
Penicillium glaucum	*Punica granatum* (pomegranate).			1			Tex.
Periconia sp	*Acrocomia mexicana* (palm)			1			Ariz.
Do	*Hibiscus* sp			1			Tex.
Pestalozzia guepini	*Psidium guajava* (guava)			2			Do.
Phoma acuum	*Pinus* sp. (pine)		1				Calif.*
Phoma destructiva	*Capsicum annuum*	1					Tex.
Do	*Lycopersicum esculentum*					1	Ala.
Do	do	1				1	N. Y.
Do	do	3		35		1	Tex.
Phoma destructiva	*Physalis* sp. (husk tomato)			5			Do.
Phoma sp	*Bouvardia leiantha*			1			Do.
Do	*Capsicum annuum*	2					Ariz.
Do	*Lycopersicum esculentum*	3					Do.
Do	*Phaseolus* sp. (string bean)			1			Do.
Do	do			1			Tex.
Do	*Zea mays* (corn)	1					Ariz.
Phomopsis sp	*Citrus sinensis* (orange)			1			Tex.
Phyllachora graminis	*Chloris virgata* (feather fingergrass).	1					N. Y.
Do	Grass packing	2					Do.
Phyllachora sp	*Andropogon* sp	1					Do.
Do	do	1					Wash.
Do	*Aristida* sp	1					N. Y.
Do	*Paspalum* sp	1					Do.
Phyllosticta sp	*Capriola dactylon* (Bermuda grass).	1					Tex.
Do	*Echeveria* sp		2				Calif.*
Do	*Garcinia mangostana* (mangosteen).	1					Tex.
Do	*Gardenia florida* (Cape-jasmine).				2		N. Y.
Do	do	1		3			Tex.
Do	*Odontoglossum* sp. (orchid)		1				Calif.*
Do	*Oncidium tigrinum unguiculatum* (orchid).		1				Do.*
Do	*Passiflora* sp					1	N. Y.
Do	*Persea americana* (avocado)			1			Tex.
Do	*Sophora secundiflora* (mescalbean).			1			Do.
Phytophthora sp	*Capsicum annuum*	3					Ariz.
Do	*Lycopersicum esculentum*	98					Do.
Do	do	1					Tex.
Do	*Solanum melongena* (eggplant)	1					Ariz.
Pseudopeziza medicaginis	*Medicago sativa* (alfalfa)			1			Tex.
Puccinia antirrhini	*Antirrhinum majus* (snapdragon).			15			Do.
Puccinia chrysanthemi	*Chrysanthemum* sp			1			Ariz.
Do	do			1			Tex.
Puccinia graminis	*Triticum aestivum* (wheat)	1					Do.
Puccinia lippiae	*Lippia wrightii*			1			Do.
Puccinia malvacearum	*Malva rotundifolia*			1			Calif.
Puccinia purpurea	*Holcus halepensis* (Johnson grass).	2		1			Tex.
Puccinia schedonnardi	*Gossypium* sp. (cotton)			1			Do.
Do	Unidentified plant			1			Do.
Puccinia sp	*Andropogon condensatus*	1					Ariz.
Do	*Andropogon* sp	1					N. Y.
Do	*Aristida* sp	1					Do.
Do	Cyperaceae (sedge)	1					Ariz.
Do	*Hibiscus cardiophyllus*			1			Tex.
Do	*Triticum aestivum* (wheat)		1				Do.
Do	*Zea mays* (corn)	1					Ariz.
Pythium sp	*Lycopersicum esculentum*	1					Do.
Ravenelia sp	*Tephrosia* sp		1				D. C.
Rhizoctonia sp	*Capsicum annuum*	1					Ariz.
Do	*Carica papaya* (papaya)			1			Do.
Do	*Lilium* sp			1			Tex.
Do	*Lycopersicum esculentum*	3					Ariz.
Do	*Phaseolus lunatus macrocarpus* (lima bean).	1					Tex.
Do	*Phaseolus* sp. (string bean)	2					Ariz.
Do	*Turnera* sp			1			Tex.

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
MEXICO—Continued							
Diseases—Continued.							
Sclerotinia sclerotiorum	*Daucus carota* (carrot)					1	Tex.
Do	*Solanum tuberosum*			1			Ariz.
Sclerotinia sp	*Allium cepa* (onion)			1			Tex.
Do	*Lycopersicum esculentum*			1			Do.
Do	*Musa* sp. (banana)			1			Do.
Do	*Phaseolus* sp. (string bean)	2					Ariz.
Do	*Physalis* sp. (husk tomato)			2			Tex.
Do	*Pisum sativum* (pea)					1	Do.
Sclerotium sp	*Citrus aurantifolia* (lime)	1					Do.
Do	*Solanum tuberosum*			1			Ariz.
Septobasidium sp	*Gardenia florida* (Cape-jasmine)	2		1			Tex.
Septoria apii	*Apium graveolens* (celery)					2	N. Y.
Do	do			2			Tex.
Septoria sp	*Capriola dactylon* (Bermuda grass).	1					Do.
Do	*Gardenia florida* (Cape-jasmine)	1					Do.
Do	*Holcus halepensis* (Johnson grass).	1					Do.
Do	*Odontoglossum* sp. (orchid)		1				Calif.*
Do	*Persea americana* (avocado)			1			Tex.
Do	*Psidium guajava* (guava)			1			Do.
Sphaceloma fawcettii	*Citrus aurantifolia* (lime)	1					Do.
Do	*Citrus limetta* (sweet lime)				1		Pa.
Do	*Citrus sinensis* (orange)					1	Do.
Do	do			2			Tex.
Sphacelotheca cruenta	*Holcus sorghum* var. (broomcorn).			1			Ariz.
Sphaeropsis sp	*Cydonia oblonga* (quince)			1			Do.
Sphaerotheca pannosa	*Rosa* sp	1		6			Tex.
Stemphylium sp	*Capsicum annuum*	7		2			Ariz.
Do	*Carica papaya* (papaya)			1			Do.
Do	*Lycopersicum esculentum*	21					Do.
Sterigmatocystis sp	do	2					Do.
Do	*Solanum melongena* (eggplant)	1					Do.
Stilbella flavida	*Gardenia florida* (Cape-jasmine)				3		La.
Stilbum sp	*Citrus sinensis* (orange)	1					Tex.
Do	*Gardenia florida* (Cape-jasmine)				1		La.
Do	do				1		Pa.
Do	do	34		33			Tex.
Stysanus stemonites	*Solanum tuberosum*					1	Ariz.
Do	do					1	Tex.
Tilletia laevis	*Triticum aestivum* (wheat)			1			Ariz.
Tolyposporella brunkii	Andropogoneae (grass)			1			Tex.
Tozosporium sp	*Pinus* sp. (pine)		1				Calif.*
Trichothecium roseum	*Echeveria* sp		1				Do.*
Uromyces appendiculatus	*Phaseolus vulgaris* var	1					Do.*
Do	*Phaseolus* sp. (string bean)	22					Ariz.
Do	do	5					Calif.*
Do	do			2			Tex.
Uromyces caryophyllinus	*Dianthus* sp. (carnation)	2					Do.
Ustilago hordei	*Hordeum vulgare* (barley)	4					Ariz.
Ustilago zeae	*Zea mays* (corn)			1			Calif.
Do	do			2			Tex.
Ustilago sp	do	3					Ariz.
Vermicularia capsici	*Capsicum annuum*			1			Tex.
Vermicularia sp	*Eragrostis* sp	1					N. Y.
Verticillium sp	*Capsicum annuum*	1					Ariz.
Do	*Lycopersicum esculentum*	2					Do.
Do	do			1			Tex.
Do	*Musa* sp. (banana)	2					Do.
Do	*Solanum tuberosum*			1			Do.
MONGOLIA							
Insects:							
Chirothrips similis (thrips)	*Agropyron* sp	40					D. C.
Do	*Allium* sp	3					Do.
Do	*Elymus* sp	21					Do.
Do	*Eragrostis* sp	1					Do.
Do	*Hordeum* sp	3					Do.
Do	*Iris* sp	1					Do.
Do	*Koelaria* sp	2					Do.
Do	Legume	1					Do.

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
MONGOLIA—Continued							
Insects—Continued.							
Chirothrips similis (thrips)	*Melica* sp. (melic-grass)	6					D. C.
Do	*Melilotus* sp. (sweet clover)	5					Do.
Do	*Oryzopsis* sp	1					Do.
Do	*Poa* sp	2					Do.
Do	*Rumex* sp	1					Do.
Do	*Stipa* sp. (spear-grass)	6					Do.
Trypetid	*Rosa* sp	9					Do.
Diseases:							
Claviceps purpurea	*Agropyron* sp	1					Do.
Mycosphaerella sp	do	1					Do.
Ustilago levis	*Avena nuda* (naked oats)	2					Do.
MONTE CARLO							
Insects:							
Thrips flavus (thrips)	*Chrysanthemum* sp			1			N. Y.
MONTSERRAT							
Insects:							
Pectinophora gossypiella (pink bollworm).	*Gossypium* sp. (cotton) (boll)				1		Va.
Targionia hartii (Coccidae)	*Dioscorea* sp. (yam)		1	1			Mass.
Diseases:							
Diplodia natalensis	*Citrus aurantifolia* (lime)	1					N. Y.
Gloeosporium limetticolum	do	1					Do.
Melanconium sacchari	*Saccharum officinarum*			1			Do.
MOROCCO							
Insects:							
Erosoma lusitanica (Chrysomelidae)	*Muscari comosum* (cipollino)	30					Do.
Diseases:							
Bacterium maculicola	*Brassica oleracea capitata*					1	Do.
Oospora sp	*Lycopersicum esculentum*					1	Pa.
Puccinia allii	*Allium porrum* (leek)					1	N. Y.
Do	do					1	Pa.
Sclerotinia sclerotiorum	*Brassica rapa* (turnip)					1	La.
Do	*Daucus carota* (carrot)					1	Do.
Sclerotium oryzae	*Oryza sativa* (rice)	4					N. Y.
Sclerotium sp	*Muscari comosum* (cipollino)	5					Do.
Septoria petroselini	*Petroselinum hortense* (parsley)					1	Do.
MOZAMBIQUE							
Insects:							
Chrysomphalus corticosus (Coccidae)	*Kigelia* sp		1				D. C.
NETHERLANDS							
Insects:							
Agriotes obscurus (Elateridae)	*Helleborus niger* (Christmas-rose).	1					Do.
Ceutorhynchus pleurostigma (turnip gall weevil).	*Brassica rapa* (turnip)					1	N. Y.
Emphytus cinctus (sawfly)	*Rosa chinensis manetti*	2					Conn.*
Do	do	1					N. Y.
Do	do	2					Pa.*
Do	*Rosa* sp	1					N. Y.
Forficula auricularia (European earwig).	*Iris* sp	1					D. C.
Do	*Muscari botryoides* (grape-hyacinth).	1					N. Y.
Gracilaria azaleella (azalea leaf miner).	*Azalea* sp	1					D. C.
Limothrips denticornis (thrips)	*Iris* sp	1					Do.
Macrosiphum kaltenbachii (aphid)	*Allium porrum* (leek)					1	N. Y.
Mamestra brassicae (Noctuidae)	*Brassica oleracea botrytis* (cauliflower).					1	Do.
Do	*Brassica oleracea bullata* (Savoy cabbage).					1	Do.
Parthenothrips dracaenae (thrips)	Palm				1		Do.
Rhopalosiphoninus tulipaella (aphid)	*Muscari* sp	1					Md.
Thrips nigropilosus (thrips)	*Aster* sp	1					D. C.

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
NETHERLANDS—Continued							
Diseases:							
Alternaria brassicae	*Brassica oleracea capitata*	1					Md.
Do	do					2	N. Y.
Do	do					1	Va.
Do	*Lactuca sativa* (lettuce)					1	Pa.
Alternaria herculea	*Brassica oleracea capitata*					1	Md.
Do	do					1	Mass.
Amphichaeta sp	*Rosa chinensis manetti*	1					N. Y.
Aphelenchoides limberi	*Iris* sp		1				D. C.
Ascochyta sp	*Galanthus* sp	1					Pa.
Aspergillus ochraceus	*Solanum tuberosum*					1	Tex.
Bacterium campestre	*Brassica oleracea capitata*					1	Md.
Bacterium hyacinthi	*Hyacinthus* sp	1					N. Y.
Bacterium maculicola	*Brassica oleracea botrytis* (cauliflower).					1	Md.
Do	*Brassica oleracea capitata*					1	La.
Do	do					3	Md.
Do	do					2	Mass.
Do	do					2	Pa.
Do	do					1	Va.
Do	*Brassica oleracea gemmifera* (brussels sprouts).					2	N. Y.
Do	do					2	Pa.
Bacterium marginatum	*Gladiolus sp.*	1					D. C.
Botrytis allii	*Allium cepa* (onion)					1	N. Y.
Botrytis cinerea	do					1	Ala.
Do	do					2	La.
Do	do					4	Pa.
Do	do					1	Tex.
Do	do					3	Va.
Do	*Allium porrum* (leek)					1	Do.
Do	*Brassica oleracea capitata*					1	Mass.
Do	do					2	Va.
Do	*Brassica rapa* (turnip)					1	La.
Do	*Daucus carota* (carrot)					2	Md.
Do	do					1	Pa.
Do	do					2	Tex.
Do	do					2	Va.
Do	*Pastinaca sativa* (parsnip)					1	Do.
Do	*Rheum* sp. (rhubarb)					1	Do.
Do	*Solanum tuberosum*					1	Tex.
Do	*Vitis* sp. (grape)					1	N. Y.
Botrytis galanthina	*Galanthus nivalis* (snowdrop)	25					Do.
Brachysporium sp	*Hyacinthus* sp	1					Do.
Bremia lactucae	*Lactuca sativa* (lettuce)					1	Do.
Cercospora apii	*Apium graveolens* (celery)					1	Do.
Cladosporium carpophilum	*Amygdalus persica* (peach)					1	Do.
Cladosporium fulvum	*Lycopersicum esculentum*					1	Miss.
Coleosporium campanulae	*Campanula persicifolia*	1					D. C.
Colletotrichum atramentarium	*Solanum tuberosum*					1	La.
Do	do					1	Tex.
Colletotrichum omnivorum	*Aspidistra lurida* (aspidistra)				2		N. Y.
Colletotrichum sp	*Eurya japonica*				1		Wash.
Cytospora sp	*Salix* sp. (willow)	1					N. Y.
Ditylenchus dipsaci	*Chionodoxa luciliae* (glory-of-the-snow).	1					Pa.
Do	*Hyacinthus* sp	1					N. Y.
Do	*Iris* sp	30	1				D. C.
Do	*Muscari botryoides* (grape-hyacinth).	1					N. Y.
Do	*Narcissus* sp	3	3				D. C.
Do	*Scilla* sp. (squill)	1					N. Y.
Do	*Solanum tuberosum*					1	La.
Do	do					1	Mass.
Do	*Tigridia canariensis*	1					D. C.
Do	*Tigridia pavonia alba*	1					Do.
Do	*Tigridia* sp	1	1				Do.
Hendersonia sp	*Rosa chinensis manetti*	1					N. Y.
Heterosporium allii	*Allium porrum* (leek)					1	Md.
Do	do					1	Pa.
Macrophoma candollei	*Buxus* sp. (box)	1					N. Y.
Macrosporium sarcinula	*Hyacinthus* sp	1					Do.
Monochaetia sp	*Rosa multiflora* (Japanese rose)	1					Do.
Mycosphaerella brassicicola	*Brassica oleracea botrytis* (cauliflower).					3	Do.

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
NETHERLANDS—Continued							
Diseases—Continued.							
Mycosphaerella fragariae	*Fragaria* sp. (strawberry)			1			N. Y.
Penicillium gladioli	*Crocus* sp	1					Pa.
Peronospora parasitica	*Brassica oleracea botrytis*					1	Md.
Do	*Raphanus sativus* (radish)					1	N. Y.
Pestalozzia sp	*Rhododendron* sp	1					D. C.
Phoma lingam	*Brassica oleracea capitata*					1	Md.
Do	do					1	Mass.
Phyllosticta sp	*Ilex perado aurea*		1				D. C.
Phytophthora sp	*Lilium* sp	1					N. Y.
Pratylenchus pratensis	*Allium porrum* (leek)					1	Pa.
Do	*Beta vulgaris* (beet)					1	Va.
Do	*Daucus carota* (carrot)					2	Tex.
Puccinia graminis	*Triticum aestivum* (wheat)	1				1	Md.
Do	do	5					N. Y.
Puccinia hieracii	*Cichorium intybus* (witloof)					1	Do.
Puccinia rubigo-vera tritici	*Triticum aestivum*					1	Md.
Do	do	3	2				N. Y.
Puccinia sp	*Lactuca sativa* (lettuce)					1	Va.
Do	*Triticum aestivum*	1					N. Y.
Pythium sp	*Daucus carota* (carrot)					1	Md.
Do	do					1	Pa.
Do	do					1	Va.
Rhizoctonia violaceae	*Crocus* sp	1					N. Y.
Rhizoctonia sp	*Brassica rapa* (turnip)					1	La.
Do	*Lilium regale* (regal lily)		1				Pa.
Sclerotinia gladioli	*Gladiolus* sp		1				D. C.
Sclerotinia sclerotiorum	*Beta vulgaris* (beet)					1	Pa.
Do	do					2	Tex.
Do	*Brassica rapa* (turnip)					1	La.
Do	*Daucus carota* (carrot)					1	Ala.
Do	do					3	Md.
Do	do					8	La.
Do	do					2	N. Y.
Do	do					2	Pa.
Do	do					6	Tex.
Do	do					4	Va.
Sclerotinia sp	*Beta vulgaris* (beet)					1	La.
Do	*Lactuca sativa* (lettuce)					1	Va.
Sclerotium cepivorum	*Allium cepa* (onion)					1	N. Y.
Sclerotium sp	*Daucus carota* (carrot)					1	Do.
Do	*Gladiolus* sp		1				D. C.
Do	*Lilium* sp	1					N. Y.
Do	*Tritonia* sp	3					D. C.
Septoria apii	*Apium graveolens* (celery)					5	N. Y.
Do	do					1	Pa.
Do	*Apium graveolens rapaceum* (celeriac).					1	Do.
Septoria azaleae	*Azalea* sp	1					D. C.
Septoria gladioli	*Crocus* sp	1					Mich.
Do	do	1					N. Y.
Do	do	2					Pa.
Septoria petroselini	*Petroselinum hortense* (parsley)					2	N. Y.
Sphaeronema sp	*Narcissus* sp	1	1				D. C.
Spondylocladium sp	*Daucus carota* (carrot)					1	Tex.
Stemphylium sp	*Chionodoxa* sp. (glory-of-the-snow).	1					Mass.
Stysanus stemonites	*Solanum tuberosum*					1	Va.
Do	do					1	Tex.
Urocystis colchici	*Colchicum autumnale album plenum.*	1					D. C.
Do	*Colchicum byzantinum*	1					Do.
Uromyces appendiculatus	*Phaseolus* sp. (string bean)			1			N. Y.
Ustilago grandis	*Typha angustifolia* (narrowleaf cattail).	1					Do.
Venturia pyrina	*Pyrus communis* (pear)					1	Do.
Verticillium albo-atrum	*Dahlia* sp		1				D. C.
Verticillium sp	*Daucus carota* (carrot)					1	Tex.
Do	*Fritillaria imperialis* (crown-imperial).	1					N. Y.
Volutella sp	*Kniphofia* sp	1					D. C.

List, by countries, of pests collected and reported from July 1, 1935, to June 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
NEVIS							
Insects:							
Coccus viridis (Coccidae)	*Polyscias guilfoylei victoriae*		2				N. Y.
Lepidosaphes lasianthi (Coccidae)	*Codiaeum* sp. (croton)		1				Do.
Diseases:							
Thielaviopsis paradoxa	*Dracaena* sp		1				Do.
NEWFOUNDLAND							
Insects:							
Olethreutid	*Vaccinium vitis-idaea* (lingonberry).	3					Ill.
Do	do	14					Mich.
Do	do	2					N. Y.
Diseases:							
Chrysomyxa sp	do	1					Mich.
Phomopsis vaccinii	*Vaccinium* sp. (blueberry)	1					N. Y.
Septoria sp	do	1					Do.
Sporonema oxycocci	do	1					Do.
NEW GUINEA							
Insects:							
Targionia sacchari (Coccidae)	*Saccharum officinarum*	1					D. C.
Diseases:							
Diplodia sp	do	1					Do.
NEW ZEALAND							
Insects:							
Lepidosaphes conchiformis (Coccidae).	*Malus sysvestris* (apple)	1					N. Y.
Taeniothrips simplex (gladiolus thrips).	*Gladiolus* sp		1				Calif.*
Diseases:							
Bacterium marginatum	*Gladiolus* sp		3				D. C.
Claviceps purpurea	*Lolium* sp. (ryegrass)		1				Do.
Mycosphaerella brassicicola	*Brassica oleracea capitata*					1	N. Y.
Septoria apii	*Apium graveolens* (celery)					1	Do.
NICARAGUA							
Insects:							
Acanthoscelides bixae (Bruchidae)	*Bixa orellana* (anatto-tree)		1				D. C.
Acidomeria rustica (Coreidae)	Orchid		1				Do.
Eurycipitia floridula (Miridae)	*Epidendrum aromaticum* (orchid).		1				Do.
Metamasius sericeus (silky cane weevil).	Banana debris	10					La.
Do	*Musa* sp. (banana)	1					Do.
Psychid	Banana debris	7					Do.
Do	*Musa* sp. (banana)	3					Do.
Diseases:							
Gloeosporium marillariae	*Lycaste* sp. (orchid)		1				P. R.
Gloeosporium sp	Orchid		1				D. C.
Schizophyllum commune	*Guaiacum officinale* (lignum-vitae).	1					Calif.*
NORWAY							
Insects:							
Chrysomphalus dictyospermi var. (Coccidae).	Palm				1		Pa.
Diseases:							
Alternaria herculea	*Brassica rapa* (turnip)					1	Md.
Arthrobotrys sp	do					1	La.
Bacterium maculicola	*Brassica oleracea capitata*					4	Md.
Do	do					1	Pa.
Botrytis cinerea	*Allium cepa* (onion)					2	Ala.
Do	do					3	Pa.
Do	do					2	Va.
Do	*Brassica campestris* (rutabaga)					1	La.
Do	*Brassica rapa* (turnip)					1	Do.
Do	*Daucus carota* (carrot)					1	Ala.
Do	do					3	La.
Do	do					1	Md.
Do	do					1	Pa.
Do	do					2	Va.
Ditylenchus dipsaci	*Solanum tuberosum*					1	Tex.
Mycosphaerella schoenoprasi	*Allium porrum* (leek)					1	Pa.

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
NORWAY—Continued							
Diseases—Continued.							
Phyllosticta hedericola	*Hedera helix* (English ivy)				1		N. Y.
Phyllosticta solitaria	*Malus sylvestris* (apple)		1				Do.
Phyllosticta sp.	*Triticum aestivum* (wheat)					1	Md.
Puccinia sp.	do					1	Do.
Pythium sp.	*Allium porrum*					1	Pa.
Sclerotinia sclerotiorum	*Apium graveolens* (celery)					1	Tex.
Do.	do					1	Va.
Do.	*Beta vulgaris* (beet)					1	La.
Do.	do					1	Pa.
Do.	*Brassica rapa* (turnip)					1	La.
Do.	*Daucus carota* (carrot)					1	Ala.
Do.	do					1	La.
Do.	do					2	Md.
Do.	do					1	Mass.
Do.	do					2	Pa.
Do.	do					1	Tex.
Do.	do					3	Va.
Ustilago caricis	*Carex* sp. (sedge)		1				Wash.
NOVA SCOTIA							
Diseases:							
Ascochyta sp.	*Aquilegia* sp. (columbine)			1			Calif.*
Cytospora delicatula	*Vaccinium* sp.			1			Do.*
Dendrophoma sp.	*Acer* sp. (maple)			1			Do.*
Lophodermium pinastri	*Pinus strobus* (white pine)			1			Do.*
Microsphaera alni	*Carpinus caroliniana* (hornbean).			1			Do.*
Phyllosticta minutella	*Acer* sp. (maple)			2			Do.*
Rhytisma acerinum	do			1			Do.*
ORIENT							
Insects:							
Callidium rufipenne (Cerambycidae).	On pier among baggage			1			Hawaii.*
Hercothrips femoralis (thrips)	*Lilium* sp.				1		Do.*
Nephotettix apicalis (Cicadellidae)	do				1		Do.*
Diseases:							
Bacterium citri	*Citrus sinensis* (orange)				1		Wash.
Diplodia natalensis	*Citrus aurantifolia* (lime)					1	Calif.*
PALESTINE							
Insects:							
Ceratitis capitata (Mediterranean fruit fly).	*Citrus grandis* (grapefruit)					1	Mass.
Do.	do					2	N. Y.
Do.	*Citrus sinensis* (orange)					1	Md.
Do.	do					1	N. Y.
Do.	do					1	Pa.
Ceratitis sp. (Trypetidae)	*Citrus grandis*			1			N. Y.
Do.	In suitcase containing grapefruit.			1			Do.
Parlatoria blanchardii (Coccidae)	*Phoenix dactylifera* (date)	1					Do.
Phoenicococcus marlatti (Coccidae)	do	1					Do.
Diseases:							
Capnodium citri	*Citrus sinensis* (orange)					1	Md.
Do.	do					1	Pa.
Phoma sp.	do			1			N. Y.
Puccinia rubigo-vera tritici	*Triticum aestivum* (wheat)	1					Do.
Puccinia sp.	do	1					Do.
Septoria citri	*Citrus sinensis* (orange)					1	Md.
PANAMA							
Insects:							
Anastrepha acidusa (West Indian fruit fly).	Banana debris	1					Calif.*
Anastrepha silvai (Trypetidae)	do	1					Do.*
Anastrepha sp. (Trypetidae)	do	1					Do.*
Aspidiotus destructor (Coccidae)	*Musa* sp. (banana)	1					N. Y.
Chrysomphalus perseae (Coccidae)	do	1					Calif.*
Furcaspis biformis (Coccidae)	*Epidendrum atropurpureum* (orchid).	1					Hawaii.*
Do.	Orchid		1				Calif.*

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
PANAMA—Continued							
Insects—Continued.							
Metamasius sericeus (silky cane weevil).	Banana debris	1					Ala.
Do	do	5					Calif.*
Do	do	4					La.
Do	do	1					N. Y.
Do	*Musa* sp. (banana)	2					Ala.
Do	do	40					Calif.*
Pseudoparlatoria ostreata (Coccidae)	*Carica papaya* (papaya)					1	Mass.
Psychid	Banana debris	5					Ala.
Do	do	6					N. Y.
Do	do	1					S. C.
Do	*Musa* sp. (banana)	2					Ala.
Do	do	1					N. Y.
Toxotrypana curvicauda (papaya fruit fly).	*Carica papaya* (papaya)					1	Calif.*
Do	do					1	Md.
Diseases:							
Capnodium citri	*Citrus grandis* (grapefruit)					1	Wash.
Capnodium sp	*Saccharum officinarum*			1	1		Md.
Colletotrichum sp	Orchid			1			Calif.*
Diplocarpon rosae	*Rosa*, sp					1	N. Y.
Gloeosporium limetticolum	*Citrus aurantifolia* (lime)	1					Calif.*
Gloeosporium musarum	*Musa* sp. (banana)				1		Md.
Gloeosporium sp	Orchid			1			Calif.*
Mycosphaerella musae	*Musa* sp. (banana)	2					N. Y.
Oospora lactis parasitica	*Lycopersicum esculentum*					1	Va.
Phoma sp	*Theobroma cacao* (cacao)				1		La.
Septobasidium sp	*Citrus sinensis* (orange)					1	Va.
Sphaceloma fawcettii	*Citrus limonia* (lemon)					1	Pa.
Do	*Citrus sinensis*					1	Calif.*
Thielaviopsis paradoxa	*Musa* sp. (banana)	16					N. Y.
Do	*Saccharum officinarum*				1		La.
Do	do			1	2		Md.
Verticillium sp	*Musa paradisiaca* (plantain)	1					N. Y.
PERU							
Insects:							
Crophius leucocnemis (Lygaeidae)	In box of cacti	1					D. C.
Dinoderus bifoveolatus (Bostrichidae)	Wood		1				Do.
Do	do		1				N. Y.
Hemichionaspis minor strachani (Coccidae).	*Citrus aurantifolia* (lime)	1					Do.
Pseudoparlatoria parlatorioides (Coccidae).	*Brassavola* sp. (orchid)	1					D. C.
Do	*Cypripedium clinkaberryanum*	1					Do.
Diseases:							
Gloeosporium sp	*Tillandsia* sp	1					Calif.*
Melanconium sacchari	*Saccharum officinarum*			1			N. Y.
Mycosphaerella sp	*Cereus roseiflorus* (cactus)	1					D. C.
Sclerotinia sclerotiorum	*Vicia faba* (broad bean)					1	N. Y.
Thielaviopsis paradoxa	*Saccharum officinarum*			1			Do.
PHILIPPINES							
Insects:							
Aspidiotus destructor (Coccidae)	*Areca catechu* (betel palm)			1			Wash.
Callosobruchus chinensis (Bruchidae)	*Phaseolus* sp. (bean)		1				D. C.
Do	do		1				Hawaii.*
Chilo simplex (Asiatic rice borer)	*Oryza sativa* (rice)	1					Ill.
Chrysomphalus rossi (Coccidae)	*Phalaenopsis amabilis* (orchid)	1					Calif.*
Do	*Phalaenopsis aphrodite* (orchid)	2		1			Do.*
Geotomus pygmaeus (Cydnidae)	Packing around canna			1			Do.*
Hemichionaspis townsendi (Coccidae).	Orchid (several genera)	1	5	4			Hawaii.*
Krisna strigicollis (Cicadellidae)	*Codiaeum* sp. (croton)	1					Calif.*
Lepidosaphes auriculata (Coccidae)	do	1					Do.*
Lophocateres pusillus (Siamese grain beetle).	*Coix* sp		1				D. C.
Mertila malayensis (Miridae)	*Aerides lawrenceae* (orchid)	1					Hawaii.*
Do	*Phalaenopsis sanderiana* (orchid).		1				Do.*
Do	*Renanthera storiei* (orchid)		2				Do.*
Orchidophilus aterrimus (Curculionidae).	Orchid (several genera)	1	3	1			Do.*

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
PHILIPPINES—Continued							
Insects—Continued.							
Orchidophilus peregrinator (Curculionidae).	*Vanda luzonica* (orchid)			1			Calif.*
Parlatoria pseudaspidiotus (Coccidae).	*Vanda joaquimiae* (orchid)	1					Hawaii.*
Do	*Vanda teres* (orchid)		1				Calif.*
Do	do	2					Hawaii.*
Do	*Vanda* sp. (orchid)	1					Do.*
Parlatoria ziziphus (Coccidae)	*Citrus grandis* (pomelo)					1	Calif.*
Phloeobius pallipes (Anthribidae)	Bamboo			1			Do.*
Prays citri (Philippine orange moth)	*Citrus aurantifolia* (lime)					2	Do.
Pseudococcus lilacinus (Coccidae)	*Aerides quinquevulnera* (orchid).		1				Hawaii.*
Do	*Codiaeum* sp. (croton)	1					Calif.*
Do	*Dendrobium ciliatum* (orchid)		1				Hawaii.*
Do	*Dendrobium crumenatum* (orchid).		1				Do.*
Do	*Phalaenopsis amabilis* (orchid)	2					Calif.*
Do	*Phalaenopsis rimestadiana* (orchid).	1					Do.
Do	*Vanda lamellata* (orchid)	1					Hawaii.*
Do	*Vanda sanderiana* (orchid)			2			Do.*
Pseudococcus virgatus (Coccidae)	*Codiaeum* sp. (croton)	1					Calif.*
Do	*Dendrobium crumenatum* (orchid).			1			Hawaii.*
Do	*Phalaenopsis aphrodite* (orchid)	1					Calif.*
Targionia hartii (Coccidae)	*Dioscorea alata* (winged yam)		1				Hawaii.*
Trypetid	*Mangifera indica* (mango)					1	Calif.*
Diseases:							
Aphelenchoides parietinus	*Canna* sp			1			Do.
Capnodium sp	*Mitragyna rotundifolia*	1					N. Y.
Cephalobus elongatus	*Canna* sp			1			Calif.*
Colletotrichum sp	*Phalaenopsis* spp. (orchid)	4	1				Do.*
Gloeosporium sp	*Aerides lawrenceae* (orchid)		1				Do.*
Do	*Euphorbia* sp. (spurge)				1		Pa.
Do	*Phalaenopsis* spp. (orchid)	1	5				Calif.*
Do	*Saccolabium violaceum* (orchid)		1				Do.*
Mendozia bambusina	Bamboo	1					N. Y.
Nectriella sp	Orchid	1					D. C.
Periconia sp	*Mitragyna rotundifolia*	1					N. Y.
Phyllosticta sp	do	1					Do.
Sclerotium oryzae	*Oryza sativa* (rice)	2					Do.
POLAND							
Diseases:							
Bacterium maculicola	*Brassica oleracea capitata*					1	Md.
Botrytis cinerea	do					1	La.
Ditylenchus dipsaci	*Solanum tuberosum*					1	Md.
Oospora sp	*Daucus carota* (carrot)					1	N. Y.
Pythium sp	*Beta vulgaris* (beet)					1	La.
Rhizoctonia sp	*Pastinaca sativa* (parsnip)					1	N. Y.
Sclerotinia sclerotiorum	*Apium graveolens* (celery)					1	Va.
Do	*Daucus carota*					1	N. Y.
Do	do					1	Va.
Do	*Pastinaca sativa* (parsnip)					1	La.
Do	do					1	Md.
Do	*Petroselinum hortense* (parsley)					1	La.
Septoria apii	do					1	Do.
Septoria petroselini	do					2	N. Y.
PORTUGAL							
Insects:							
Baris laticollis (Curculionidae)	*Brassica rapa* (turnip)					1	Pa.
Ceratitis capitata (Mediterranean fruit fly).	*Cydonia oblonga* (quince)			1			N. Y.
Do	*Psidium guajava* (guava)			1			Do.
Cryptoblabes gnidiella (Pyralidae)	*Punica granatum* (pomegranate).			1			Do.
Laspeyresia splendana (Olethreutidae).	*Castanea* sp. (chestnut)	3		2			Do.
Stephanoderes hampei (coffee berry borer).	*Coffea* sp		2				Do.

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
PORTUGAL—Continued							
Diseases:							
Bitter pit	*Malus sylvestris* (apple)					1	Calif.*
Cephalobus symmetricus	*Allium cepa* (onion)					1	Pa.
Cladosporium carpophilum	*Amygdalus persica* (peach)					1	Do.
Phoma sp	*Chayota edulis* (chayote)			1			N. Y.
Puccinia graminis	*Secale cereale* (rye)	1					Pa.
Do	*Triticum aestivum* (wheat)	2					N. Y.
Puccinia rubigo-vera	*Secale cereale*	1					Pa.
Puccinia rubigo-vera tritici	*Triticum aestivum*	3					N. Y.
Puccinia sp	*Avena sativa* (oats)	1					Do.
Do	*Triticum aestivum*	7					Do.
Sclerotinia sclerotiorum	*Chayota edulis* (chayote)			1			Do.
Sclerotium oryzae	*Oryza sativa* (rice)	1				1	Do.
Septoria apii	*Apium graveolens* (celery)					1	Do.
Septoria sp	*Triticiticum aestivum* (wheat)	1					Do.
Vermicularia herbarum	*Dianthus* sp. (carnation)			1			Do.
PRINCE EDWARD ISLAND							
Diseases:							
Botrytis cinerea	*Allium cepa* (onion)					1	Va.
Sclerotinia sclerotiorum	*Brassica rapa* (turnip)					1	Do.
PUERTO RICO							
Insects:							
Anastrepha acidusa (West Indian fruit fly).	*Mangifera indica* (mango)			1			N. Y.
Do	do			1		1	Pa.
Anastrepha suspensa (Trypetidae)	*Psidium guajava* (guava)			3	1		N. Y.
Anastrepha sp. (Trypetidae)	*Achras sapota* (sapodilla)					1	Do.
Do	*Mangifera indica* (mango)			2			Do.
Do	do			1			Pa.
Do	*Psidium guajava* (guava)		1	2			N. Y.
Aspidictus cocotiphagus (Coccidae)	*Cocos nucifera* (coconut)			1			Tex.
Do	*Musa paradisiaca* (plantain)	1					N. Y.
Do	*Spondias dulcis* (golden apple)			1			Do.
Do	*Tamarindus indica* (tamarind)			1			Do.
Aspidiotus destructor (Coccidae)	Legume	1					Do.
Do	*Musa* sp. (banana)			1			Do.
Aspidiotus herculeanus (Coccidae)	*Annona muricata* (soursop)			1			Do.
Do	*Spondias cytherea* (vi-apple)	1					Do.
Callosobruchus chinensis (Bruchidae).	*Cajanus indicus* (pigeon pea)		1				Do.
Chrysomphalus dictyospermi var. (Coccidae).	Bromeliaceae		1				D. C.
Coccus acuminatus (Coccidae)	Fern				1		N. Y.
Do	*Gardenia florida* (Cape-jasmine).				1		Do.
Coccus mangiferae (Coccidae)	do				1		Do.
Do	*Mangifera indica* (mango)			1			Do.
Coccus viridis (Coccidae)	*Gardenia florida*				4		Do.
Cylas formicarius (sweetpotato weevil).	*Ipomoea batatas* (sweetpotato)					1	Pa.
Euscepes batatae (West Indian sweetpotato weevil).	do	1		1			N. Y.
Do	Soil around sweetpotatoes					1	Pa.
Frankliniella williamsi (thrips)	*Gardenia florida* (Cape-jasmine).			1			N. Y.
Haplothrips gowdeyi (thrips)	*Citrus* sp	1					Do.
Hemichionaspis minor strachani (Coccidae).	*Annona muricata* (soursop)			2	1		Do.
Do	*Annona reticulata* (custard-apple).			2			Do.
Do	*Chrysalidocarpus madagascariensis.*		1				D. C.
Leucoptera coffeella (Gracilariidae)	*Coffea* sp			1			Fla.*
Parachalepus barbatus (Scarabaeidae).	*Mangifera indica* (mango)		1				N. Y.
Pinnaspis buxi (Coccidae)	Palm				1		Do.
Pseudoparlatoria ostreata (Coccidae)	*Carica papaya* (papaya)					1	Pa.
Pulvinaria psidii (Coccidae)	*Gardenia florida* (Cape-jasmine).				1		N. Y.

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
PUERTO RICO—Continued							
Insects—Continued.							
Stephanoderes buscki (Scolytidae)	*Chrysalidocarpus madagascariensis.*	----	1	----	----	----	D. C.
Do	*Coffea* sp	----	1	----	----	----	Do.
Do	*Tamarindus indica* (tamarind)	1	----	----	----	----	N. Y.
Targionia sacchari (Coccidae)	*Saccharum officinarum*	----	----	----	1	----	Ga.
Do	do	----	----	2	----	----	N. Y.
Do	do	----	----	----	2	----	Pa.
Trypetid	*Punica granatum* (pomegranate).	1	----	----	----	----	N. Y.
Vinsonia stellifera (Coccidae)	*Citrus* sp	1	----	----	----	----	Do.
Do	*Garcinia* sp	1	----	1	----	----	Do.
Do	*Gardenia florida* (Cape-jasmine).	----	----	1	----	----	Do.
Diseases:							
Bacterium vesicatorium	*Capsicum annuum*	----	----	----	----	1	Do.
Do	*Lycopersicum esculentum*	----	----	----	----	3	Do.
Capnodium citri	*Citrus grandis* (grapefruit)	----	----	----	----	1	Md.
Do	do	----	----	----	----	2	Pa.
Do	do	----	----	----	----	2	Va.
Do	*Citrus sinensis* (orange)	----	----	----	----	1	Mass.
Do	do	----	----	----	----	2	Pa.
Capnodium sp	*Saccharum officinarum*	----	----	----	1	----	La.
Do	do	----	----	1	1	----	Pa.
Do	do	----	----	----	1	----	Va.
Ceratostomella fimbriata	*Ipomoea batatas* (sweetpotato)	----	----	----	----	1	N. Y.
Cercospora capsici	*Capsicum annuum*	----	----	----	----	1	Do.
Cercospora sp	*Coriandrum* sp. (coriander)	----	----	1	----	----	Do.
Colletotrichum cajani	*Cajanus indicus* (pigeon pea)	1	1	2	----	----	Do.
Colletotrichum nigrum	*Capsicum annuum*	1	----	----	1	----	Do.
Diplocarpon rosae	*Rosa* sp	----	----	----	3	----	Pa.
Diplodia cacaoicola	*Artocarpus communis* (breadfruit).	----	----	----	1	----	N. Y.
Do	*Cocos nucifera* (coconut)	----	----	2	----	----	Do.
Do	*Musa* sp. (banana)	----	----	1	----	----	Do.
Diplodia natalensis	*Citrus grandis* (grapefruit)	----	----	----	----	1	Pa.
Diplodia tubericola	*Xanthosoma* sp. (yautia)	----	----	----	1	----	Do.
Gloeosporium musarum	*Musa* sp. (banana)	2	----	1	----	----	N. Y.
Gloeosporium sp	*Artocarpus incisa* (breadfruit)	----	----	1	----	----	Do.
Do	*Sterculia apetala*	----	1	----	----	----	Do.
Helminthosporium sp	*Musa* sp. (banana)	----	----	2	----	----	Do.
Leptosphaeria sp	*Oryza sativa* (rice)	----	----	1	----	----	Do.
Melanconium sacchari	*Saccharum officinarum*	----	----	1	----	----	Do.
Oospora citri-aurantii	*Citrus grandis* (grapefruit)	----	----	----	----	1	Pa.
Pestalozzia guepini	*Musa* sp. (banana)	----	----	1	----	----	N. Y.
Pestalozzia sp	*Achras sapota* (sapodilla)	1	----	----	----	----	Do.
Do	*Chrysophyllum cainito* (star-apple).	----	----	----	1	----	Do.
Do	*Gardenia florida* (Cape-jasmine)	----	----	1	----	----	Do.
Do	*Punica granatum* (pomegranate).	----	----	1	----	----	Do.
Phoma destructiva	*Lycopersicum esculentum*	----	----	----	----	1	Do.
Phomopsis cocoes	*Cocos nucifera* (coconut)	----	----	1	----	----	Do.
Phyllosticta sp	*Codiaeum* sp. (croton)	----	----	----	1	----	Ala.
Do	*Gardenia florida*	----	----	1	----	----	N. Y.
Do	Malvaceae	----	----	1	----	----	Do.
Plasmopara sp	*Sterculia apetala*	----	----	1	----	----	Do.
Puccinia cannae	*Canna* sp	----	----	1	----	----	Do.
Puccinia sp	*Triticum aestivum* (wheat)	1	----	----	----	----	Do.
Sphaceloma fawcettii	*Citrus aurantifolia* (lime)	----	----	----	----	1	Calif.*
Do	do	----	----	----	----	1	N. Y.
Do	*Citrus grandis* (grapefruit)	----	----	----	----	1	Fla.*
Do	do	----	----	----	----	7	Md.
Do	do	----	----	----	----	1	Mass.
Do	do	----	----	1	----	1	N. Y.
Do	do	----	----	----	----	3	Pa.
Do	do	----	----	----	----	2	Va.
Do	*Citrus limonia* (lemon)	----	----	----	----	1	Pa.
Sphaeronema sp	*Zingiber officinale* (ginger)	----	----	1	----	----	N. Y.
Thielaviopsis paradoxa	*Saccharum officinarum*	3	----	6	2	----	Do.
Torula sp	*Musa* sp. (banana)	----	----	----	1	----	Do.
Trichosporum sp	do	----	----	----	1	----	Do.
Uredo jatrophicola	*Jatropha* sp	----	----	1	----	----	Do.
Ustilago sp	*Trithacline insularis*	1	----	----	----	----	Do.
Verticillium sp	*Zingiber officinale* (ginger)	1	----	----	----	----	Do.

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
RHODESIA							
Insects:							
Hercothrips bicinctus (thrips)	*Stapelia* sp	----	1	----	----	----	D. C.
Diseases:							
Claviceps microcephala	*Cynodon dactylon* (magennis grass).	----	1	----	----	----	Do.
Do	Grass	----	1	----	----	----	Do.
ST. KITTS							
Insects:							
Asterolecanium miliaris longum (Coccidae).	*Cymbopogon nardus* (sweet grass).	----	1	----	----	----	N. Y.
Hemichionaspis minor strachani (Coccidae).	*Prunus laurocerasus*	----	2	----	----	----	Do.
Targionia hartii (Coccidae)	*Dioscorea* sp. (yam)	----	----	1	----	----	Do.
Targionia sacchari (Coccidae)	*Saccharum officinarum*	----	----	1	----	----	Do.
Diseases:							
Diplodia natalensis	*Citrus sinensis* (orange)	----	----	----	----	1	Tex.
Melanconium sacchari	*Saccharum officinarum*	----	----	1	----	----	N. Y.
Thielaviopsis paradoxa	do	----	----	1	----	----	Do.
Do	Wood	----	1	----	----	----	Do.
ST. LUCIA							
Insects:							
Coccus viridis (Coccidae)	*Citrus aurantifolia* (lime)	1	----	----	----	----	Do.
Hemichionaspis minor strachani (Coccidae).	do	3	----	----	----	----	Do.
Lepidosaphes lasianthi (Coccidae)	*Aucuba* sp	----	----	1	----	----	Do.
Do	*Codiaeum* sp. (croton)	----	----	----	1	----	Do.
Marmara sp. (Gracilariidae)	*Citrus aurantifolia*	1	----	----	----	----	Do.
Do	*Citrus sinensis* (orange)	----	----	----	1	----	Pa.
Parlatoria crotonis (Coccidae)	*Codiaeum* sp. (croton)	----	----	----	1	----	N. Y.
Do	*Nerium oleander* (oleander)	----	----	----	1	----	Do.
Pseudaonidia trilobitiformis (Coccidae).	*Brownea grandiceps*	1	----	----	----	----	P. R.
Do	*Citrus grandis* (grapefruit)	----	----	----	1	----	Md.
Do	*Punica granatum* (pomegranate).	----	----	1	----	----	N. Y.
Pseudococcus virgatus (Coccidae)	*Ananas sativus*	----	----	----	1	----	Do.
Targionia hartii (Coccidae)	*Dioscorea* sp. (yam)	----	----	1	----	----	Do.
Diseases:							
Diplodia natalensis	*Citrus aurantifolia* (lime)	28	----	----	----	----	Do.
Do	do	----	----	----	1	----	Pa.
Do	*Musa* sp. (banana)	----	----	----	1	----	Do.
Gloeosporium limetticolum	*Citrus aurantifolia*	3	----	----	----	----	N. Y.
Phoma sp	*Citrus aurantifolia* (lime)	1	----	----	----	----	Do.
Thielaviopsis paradoxa	*Saccharum officinarum*	----	----	----	1	----	Do.
ST. VINCENT							
Insects:							
Targionia hartii (Coccidae)	*Dioscorea* sp. (yam)	----	----	2	----	----	Do.
Diseases:							
Alternaria brassicae	*Brassica oleracea capitata*	----	----	----	----	1	Md.
Capnodium citri	*Citrus aurantifolia*	----	----	----	----	1	Mass.
Do	*Citrus sinensis* (orange)	----	----	----	----	1	Md.
Diplodia tubericola	*Ipomoea batatas* (sweetpotato)	----	----	----	----	1	Mass.
Thielaviopsis paradoxa	*Saccharum officinarum*	----	----	1	----	----	N. Y.
Verticillium sp	*Musa* sp. (banana)	----	----	----	----	1	Do.
SALVADOR							
Insects:							
Chrysomphalus personatus (Coccidae).	*Cocos nucifera* (coconut)	----	----	----	1	----	Calif.*
SCOTLAND							
Insects:							
Acalypta parvula (Tingitidae)	Sphagnum moss packing around rose cuttings.	----	1	----	----	----	Pa.
Ceutorhynchus ericae (Curculionidae).	*Calluna vulgaris* (heather)	----	2	----	----	----	Md.
Do	do	1	1	----	----	----	N. Y.
Do	do	----	6	----	----	----	Pa.
Myzus ornatus (aphid)	*Primula* sp. (primrose)	----	1	----	----	----	D. C.
Myzus polyanthi (aphid)	Soil around primrose plant	----	1	----	----	----	N. Y.
Orthezia cataphracta (Coccidae)	Sphagnum moss packing around rose cuttings.	----	1	----	----	----	Pa.

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
SCOTLAND—Continued							
Insects—Continued.							
Taeniothrips atratus (thrips)	*Brassica oleracea gemmifera* (brussels sprouts).					1	N. Y.
Taeniothrips ericae (thrips)	*Calluna vulgaris* (heather)		1	1			Md.
Do	do		2	2			N. Y.
Do	do		26				Pa.
Thrips flavus (thrips)	do		1				N. Y.
Tingis cardui (Tingitidae)	*Onopordon acanthium* (thistle)		1				Do.
Ulopa reticulata (Cicadellidae)	*Calluna vulgaris* (heather)	1					Do.
Do	do		1				Pa.
Diseases:							
Alternaria herculea	*Brassica oleracea botrytis* (cauliflower).					1	Do.
Bacterium maculicola	*Brassica oleracea capitata*					1	Md.
Do	do					1	N. Y.
Do	do					1	Pa.
Do	do					1	Tex.
Do	*Brassica oleracea gemmifera* (brussels sprouts).					1	N. Y.
Bacterium marginatum	*Gladiolus* sp.		2				D. C.
Botrytis cinerea	*Allium porrum* (leek)					1	Pa.
Do	*Brassica oleracea capitata*					1	Do.
Do	*Cucumis sativus* (cucumber)					1	N. Y.
Do	*Daucus carota* (carrot)					1	Ala.
Do	do					1	Pa.
Oospora pustulans	*Solanum tuberosum*					1	Ga.
Do	do					1	Tex.
Do	do					1	Va.
Oospora sp.	do					1	La.
Phoma sp.	*Brassica oleracea botrytis* (cauliflower).					1	N. Y.
Puccinia graminis	*Triticum aestivum* (wheat)	1				1	Md.
Do	do	2					N. Y.
Puccinia rubigo-vera tritici	do	1					Md.
Do	do	1					N. Y.
Puccinia sp.	do	7					Do.
Do	do	1					Pa.
Rhizoctonia sp.	*Beta vulgaris* (beet)					1	Va.
Sclerotinia sclerotiorum	*Daucus carota* (carrot)					2	Md.
Do	do					2	Pa.
Do	do					3	Tex.
Do	do					3	Va.
Sclerotinia sp.	*Allium cepa* (onion)					1	Ala.
Septoria apii	*Apium graveolens* (celery)					1	Md.
Do	do					2	N. Y.
Do	do					2	Pa.
Septoria betulina	*Betula* sp.		1				Do.
Uredo sp.	*Allium porrum* (leek)					1	Mass.
Do	do					1	N. Y.
SEYCHELLES							
Insects:							
Dactylosterum abdominale (Hydrophilidae).	*Lodoicea maldivica* (double coconut).	1					Hawaii.*
SIAM							
Insects:							
Hemichionaspis townsendi (Coccidae).	*Dendrobium* sp. (orchid)		1				D. C.
Do	*Vanda* sp. (orchid)		1				Do.
Pectinophora gossypiella (pink bollworm).	*Gossypium* sp. (cottonseed)	1					Pa.
Diseases:							
Diplodia sp.	Orchid		1				N. Y.
Sclerotinia sclerotiorum	*Daucus carota* (carrot)					1	Va.
Sclerotium oryzae	*Oryza sativa* (rice)			1			N. Y.
Tilletia horrida	do		2				Wash.
SIERRA LEONE							
Insects:							
Aleyrodes brassicae (whitefly)	*Brassica oleracea capitata*					1	Va.
Hemichionaspis minor strachani (Coccidae)	*Manihot esculenta* (cassava)		1				D. C.
Diseases:							
Sphaeropsis sp.	*Ipomoea batatas* (sweetpotato)					1	Mass.

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
SOCIETY ISLANDS							
Insects:							
Trionymus sacchari (Coccidae)	*Saccharum officinarum*		1				D. C.
SOUTHWEST AFRICA							
Insects:							
Chionaspis humilis (Coccidae)	*Haworthia cuspidata*		1				Do.
Diseases:							
Diplodia sp.	*Stapelia grandis*		1				Calif.*
Gloeosporium sp.	*Stapelia gigantea*		1				Do.*
Microdiplodia sp.	*Huernia* sp.		1				Do.*
Phoma sp.	*Stapelia* sp.		1				Do.*
SPAIN							
Insects:							
Acrolepia assectella (Plutellidae)	*Allium porrum* (leek)					1	Pa.
Aleyrodes brassicae (whitefly)	*Brassica oleracea capitata*					1	Md.
Brachycerus algirus (garlic weevil)	*Allium sativum* (garlic)	1					P. R.
Ceratitis capitata (Mediterranean fruit fly).	*Amygdalus persica* (peach)			1		1	Mass.
Do	*Citrus grandis* (grapefruit)	1					N. Y.
Do	do					1	Pa.
Do	do					1	P. R.
Do	*Citrus sinensis* (orange)	1				3	N. Y.
Do	do					1	Pa.
Do	*Malus sylvestris* (apple)					1	Do.
Do	*Prunus armeniaca* (apricot)					1	N. Y.
Do	*Pyrus communis* (pear)			1			Do.
Do	do					1	Pa.
Do	do					2	P. R.
Do	*Vitis* sp. (grape)				1		N. Y.
Do	In solution of sulphur dioxide containing oranges.	1					Md.
Do	In box of blood oranges					1	N. Y.
Do	On paper bag containing apricots.					1	Do.
Chilo simplex (Asiatic rice borer)	*Oryza sativa* (rice)	2		1			Do.
Do	do			1			P. R.
Chrysomphalus dictyospermi var. (Coccidae).	*Buxus* sp. (box)				1		N. Y.
Do	*Citrus limonia* (lemon)					1	Tex.
Do	*Citrus sinensis* (orange)					1	Pa.
Do	*Citrus* sp.					1	N. Y.
Do	*Euonymus* sp.				4		Do.
Do	Palm				1		Do.
Cryptoblabes gnidiella (Pyralidae)	*Punica granatum* (pomegranate).				1		Md.
Dicyphus annulatus (Miridae)	*Lactuca sativa* (lettuce)					1	N. Y.
Forficula auricularia (European earwig).	*Allium sativum* (garlic)	1					Do.
Laspeyresia splendana (Olethreutidae).	*Castanea* sp. (chestnut)			1			Do.
Do	do			1		1	P. R.
Liparus coronatus (Curculionidae)	*Daucus carota* (carrot)					1	Md.
Parlatoria oleae (Coccidae)	*Malus sylvestris* (apple)					2	N. Y.
Do	do					1	P. R.
Do	*Rosa* sp.		1				D. C.
Phloeotribus scarabaeoides (Scolytidae).	Wood	1					N. Y.
Psylliodes chrysocephala (Chrysomelidae).	*Brassica rapa* (turnip)					1	Pa.
Do	*Raphanus sativus* (radish)					1	Do.
Do	*Solanum tuberosum*					1	Ala.
Pyrausta nubilalis (European corn borer).	*Capsicum annuum*					1	Mass.
Rhagoletis cerasi (Trypetidae)	In empty fruit locker					1	N. Y.
Rhagoletis sp. (Trypetidae)	*Prunus* sp. (cherry)				2		Tex.
Thrips angusticeps (thrips)	*Cichorium intybus* (witloof)					1	Pa.
Do	*Lactuca sativa* (lettuce)					1	Mass.
Do	do					1	N. Y.
Do	*Lactuca sativa longifolia* (Romaine lettuce).					1	Do.
Trypetid	*Malus sylvestris* (apple)					1	P. R.

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
SPAIN—Continued							
Diseases:							
Albugo candida	*Brassica oleracea botrytis* (cauliflower).					1	N. Y.
Do	*Raphanus sativus* (radish)	1					Do.
Alternaria brassicae	*Brassica oleracea botrytis*					1	Do.
Do	do					1	Pa.
Do	*Brassica oleracea capitata*					1	Md.
Do	do					2	Pa.
Alternaria herculea	do					4	Do.
Bacterium campestre	do					1	Pa.
Bacterium maculicola	do					2	Md.
Do	do					2	Pa.
Botrytis cinerea	*Allium cepa* (onion)					1	La.
Do	do					1	Md.
Do	do					1	Va.
Do	*Allium sativum* (garlic)					1	Tex.
Do	*Vicia faba* (broadbean)					1	Do.
Do	*Vitis* sp. (grape)					1	N. Y.
Bremia lactucae	*Lactuca sativa* (lettuce)					1	Do.
Capnodium citri	*Citrus limonia* (lemon)					2	Pa.
Do	do					1	Tex.
Do	*Citrus sinensis* (orange)	1				1	Md.
Capnodium sp	*Quercus suber* (cork)	1					Pa.
Ceratostomella sp	*Vicia faba* (broadbean)					1	Do.
Cercospora beticola	*Beta vulgaris cicla* (Swiss chard)					1	N. Y.
Cladosporium fulvum	*Lycopersicum esculentum*					1	Tex.
Colletotrichum cirinans	*Allium cepa* (onion)					2	N. Y.
Do	do					1	Pa.
Ditylenchus dipsaci	*Solanum tuberosum*					1	Tex.
Graphiola phoenicis	Palm			1	2		N. Y.
Helminthosporium allii	*Allium sativum* (garlic)					3	Ala.
Do	do					1	N. Y.
Do	do					1	Va.
Helminthosporium sp	*Capriola dactylon* (Bermuda grass).			1			N. Y.
Leptothyrium pomi	*Malus sylvestris* (apple)			1			Do.
Mycosphaerella pinodes	*Pisum sativum* (pea)					1	Pa.
Mycosphaerella schoenoprasi	*Allium porrum* (leek)					3	Do.
Oidium euonymi-japonici	*Euonymus* sp				2		N. Y.
Oospora citri-aurantii	*Citrus limonia* (lemon)					1	Pa.
Oospora lactis parasitica	*Lycopersicum esculentum*					1	Do.
Oospora sp	*Daucus carota* (carrot)					1	La.
Penicillium glaucum	*Vitis* sp. (grape)					1	Pa.
Pestalozzia sp	*Salix* sp. (willow)			1			P. R.
Phoma destructiva	*Capsicum annuum*					1	Md.
Phoma lingam	*Brassica oleracea capitata*					1	Do.
Phoma sp	*Citrus limonia*					1	N. Y.
Phyllachora cynodontis	*Capriola dactylon* (Bermuda grass).			1			Do.
Phyllosticta sp	*Citrus limonia*				1	1	Tex.
Physalospora obtusa	*Malus sylvestris* (apple)			1			N. Y.
Plasmopara viticola	*Vitis* sp. (grape)					1	Md.
Puccinia coronata	*Avena sativa* (oats)		1				N. Y.
Puccinia cynodontis	*Capriola dactylon* (Bermuda grass).			1			Do.
Puccinia graminis	*Hordeum vulgare* (barley)					1	Md.
Do	*Triticum aestivum* (wheat)	1					N. Y.
Do	do			1			Tex.
Puccinia phragmitis	*Phragmites communis* (common reed-grass).			2			P. R.
Puccinia porri	*Allium sativum* (garlic)					1	Md.
Puccinia rubigo-vera tritici	*Triticum aestivum* (wheat)	2					N. Y.
Do	do			1			Tex.
Puccinia sp	*Allium sativum* (garlic)					2	Md.
Do	do					1	N. Y.
Do	do					2	Pa.
Do	*Avena sativa* (oats)	1					N. Y.
Do	*Triticum aestivum* (wheat)	2		1			Do.
Sclerotinia sclerotiorum	*Brassica rapa* (turnip)					1	Pa.
Do	*Capsicum annuum*					1	Do.
Do	*Daucus carota* (carrot)					1	Do.
Do	do					1	Tex.
Do	*Phaseolus* sp. (string bean)					2	Pa.

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
SPAIN—Continued							
Diseases—Continued.							
Sclerotinia sp	*Brassica oleracea capitata*					1	Pa.
Do	*Prunus domestica* (plum)					1	Do.
Sclerotium cepivorum	*Allium sativum* (garlic)					1	Ala.
Sclerotium oryzae	*Oryza sativa* (rice)	8		1			N. Y.
Do	do			1			P. R.
Sclerotium sp	*Solanum tuberosum*					1	Pa.
Septoria apii	*Apium graveolens* (celery)					3	N. Y.
Septoria citri	*Citrus grandis* (grapefruit)					3	Pa.
Do	*Citrus limonia* (lemon)					1	N. Y.
Do	do					1	Tex.
Do	*Citrus nobilis deliciosa* (tangerine).					1	Pa.
Do	*Citrus sinensis* (orange)					1	Oreg.
Do	do					1	Pa.
Do	do				1		Tex.
Septoria gladioli	*Gladiolus* sp		1				N. Y.
Septoria pastinacina	*Pastinaca sativa* (parsnip)					1	Do.
Septoria petroselini	*Petroselinum hortense* (parsley)					4	Do.
Sphaceloma fawcettii	*Citrus sinensis* (orange)					1	Md.
Stysanus stemonites	*Solanum tuberosum*					1	N. Y.
Do	do					1	Pa.
Tuberculariа endogena	*Castanea sativa* (Spanish chestnut).			1			P. R.
Uromyces sp	*Phaseolus* sp. (string bean)					1	Tex.
Venturia pyrina	*Pyrus communis* (pear)					1	Pa.
Verticillium sp	*Solanum melongena* (eggplant)					1	N. Y.
STRAITS SETTLEMENTS							
Insects:							
Aleuroplatus samoanus (whitefly)	*Codiaeum* sp. (croton)				1		La.
Lepidosaphes lasianthi (Coccidae)	do				1		Ga.
Do	do				1		La.
Do	do				1		N. Y.
Parlatoria fluggeae brasiliensis (Coccidae).	*Citrus sinensis* (orange)					1	Md.
Parlatoria pseudaspidiotus (Coccidae).	Orchid		1				D. C.
Parlatoria ziziphus (Coccidae)	*Citrus grandis* (pomelo)					1	N. Y.
Diseases:							
Erysiphe graminis	*Triticum aestivum* (wheat)		1				Do.
Macrosporium tomato	*Lycopersicum esculentum*					1	Do.
Periconia sp	Bamboo		1				Do.
Do	*Oryza sativa* (rice)			1			Do.
Phoma glumarum	do			1			Do.
Puccinia sp	*Triticum aestivum* (wheat)		1				Do.
Sclerotinia sp	*Lycopersicum esculentum*					1	Do.
Sphaceloma fawcettii	*Citrus sinensis* (orange)					1	Mass.
SWEDEN							
Insects:							
Anomala aenea (Scarabaeidae)	In soil around *Heuchera* sp. plant.		1				Do.
Athous haemorrhoidalis (Elateridae)	In soil around roots of hepatica		1				Wash.
Leucaspis loewi (Coccidae)	*Pinus* sp		1				Do.
Leucaspis sulcii (Coccidae)	do		1				Do.
Macrosiphum kaltenbachii (aphid)	*Lactuca sativa* (lettuce)					1	N. Y.
Physokermes piceae (Coccidae)	*Picea alauca* (spruce)				1		Pa.
Taeniothrips atratus (thrips)	*Chrysanthemum* sp			1			N. Y.
Trypetid	*Rosa* sp		1				D. C.
Diseases:							
Alternaria brassicae	*Brassica oleracea capitata*					2	Md.
Aphelenchoides parietinus	*Beta vulgaris* (beet)					1	Va.
Bacterium campestre	*Brassica oleracea capitata*					1	Pa.
Bacterium maculicola	do					3	Md.
Do	do					2	Pa.
Do	*Brassica oleracea gemmifera* (brussels sprouts).					1	N. Y.
Botrytis allii	*Allium cepa* (onion)					1	Do.
Botrytis cinerea	do					1	Ala.
Do	do					1	La.

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
SWEDEN—Continued							
Diseases—Continued.							
Botrytis cinerea	*Allium cepa* (onion)					3	Md.
Do	do					1	Pa.
Do	do					3	Va.
Do	do					1	Wash.
Do	*Brassica rapa* (turnip)					1	Md.
Do	do					1	Va.
Do	*Daucus carota* (carrot)					1	Md.
Do	do					1	Pa.
Do	do					1	Tex.
Do	do					1	Va.
Do	*Pastinaca sativa* (parsnip)					1	Do.
Colletotrichum omnivorum	*Aspidistra lurida* (aspidistra)				4		N. Y.
Ditylenchus dipsaci	*Solanum tuberosum*					1	La.
Gloeosporium sp	*Aucuba japonica* (Japanese aucuba).				1		Do.
Helminthosporium allii	*Allium porrum* (leek)					2	Md.
Leptosphaeria sp	*Secale cereale* (rye)					1	Wash.
Mycosphaerella brassicicola	*Brassica oleracea capitata*					1	Md.
Mycosphaerella schoenoprasi	*Allium porrum* (leek)					5	Do.
Do	do					2	Pa.
Peronospora parasitica	*Brassica oleracea botrytis* (cauliflower).					1	N. Y.
Pestalozzia sp	*Aucuba japonica* (Japanese aucuba).				1		Do.
Phoma betae	*Beta vulgaris* (beet)					1	Va.
Phomopsis sp	*Aucuba japonica*				1		N. Y.
Puccinia graminis	*Triticum aestivum* (wheat)		1				Do.
Puccinia rubigo-vera tritici	do					1	Md.
Do	do			1			N. Y.
Puccinia sp	*Secale cereale* (rye)					1	Wash.
Pythium sp	*Apium graveolens* (celery)					1	Ala.
Do	*Daucus carota* (carrot)					1	Va.
Sclerotinia sclerotiorum	*Brassica rapa* (turnip)					1	Md.
Do	do					1	Va.
Do	*Daucus carota*					3	Md.
Do	do					1	La.
Do	do					1	Pa.
Do	do					2	Tex.
Do	do					3	Va.
Do	*Pastinaca sativa* (parsnip)					1	Md.
Do	do					1	N. Y.
Sclerotium cepivorum	*Allium cepa* (onion)					1	Va.
Sclerotium sp	*Brassica oleracea botrytis* (cauliflower).					1	Do.
Septoria apii	*Apium graveolens* (celery)					1	N. Y.
Septoria petroselini	*Petroselinum hortense* (parsley)					1	Do.
Sphaeronema sp	*Pastinaca sativa* (parsnip)					1	La.
Thecopsora padi	*Picea abies* (Norway spruce)			1			N. Y.
Thielavia sp	*Daucus carota* (carrot)					1	Md.
Vermicularia sp	*Chieranthus* sp. (wallflower)			1			N. Y.
Verticillium sp	*Solanum tuberosum*					1	Tex.
SWITZERLAND							
Insects:							
Taeniothrips picipes (thrips)	Cut flowers		1				N. Y.
Trypetid	*Rosa pendulina*		1				D. C.
Diseases:							
Lophodermium sp	*Juniperus* sp. (juniper)		1				Pa.
Puccinia graminis	*Hordeum vulgare* (barley)		1				Wash.
Thielavia sp	*Azalea* sp		1				N. Y.
SYRIA							
Insects:							
Aspidiotus spinosus (Coccidae)	*Eriobotrya japonica* (loquat)		1				D. C.
Lepidosaphes halli (Coccidae)	*Prunus armeniaca* (apricot)	1					Do.
Limothrips denticornis (thrips)	do	1					Do.
Diseases:							
Phoma sp	*Chayota edulis* (chayote)			1			N. Y.
Puccinia graminis	*Triticum aestivum* (wheat)		1				Do.
Puccinia rubigo-vera tritici	do	3					Do.

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
TAHITI							
Insects:							
Euscepes batatae (West Indian sweetpotato weevil).	*Ipomoea batatas* (sweetpotato)			1			Calif.*
Morganella maskelli (Coccidae)	*Citrus sinensis* (orange)					1	Do.*
Parlatoria cinerea (Coccidae)	*Citrus aurantifolia* (lime)				1	1	Do.
TAIWAN							
Diseases:							
Bacterium citri	*Citrus grandis* (pomelo)					1	N. Y.
Melanconium sp	*Saccharum spontaneum*		1				D. C.
TASMANIA							
Diseases:							
Puccinia graminis	*Avena sativa* (oats)		1				N. Y.
TRINIDAD							
Insects:							
Anastrepha sp. (Trypetidae)	*Citrus aurantium* (sour orange)				1		Ala.
Do	*Mangifera indica* (mango)				1		N. Y.
Aspidiotus destructor (Coccidae)	*Alpinia mutica*		1				D. C.
Do	*Jessenia* sp		1				Do.
Chilo simplex (Asiatic rice borer)	*Oryza sativa* (rice)	1					N. Y.
Coccus acuminatus (Coccidae)	*Anthurium* sp	1					Fla.*
Conchaspis angraeci (Coccidae)	*Epidendrum elongatum* (orchid).		1				D. C.
Do	*Gongora maculata* (orchid)		1				Do.
Hemichionaspis minor strachani (Coccidae).	*Citrus aurantifolia* (lime)	1					N. Y.
Do	*Hibiscus* sp		1				D. C.
Marmara sp. (Gracilariidae)	*Citrus grandis* (grapefruit)				1		La.
Do	do	1					N. Y.
Do	do					1	Tex.
Do	*Citrus sinensis* (orange)				2	1	La.
Pinnaspis buxi (Coccidae)	*Monstera deliciosa* (ceriman)	1					D. C.
Stephanoderes buscki (Scolytidae)	*Myristica fragrans* (nutmeg)		1				N. Y.
Targionia hartii (Coccidae)	*Dioscorea* sp. (yam)			3			Do.
Do	*Zingiber officinale* (ginger)		1				Do.
Targionia sacchari (Coccidae)	*Saccharum officinarum*			1			Do.
Vinsonia stellifera (Coccidae)	*Bifrenaria aurantiaca* (orchid)		1				D. C.
Do	*Epidendrum oncidioides* (orchid).		1				Do.
Do	*Gongora maculata* (orchid)		1				Do.
Do	*Oncidium papilio* (orchid)		1				Do.
Do	*Stanhopea grandiflora* (orchid)		1				Do.
Diseases:							
Bacterium vesicatorium	*Solanum melongena* (eggplant)					1	N. Y.
Diplodia cacaoicola	*Cocos nucifera* (coconut)			1			Do.
Do	*Theobroma cacao* (cacao)		1				Do.
Diplodia natalensis	*Citrus aurantifolia* (lime)	4					Do.
Diplodia tubericola	*Ipomoea batatas* (sweetpotato)					1	La.
Diplodia sp	*Amomum melegueta*		1				N. Y.
Gloeosporium sp	*Aloe* sp			1			Do.
Do	*Gongora maculata* (orchid)		1				D. C.
Melanconium sacchari	*Saccharum officinarum*			1			N. Y.
Phoma destructiva	*Lycopersicum esculentum*					1	Do.
Phyllosticta sp	*Gongora maculata*		1				D. C.
Do	*Laurus nobilis* (Grecian laurel)		1				N. Y.
Septoria sp	*Lactuca sativa* (lettuce)					2	Do.
Thielaviopsis paradoxa	*Saccharum officinarum*			4			Do.
TUNIS							
Insects:							
Parlatoria blanchardi (Coccidae)	*Phoenix dactylifera* (date)		1				Do.
Diseases:							
Diplodia natalensis	*Citrus limonia* (lemon)					1	Do.
TURKEY							
Insects:							
Callirhytis glandium (Cynipidae)	*Quercus* sp. (valonia)	9					Do.
Do	do	1					Pa.
Chirothrips similis (thrips)	*Aegilops* sp	1					D. C.
Do	*Agropyron* sp	1					Do.
Do	*Triticum* sp	1					Do.
Haplothrips distinguendus (thrips)	*Eremurus* sp	2					Do.
Do	*Triticum* sp	1					Do.

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
TURKEY—Continued							
Insects—Continued.							
Haplothrips mordvilkoi (thrips)	*Gynerium* sp. (plume grass)	1					D. C.
Pectinophora gossypiella (pink bollworm).	*Gossypium* sp. (cotton boll)		1				Md.
Diseases:							
Anguina tritici	*Triticum aestivum* (wheat)		1				D. C.
Aspergillus alliaceus	*Galanthus nivalis* (snowdrop)	1					N. Y.
Dothiorella sp	*Quercus* sp. (valonia)	1					Do.
Sclerotium sp	*Galanthus nivalis*	3					Do.
Stachybotrys sp	*Cyclamen* sp			1			Mass.
Tilletia laevis	*Triticum aestivum* (wheat)		2				D. C.
Verticillium sp	*Cyclamen* sp			1			Mass.
TURKS ISLAND							
Insects:							
Elaphidion nanum (Cerambycidae)	*Aloe* sp	1					N. Y.
UGANDA							
Insects:							
Stephanoderes hampei (coffee berry borer).	*Coffea* sp	1					Do.
UNION OF SOUTH AFRICA							
Insects:							
Aspidiotus spinosus (Coccidae)	*Haworthia columnaris*		1				D. C.
Ceratitis capitata (Mediterranean fruit fly).	*Citrus sinensis* (orange)					1	Md.
Frankliniella pallida (thrips)	*Ornithogalum thyrsoides* (chinkerichee).				1		Pa.
Frankliniella schultzei (thrips)	do		36				N. Y.
Haplothrips bagnalli (thrips)	do		11				Do.
Haplothrips nigricornis (thrips)	do		1				Do.
Do	*Protea* sp			1			Do.
Phaecorynes zamiae (Curculionidae).	*Encephalartos caffer*	1					D. C.
Do	*Encephalartos lehmanni*	1					Do.
Phenacaspis natalensis	*Acanthophoenix rubra*		1				Do.
Pseudaonidia lounsburyi (Coccidae)	*Argyroderma testiculare*		1				Do.
Do	*Dinteranthus margaretae*		1				Do.
Taeniothrips fumosa (thrips)	*Gladiolus* sp			1			N. Y.
Do	*Ornithogalum thyrsoides* (chinkerichee).	1	29				Do.
Trypetid	*Hapaline* sp		1				D. C.
Do	*Kigelia* sp		1				Do.
Diseases:							
Alternaria herculea	*Brassica oleracea capitata*					1	Pa.
Do	do					1	Va.
Bacterium maculicola	do					2	N. Y.
Botrytis cinerea	*Allium cepa* (onion)					1	Tex.
Do	*Daucus carota* (carrot)					1	Do.
Capnodium citri	*Citrus sinensis* (orange)				1		Pa.
Do	do				1		Va.
Colletotrichum sp	*Caralluma* sp		1				Calif.*
Coniothyrium sp	*Apicra foliolosa*		1				D. C.
Helminthosporium sp	*Ornithogalum thyrsoides* (chinkerichee).		12				N. Y.
Heterosporium ornithogali	do		3				Ill.
Do	do	1	24				N. Y.
Do	do		2				Pa.
Do	do		1				Wash.
Do	*Ornithogalum* sp. (star-of-Bethlehem).		1				Pa.
Macrophoma sp	*Aloe saponaria*	1					N. Y.
Phoma sp	*Ornithogalum thyrsoides* (chinkerichee).		3				Do.
Do	*Stapelia* sp		1				Calif.*
Phyllosticta sp	*Stapelia cooperi*		1				Do.*
Puccinia ornithogali-thyrsoides	*Ornithogalum thyrsoides*		1				Ill.
Do	do		1				Mich.
Do	do		22				N. Y.
Do	do		7				Pa.
Sclerotinia sp	*Brassica rapa* (turnip)					1	Va.
Sclerotium oryzae	*Oryza sativa* (rice)	1					N. Y.

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
UNION OF SOUTH AFRICA—Continued							
Diseases—Continued.							
Sclerotium rolfsii	*Eriospermum* sp.	1					D. C.
Sphaceloma fawcettii	*Citrus limonia* (lemon)					2	Pa.
Do	*Citrus sinensis* (orange)			2			N. Y.
UNION OF SOVIET SOCIALIST REPUBLICS							
Insects:							
Bruchus affinis (Bruchidae)	*Lathyrus tuberosus*	1					D. C.
Bruchus rufipes (Bruchidae)	*Vicia* sp. (vetch)		1				Do.
Eurytoma plotnikovi (Eurytomidae)	*Pistacia vera* (pistache)		2				Do.
Haplothrips mordvilkoi (thrips)	*Aristida pennata karelini*		2				Do.
Megastigmus pistaciae (Callimomidae).	*Pistacia vera*		1				Do.
Trypetid	Legume	1					Do.
Diseases:							
Botrytis cinerea	*Allium cepa* (onion)					1	La.
Do	*Daucus carota* (carrot)					1	Mass.
Claviceps microcephala	*Dactylis glomerata*		1				D. C.
Do	*Festuca ovina* (sheeps fescue)		1				Do.
Do	*Hierochloe odorata*		1				Do.
Do	*Hordeum secalinum*		1				Do.
Do	*Phleum boehmeri*		1				Do.
Do	*Phleum pratense* (timothy)		3				Do.
Do	*Poa* sp.		2				Do.
Claviceps purpurea	*Agropyron cristatum*		2				Do.
Do	*Agropyron repens*		13				Do.
Do	*Agropyron* sp.		1				Do.
Do	*Alopecurus pratensis* (meadow foxtail).		1				Do.
Do	*Alopecurus ventricosus*		1				Do.
Do	*Bromus inermis* (bromegrass)		6				Do.
Do	*Bromus* sp.		2				Do.
Do	*Dactylis glomerata* (orchard grass).		4				Do.
Do	*Elymus juncea*		1				Do.
Do	*Elymus salsuginosus*		1				Do.
Do	*Festuca arundinacea*		1				Do.
Do	*Festuca elatior* (meadow fescue)		3				Do.
Do	*Festuca pratensis* (meadow foxtail).		1				Do.
Do	*Hordeum secalinum*		2				Do.
Do	*Poa pratensis* (Kentucky bluegrass).		2				Do.
Do	*Poa* sp.		2				Do.
Claviceps sp.	*Hordeum secalinum*		1				Do.
Ditylenchus dipsaci	*Solanum tuberosum*					1	Pa.
Myxosporium salicinum	*Salix* sp.	1					D. C.
Phoma sp.	*Pinus* sp.	1					N. Y.
Puccinia graminis	*Triticum aestivum* (wheat)	1					Do.
Do	*Triticum macha*		3				D. C.
Do	*Triticum* sp.		1				Do.
Puccinia sp.	*Agropyron* sp.		1				Do.
Do	*Triticum aestivum*	1					N. Y.
Stysanus sp.	*Solanum tuberosum*					1	Mass.
URUGUAY							
Diseases:							
Puccinia rubigo-vera tritici	*Triticum aestivum*		1				N. Y.
Sclerotinia sclerotiorum	*Daucus carota* (carrot)					1	Tex.
VENEZUELA							
Insects:							
Bephrata maculicollis (Eurytomidae).	*Annona muricata* (soursop)			1			N. Y.
Callosobruchus phaseoli (Bruchidae)	*Dolichos lablab* (hyacinth-bean).			1			Do.
Castnia sp. (Castniidae)	*Cattleya* sp. (orchid)	1					D. C.
Do	Orchid	1					Do.
Cholus cattleyae (Curculionidae)	*Cattleya* sp. (orchid)	1					Do.
Do	do	1					P. R.
Eurytoma orchidearum (Eurytomidae).	*Cattleya mossiae* (orchid)	1					Calif.*
Do	Orchid	1					D. C.

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
VENEZUELA—Continued							
Insects—Continued.							
Furcaspis biformis (Coccidae)	*Cattleya percivaliana* (orchid)	1					P. R.
Do	*Cattleya* sp. (orchid)	2					D. C.
Do	Orchid		1				Do.
Do	do				1		Pa.
Lincus dentiger (Pentatomidae)	Packing around orchids	1					D. C.
Lophocateres pusillus (Siamese grain beetle).	*Arachis hypogaea* (peanut)	1					Do.
Maruca testulalis (bean pod borer)	*Phaseolus* sp. (string bean)					1	P. R.
Pseudoparlatoria parlatorioides (Coccidae).	*Cattleya gaskelliana* (orchid)	1					Do.
Do	*Cattleya mossiae* (orchid)	1					Do.
Do	*Cattleya* sp. (orchid)	2					D. C.
Do	*Lycaste* sp. (orchid)	1					Do.
Do	Orchid	2					Do.
Diseases:							
Cercospora apii	*Apium graveolens* (celery)					1	N. Y.
Cercospora beticola	*Beta vulgaris cicla* (Swiss chard)					1	P. R.
Colletotrichum orchidearum	*Cattleya mossiae* (orchid)	1					Do.
Colletotrichum sp	do	4					Calif.*
Coniothyrium sp	Orchid	1					D. C.
Diplodia sp	*Cattleya mossiae* (orchid)	1					P. R.
Gloeosporium cattleyae	*Cattleya speciosissima* (orchid)		1				Calif.*
Gloesporium sp	*Cattleya mossiae* (orchid)	7					Do.*
Do	*Cattleya* sp. (orchid)	1					Do.*
Do	Orchid	10	1				D. C.
Do	do	1		1			N. Y.
Do	do		1				Calif.*
Phyllosticta sp	do		1				Do.*
Puccinia oxalidis	*Oxalis latifolia*					1	N. Y.
Puccinia rubigo-vera tritici	*Triticum aestivum* (wheat)	1					Do.
Uredo sp	*Oncidium* sp. (orchid)	1					D. C.
Vermicularia sp	*Cattleya* sp. (orchid)	1					Calif.*
VIRGIN ISLANDS							
Insects:							
Pectinophora gossypiella (pink bollworm).	*Gossypium* sp. (cottonseed)		1				N. Y.
Do	*Gossypium* sp. (seed cotton)		1				Do.
Diseases:							
Bacterium vesicatorium	*Capsicum annuum*		1				Mass.
Do	*Lycopersicum esculentum*	4					N. Y.
Melanconium sacchari	*Saccharum officinarum*		2	2			Do.
Thielariopsis paradoxa	do		1	2			Do.
WALES							
Insects:							
Frankliniella intonsa (thrips)	*Aster* sp			1			Do.
Do	*Zinnia* sp			1			Do.
Taeniothrips atratus (thrips)	*Aster* sp			1			Do.
Do	*Zinnia* sp			1			Do.
Thrips flavus (thrips)	*Aster* sp			3			Do
Do	*Zinnia* sp			2			Do.
WEST AFRICA							
Insects:							
Lepidosaphes lasianthi (Coccidae)	*Codiaeum* sp. (croton)				1		Ga.
Stephanoderes hampei (coffee berry borer).	*Coffea* sp	1					N. Y.
Diseases:							
Diplodia tubericola	*Ipomoea batatas* (sweetpotato)				1		Pa.
WEST INDIES							
Insects:							
Aspidiotus destructor (Coccidae)	*Terminalia catappa* (India-almond).				1		N. Y.
Frankliniella insularis (thrips)	*Antirrhinum majus* (snapdragon).			1			Do.
Do	*Rosa* sp			1			Do.
Hemichionaspis minor strachani (Coccidae).	*Poinciana regia* (royal poinciana).			1			Do.
Pseudococcus virgatus (Coccidae)	*Codiaeum* sp. (croton)				1		Do.

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
WEST INDIES—Continued							
Diseases:							
Melanconium sacchari	*Saccharum officinarum*	----	----	1	1	----	N. Y.
Phyllosticta divergens	*Albizzia lebbeck* (lebbek)	----	----	1	----	----	Do.
Thielaviopsis paradoxa	*Saccharum officinarum*	1	----	1	----	----	Do.
YUGOSLAVIA							
Diseases:							
Monilia fructigena	*Prunus* sp. (cherry)	----	1	----	----	----	Ill.
Phoma sp.	*Crataegus* sp. (hawthorn)	1	----	----	----	----	N. Y.
Pucciniastrum myrtilli	*Vaccinium* sp. (blueberry)	----	1	----	----	----	Wash.
Thielavia basicola	*Viola* sp.	----	----	1	----	----	N. Y.
UNKNOWN ORIGIN							
Insects:							
Anastrepha sp. (Trypetidae)	*Mangifera indica* (mango)	----	----	----	1	----	Do.
Do	do	----	----	----	2	----	La.
Ceratitis capitata (Mediterranean fruit fly).	*Amygdalus persica* (peach)	----	----	----	1	----	N. Y.
Conchaspis angraeci (Coccidae)	*Oncidium* sp. (orchid)	1	----	----	----	----	D. C.
Do	Orchid	1	----	----	----	----	Do.
Cylas formicarius (sweetpotato weevil).	*Ipomoea batatas* (sweetpotato)	----	----	----	----	4	La.
Furcaspis biformis (Coccidae)	Orchid	1	----	----	----	----	D. C.
Lophocateres pusillus (Siamese grain beetle).	*Lovoa klaineana* (tigerwood)	1	----	----	----	----	N. Y.
Odonaspis pimentae (Coccidae)	*Pimenta acris* (bay-rum tree)	----	----	1	----	----	Do.
Pectinophora gossypiella (pink bollworm).	*Gossypium* sp. (cottonseed)	1	----	----	----	----	Do.
Pseudoparlatoria ostreata (Coccidae)	*Oncidium lanceanum* (orchid)	1	----	----	----	----	D. C.
Trypopremnon latithorax (Curculionidae).	*Solanum tuberosum*	1	----	----	----	----	Do.
Xyleborus affinis (Scolytidae)	*Lovoa klaineana* (tigerwood)	1	----	----	----	----	N. Y.
Diseases:							
Phyllosticta colocasiae	*Dieffenbachia seguine*	----	----	1	----	----	Do.

U. S. GOVERNMENT PRINTING OFFICE: 1937